

# Selected Bibliography on Indian Primates

---

*D.P. Rath*

- Achariyo, L.N. & Misra, R. (1976) 'Notes on a young hybrid macaque.' *J. Bombay Nat. Hist. Soc.*, 73(3): 521–522.
- Adachi, M., Saito, R. & Tanioka, Y. (1982) 'Observation of delivery behaviour in the Rhesus monkey.' *Primates*, 23(4): 583–586.
- Adams, G.P. & Dierschke, D.J. (1992) 'Ultrasonic imaging of ovarian dynamics during the menstrual cycle in Rhesus monkeys.' *Am. J. Primatol.*, 27(1): 13. (Abstract only).
- Adams, M.R., Kapland, J.R. & Koritnik, D.R. (1985) 'Psychosocial influences on ovarian endocrine and ovulatory function in *Macaca fascicularis*.' *Physiol. Behav.*, 35(6): 935–940.
- Agarwal, V.C. (1974) 'Taxonomic status of Barbes' leaf monkey, (*Presbytis phayrei* Blyth).' *Primates*, 15(2–3), 235–239.
- Agoramoorthy, G., Mohnot, S.M., Sommer, V. & Srivastava, A. (1988) 'Abortion in free-ranging Hanuman langurs (*Presbytis entellus*): A male induced strategy?' *Human Evolution*, 3: 298–310.
- Agoramoorthy, G. (1992) 'Reproductive biology of the Hanuman langur (*Presbytis entellus*) in Jodhpur, western India.' *J. Bombay Nat. Hist. Soc.*, 89(1): 84–93.
- (1994) 'Adult male replacement and social change in two troops of Hanuman langurs (*Presbytis entellus*) at Jodhpur, India.' *Intl. J. Primatol.*, 15(2): 225–238.
- (1994) 'Feeding ecology of the primates of Bangladesh.' In: *Current Primatology, vol. I: Ecology and Evolution*, eds. B. Thierry, J.R. Anderson, J.J. Roeder, N. Herrenschmidt, pp. 79–86.
- Ahsan, M.F. (1994) 'Behavioural ecology of the Hoolock gibbon (*Hylobates hoolock*) in Bangladesh.' Ph.D dissertation, University of Cambridge.
- (1994) 'Feeding ecology of the primates of Bangladesh.' In: B. Thierry, J.R. Anderson, J.J. Roeder, & N. Herrenschmidt (eds.), *Current Primatology, vol I, Ecology and Evolution*, pp. 79–86. Université Louis Pasteur, France.
- Akita, K., Sakamoto, H. & Sato, T. (1995) 'Muscles of the pelvic outlet in the Rhesus monkey (*Macaca mulatta*) with special reference to nerve supply.' *Anat. Rec.*, 241(2): 273–283.
- Alexinsky, T., Gary-Bobo, E., Krupa, M. & Przybyslawski, J. (1992) 'Effect of ageing on visual discrimination in a Long-tailed macaque.' Abstracts of the 1991 Meeting of the Francophone Primatological Society, Paris, France, September 26–27, 1991. Nicolas Herrenschmidt, secretary. *Folia Primatol.*, 58(3): 164.
- Alfred, J.R.B. & Sati, J.P. (1986) 'The gibbons with special reference to *Hylobates hoolock*.' In: *Wildlife Wealth of India (Resources & Management)*. Trilok Chandra Majupuria, ed., 384–390.
- (1987) 'Sexual behaviour in the *Hylobates hoolock*.' *Int. Primatol.* 8(5): 530.
- (1990) 'Behavioural study of the *Hylobates hoolock* Harl.' In: *Current Trends in Environmental Biology*. (R.R. Mishra and K. Chatterjee eds.). Proceeding of 2nd International Symposium of Life Sciences, 14–16 Nov. 1985. School of Life Science North-Eastern Hill University, Shillong, pp. 85–93.
- (1990) 'Survey and census of the Hoolock gibbon in west Garo Hills, Northeast India.' *Primates*, 31(2): 299–306.
- (1994) 'Diet and feeding in the Hoolock gibbon of Garo Hills in Northeastern, India.' *Ann. Forestry.*, 2(2): 109–122.
- Alfred, J.R.B. (1992) 'The Hoolock gibbon: *Hylobates hoolock*.' *Primate Report*, 34: 65–69.



- Ali, R. (1984) 'Sexual behaviour in the southern Bonnet macaque, (*Macaca radiata diluta*).' *Int. J. Primatol.*, 5(4): 319. (Abstract).
- (1981) 'The Ecology and Social Behaviour of the Agastyamalai Bonnet Macaque.' Ph.D thesis, Bristol University, Bristol, U.K.
- (1985). 'An overview of the status and distribution of the Lion-tailed macaque.' In, *The Lion-tailed Macaque: Status and Conservation* (Ed. P.G. Heltne), pp. 13–26. Alan R. Liss, New York.
- (1986) 'Feeding ecology of the Bonnet macaque at the Mundanthurai sanctuary, Tamil Nadu.' *J. Bombay Nat. Hist. Soc.*, 83(1): 98–110.
- Ali, R., Johnson, J.M. & Moore, J. (1985) 'Female emigration in *Presbytis johnii*: a life-history strategy.' *J. Bombay Nat. Hist. Soc.*, 82(2): 249–252.
- Alley, T.R. (1980) 'Infantile colouration as an elicitor of caretaking behaviour in Old World primates.' *Primates*, 21: 416–429.
- Altmann, J. (1974) 'Observation study of behaviour: sampling methods.' *Behaviour*, 49: 227–267.
- Altmann, S.A. & Altmann, J. (1979) 'Demographic constraints on behaviour and social organization.' In, *Primate Ecology and Human Origins*, ed. I.S. Bernstein & E.O. Smith, New York: Garland STPM Press, pp. 47–63.
- Amico, J.A., Challinor, S.M. & Cameron, J.L. (1990) 'Pattern of oxytocin concentrations in the plasma and cerebrospinal fluid of lactating Rhesus monkeys (*Macaca mulatta*): evidence for functionally independent oxytocinergic pathways in primates.' *J. Clin. Endocrinol. Metab.*, 71(6): 1531–1535.
- Anand Kumar, T.C., Sehgal, A., David, G.F.X., Bajaj, J.S. & Prasad, M.R.N. (1980) 'Effects of intranasal administration of hormonal steroids on serum testosterone and spermatogenesis in Rhesus monkey (*Macaca mulatta*).' *Biol. Reprod.*, 22(4): 935–940.
- Andelman, S.J. (1986) 'Ecological and social determinants of cercopithece mating systems.' In, *Ecological aspects of social evolution* (D.L. Rubenstein & R.W. Wrangham, eds.), pp. 201–216. Princeton University Press, Princeton.
- Anderson, J.R. (1998) 'Home range (core area) squatting in Bonnet macaques (*Macaca radiata*).' *Mammalia*, 62(4): 595–599.
- Anderson, J.R. & Stoppa, F. (1991) 'Incorporating objects into sequences of aggression and self-aggression by *Macaca arctoides*: an unusual form of tool use?' *Lab. Primate Newsl.*, 30(3): 1–3.
- Anderson, J.R., Peignot, P. & Adelbrecht, C. (1992) 'Task-directed and recreational underwater swimming in captive Rhesus monkeys (*Macaca mulatta*).' *Lab. Primate Newsl.*, 31(4): 1–4.
- Anon., (1981) *Techniques for the study of primate population ecology*. National Research Council, National Academy Press, Washington D.C.
- Arora, B.M. & Malhotra, A.K. (1993) 'A comparative study of rate of birth and mortality in Lion-tailed macaque (*Macaca silenus*).' *Indian Forester*, 119(10): pp. 866–869.
- Artaud, Y. (1980) 'Notes on the feeding and hunting behaviour of Lion-tailed macaques (*Macaca silenus*) in captivity.' *J. Bombay Nat. Hist. Soc.*, 77(2): 285–289.
- Arya, S.N. (1981) 'A new species of the genus *Probstmayria ransom*, 1907 (Nematoda: Atractidae) from the Rhesus macaque, (*Macaca mulatta*).' *Primates*, 22(2): 262–265.
- (1986) 'A new species of the genus *Oesophagos-tomum molin*, 1861 (Nematoda: Trichonematidae) from the Rhesus macaque, (*Macaca mulatta*).' *Riv. Parasitol.*, 3(47): 195–197.
- Ashton, E.H. & Oxnard, C.E. (1964) 'Functional adaptations in the primate shoulder girdle.' *Proc. Zool. Soc. Lond.*, 142: 49–66.
- Asvestas, C. (1998) 'Pairing *Macaca fascicularis*. Lab.' *Primate Newsl.*, 37(3): 5.
- Auletta, F.J., Paradis, D.K., Wesley, M. & Duby, R.T. (1984) 'Oxytocin is luteolytic in the Rhesus monkey (*Macaca mulatta*).' *J. Reprod. Fert.*, 72(2): 401–406.
- Aureli, F. (1992) 'Post-conflict behaviour among wild Long-tailed macaques (*Macaca fascicularis*).' *Behav. Ecol. Sociobiol.*, 31(5): 329–337.
- Aureli, F. & van Schaik, C.P. (1991) 'Post-conflict behaviour in Long-tailed macaques (*Macaca fascicularis*): I. the social events.' *Ethology*, 89(2): 89–100.
- (1991) 'Post-conflict behaviour in Long-tailed macaques (*Macaca fascicularis*): II. coping with the uncertainty.' *Ethology*, 89(2): 101–114.



- Babu, P.G., Saraswathi, N.K., Ishida, T., Mukundan, P. & John, T.J. (1993) 'High prevalence of HTLV antibodies in wild-caught Bonnet monkeys in southern India.' *Indian J. Med. Res.*, 97: 183–6.
- Bajpai, R.K. (1980) 'The effect of early social deprivation on Rhesus monkeys: social responsiveness.' *Primates*, 21(4): 510–514.
- Baker, P.C. & Field, K.J. (1990) 'Electrocardiograms from unsedated *Macaca fascicularis*.' *Lab. Primate Newsl.*, 29(1): 18–19.
- Balasubramanian, M. & Sabu Jahas, S.A. (1997) 'An observation on a mother carrying a dead infant in the bonnet macaque (*Macaca radiata*).' *J. Bombay Nat. Hist. Soc.*, 94(1): 143.
- Ball, H.L. (1997) 'Daddy's girl? Anomalous social rank of a female Rhesus macaque (*Macaca mulatta*).' *Folia Primatol.*, 68(1): 44–49.
- Bansal, M.R., Kanwar, K.C. & Gupta, G.S. (1982) 'Immunoenzymic studies on testicular hyaluronidase from Rhesus monkeys (*Macaca mulatta*).' *J. Reprod. Fert.*, 64(2): 267–273.
- Baskin, G.B., Chandler, F.W. & Watson, E.A. (1984) 'Cutaneous zygomycosis in Rhesus monkeys (*Macaca mulatta*).' *Vet. Pathol.*, 21(1): 125–128.
- Baskin, G.B., Murphey-Corb, M., Martin, L.N., Soike, K.F., Hu, F.S. & Kuebler, D. (1991) 'Lentivirus-induced pulmonary lesions in Rhesus monkeys (*Macaca mulatta*) infected with simian immunodeficiency virus.' *Vet. Pathol.*, 28(6): 506–513.
- Bauchop, T. (1978) 'Digestion of leaves in vertebrate arboreal folivores.' In: *The ecology of arboreal folivores* (G.G. Montgomery, ed.), pp. 193–204. Smithsonian Institution Press, Washington D.C.
- Bauchop, T. & Martucci, R.W. (1968) 'Ruminant-like digestion of the langur monkey.' *Science*, 161: 698–700.
- Bauers, K.A. (1993) 'A functional analysis of staccato grunt vocalizations in the Stump-tailed macaque (*Macaca arctoides*).' *Ethology*, 94(2): 147–161.
- Bavister, B.D., Boatman, D.E., Leibfried, L., Loose, M. & Vernon, M.W. (1983) 'Fertilization and cleavage of Rhesus monkey oocytes *in vitro*.' *Biol. Reprod.*, 28(4): 983–999.
- Bayne, K.A.L., Mainzer, H., Dexter, S., Campbell, G., Yamada, F. & Suomi, S. (1991) 'The reduction of abnormal behaviours in individually housed Rhesus monkeys (*Macaca mulatta*) with a foraging/grooming board.' *Am. J. Primatol.*, 23(1): 23–25.
- Bayne, K.A.L., Hurst, J.K. & Dexter, S.L. (1992) 'Evaluation of the preference for and behavioural effects of an enriched environment on male Rhesus monkeys.' *Lab. Anim. Sci.*, 42(1): 38–45.
- Bearder, S.K. (1991) Primate conservation and wildlife management. In: *Primate Responses to Environmental Changes*, (H. O. Box ed.), pp. 199–216. Chapman & Hall, London.
- Beauchamp, G. & Cabana, G. (1990) 'Group size variability in primates.' *Primates*, 31(2): 171–182.
- Beise, J., Koenig, A., Chalise, M.K. & Ganzhorn, J.U. (1998) 'When should Hanuman langur females (*Presbytis entellus*) "contest" for food?' *Folia Primatol.*, 69(4): 219–220. (5th International Congress of the German Primate Society held in Berlin, October 1–5, 1997; (Niemitz, Carsten, ed.). (Abstract only).
- Bennett, E. & Davies, A. (1994) 'The ecology of Asian colobines.' In: *Colobine Monkeys: their ecology, behaviour and evolution*, A.G. Davies & J.F. Oates (eds.), pp. 129–172, Cambridge University Press, Cambridge, UK.
- Berard, J.D. & Schmidtke, J. (1994) 'Mating patterns and paternity through DNA fingerprinting in Rhesus macaques: a five-year study.' *Am. J. Primatol.*, 33(3): 194–195. (Abstract only).
- Berard, J.D., Nunberg, P., Epplen, J.T. & Schmidtke, J. (1993) 'Male rank, reproductive behaviour, and reproductive success in free-ranging Rhesus macaques.' *Primates*, 34(4): 481–489.
- (1994) 'Alternative reproductive tactics and reproductive success in male Rhesus macaques.' *Behaviour*, 129(3–4): 177–201.
- Bercovitch, F.B. (1993) 'Dominance rank and reproductive maturation in male Rhesus macaques (*Macaca mulatta*).' *J. Reprod. Fert.*, 99(1): 113–120.
- Bercovitch, F.B. & Berard, J.D. (1993) 'Life history costs and consequences of rapid reproductive maturation in female Rhesus macaques.' *Behav. Ecol. Sociobiol.*, 32(2): 103–109.
- Bercovitch, F.B. & Clarke, A.S. (1995) 'Dominance rank, cortisol concentrations, and reproductive maturation in male Rhesus macaques.' *Physiol. & Behav.*, 58(2): 215–221.
- Bercovitch, F.B. & Rodriguez, J.F. (1993) 'Testis size, epididymis weight, and sperm competition in Rhesus macaques.' *Am. J. Primatol.*, 30(2): 163–168.



- (1997) 'Reproductive strategies of Rhesus macaques.' *Primates*, 38(3): 247–263. (International Symposium—Evolution of Asian Primates).
- Bercovitch, F.B., Hauser, M.D. & Jones, J.H. (1995) 'The endocrine stress response and alarm vocalizations in Rhesus macaques.' *Anim. Behav.*, 49(6): 1703–1706.
- Berman, C.M. (1990) 'Consistency in maternal behaviour within families of free-ranging Rhesus monkeys: an extension of the concept of maternal style.' *Am. J. Primatol.*, 22(3): 159–169.
- (1990) 'Intergenerational transmission of maternal rejection rates among free-ranging Rhesus monkeys.' *Anim. Behav.*, 39(2): 329–337.
- Berman, C.M., Rasmussen, K.L.R. & Suomi, S.J. (1993) 'Reproductive consequences of maternal care patterns during estrus among free-ranging Rhesus monkeys.' *Behav. Ecol. Sociobiol.*, 32(6): 391–399.
- (1997) 'Group size, infant development and social networks in free-ranging Rhesus monkeys.' *Anim. Behav.*, 53(2): 405–421.
- Bernstein, I.S. (1990) 'Puberty is not an event: testosterone changes in adolescent male Rhesus monkeys.' *Am. J. Primatol.*, 20(3): 173–174. (Abstract only).
- (1993) 'Seasonal influences on Rhesus monkey (*Macaca mulatta*) behaviour.' *Int. J. Primatol.*, 14(3): 383–403.
- Bernstein, I.S. & Cooper, M.A. (1998) 'Ambiguities in the behaviour of Assamese macaques.' *American Society of Primatology meeting*, Georgetown, TX.
- Bernstein, I.S. & Cooper, M.A. (1999) 'Dominance in Assamese macaques (*Macaca assamensis*).' *Am. J. Primatol.*, 48: 283–289.
- Bernstein, I.S. & Ehardt, C. (1986) 'The influence of kinship and socialization on aggressive behaviour in Rhesus monkeys (*Macaca mulatta*).' *Anim. Behav.*, 34(3): 739–747.
- Bernstein, I.S., Balcaen, P., Dresdale, L., Gouzoules, H., Kavanagh, M. & Patterson, T. (1976) 'Differential effects of forest degradation on primate population.' *Primates*, 17(3): 401–411.
- Bernstein, I.S., Estep, D.Q., Bruce, K.E. & Phillips, K.A. (1992) 'Effects of periodic removal and reintroduction on the social and sexual behaviour of Stump-tailed macaques (*Macaca arctoides*).' *Folia Primatol.*, 59(4): 213–216.
- Bernstein, I.S., Judge, P.G. & Ruehlmann, T.E. (1993) 'Kinship, association, and social relationships in Rhesus monkeys (*Macaca mulatta*).' *Am. J. Primatol.*, 31(1): 41–53.
- (1993) 'Sex differences in adolescent Rhesus monkey (*Macaca mulatta*) behaviour.' *Am. J. Primatol.*, 31(3): 197–210.
- Bernstein, I.S., Rose, R.M. & Gordon, T.P. (1977) 'Behavioural and hormonal responses of male Rhesus monkeys introduced to females in the breeding and non-breeding seasons.' *Anim. Behav.*, 25(3): 609–614.
- Bernstein, I.S., Ruehlmann, T.E., Judge, P.G., Lindquist, T. & Weed, J.L. (1991) 'Testosterone changes during the period of adolescence in male Rhesus monkeys (*Macaca mulatta*).' *Am. J. Primatol.*, 24(1): 29–38.
- Bertens, A.P.M.G., Helmond, F.A. & Hein, P.R. (1982) 'Endometriosis in Rhesus monkeys.' *Lab. Anim.*, 16(3): 281–284.
- Bhargava, R.N. (1988) 'The stump-tailed macaque (*Macaca arctoides* I. Geoffroy) in Arunachal Pradesh.' *J. Bombay Nat. Hist. Soc.*, 85(1): 182.
- (1995) 'The Hanuman langur (*Presbytis entellus*) in the Aravalli hills of Rajasthan.' *Tigerpaper*, 22(1): 6–10.
- Bhat, H.R. & Sreenivasan, M.A. (1978) 'Recent sightings of *Macaca silenus* (Linnaeus, 1758), at Mastimane Ghat, north Kanara dist., Karnataka.' *J. Bombay Nat. Hist. Soc.*, 75(2): 476–478.
- Bhat, H.R. (1994) 'The status of Lion-tailed Macaque (*Macaca silenus*) in the Western Ghats Crest Zone between Sharavati and Aghanashini in Karnataka.' Proceedings of the 4th International Symposium on the Lion-tailed Macaque, 11–14 October 1994, Madras, India.
- Bhatnagar, P.S. & Mathur, R. (1993) 'Mother-infant relationship in *Presbytis entellus*.' (Abstract only). Paper presented in 23rd International Ethological Conference, 1–9 September, 1993, Torremolinos, Spain. pp. 199.
- Bhattacharya, P.S., Bandyopadhyaya, S.K. & Guha, C. (1993) 'Effect of ketamine as an anesthetic in Rhesus monkey.' *Indian Vet. J.*, 70(8): 771–772.



- Bhattacharya, T. & Chakraborty, D. (1990) 'Sex identification of the Phayre's leaf monkey (*Presbytis phayrei* Blyth, 1847) with the help of facial marks.' *Primates*, 31(4): 617–620.
- Bicknese, E.J., George, J.W., Hird, D.W., Paul-Murphy, J., Anderson, J.A. & Roberts, J.R. (1992) 'Prevalence and risk factors for iron deficiency anemia in weanling Rhesus macaques.' AAZV (Am. Assoc. Zoo Vet.) AAWV (Am. Assoc. Wildl. Vet.) Annu. Proc., p. 193. (Abstract only).
- Bishop, N.H. (1979) 'Himalayan langurs: temperate colobines.' *Journal of Human Evolution*, 8: 251–81.
- Blanford, W.T. (1891) *The Fauna of British India: Mammalia*. Taylor & Francis, London.
- Boccia, M.L., Scanlan, J.M., Laudenslager, M.L., Berger, C.L., Hijazi, A.S. & Reite, M.L. (1997) 'Juvenile friends, behaviour, and immune responses to separation in Bonnet macaque infants.' *Physiol. Behav.*, 61(2): 191–198.
- Boggess, J. (1980) 'Inter-male relations and troop male membership changes in langurs (*Presbytis entellus*) in Nepal.' *Int. J. Primatol.*, 1: 233–273.
- Booher, C., Enders, A.C., Hendrickx, A.G. & Hess, D.L. (1981) 'Structural characteristics of the corpus luteum during implantation in the Rhesus monkey (*Macaca mulatta*).' *Am. J. Anat.*, 160(1): 17–36.
- Borang, A. & Thapliyal, C.S. (1993) 'Natural Distribution and Ecological Status of Non-Human Primates in Arunachal Pradesh.' *India Forester*, 119(10): 834–844.
- Borries, C. (1992) 'Grooming site preferences in female langurs (*Presbytis entellus*).' *Int. J. Primatol.*, 13(1): 19–32.
- Borries, C. & Winkler, P. (1998) 'The influence of ecology and social structure on female reproductive characteristics in Hanuman langurs (*Presbytis entellus*).' *Folia Primatol.*, 69(4): 215. 5th International Congress of the German Primate Society held in Berlin, October 1–5, 1997; (Niemitz, Carsten, ed.). (Abstract only).
- Borries, C., Sommer, V. & Srivastava, A. (1991) 'Dominance, age, and reproductive success in free-ranging female Hanuman langurs (*Presbytis entellus*).' *Int. J. Primatol.*, 12(3): 231–257.
- (1994) 'Weaving a tight social net: allogrooming in free-ranging female langurs (*Presbytis entellus*).' *Int. J. Primatol.*, 15(3): 421–443.
- Bourlière, F. (1985) 'Primate communities: Their structure and role in tropical ecosystems.' *Int. J. Primatol.*, 6(1): 1–26.
- Bourque, A.C., Singh, A., Lakhanpal, N., McMahon, A. & Foster, W.G. (1995) 'Ultrastructural changes in ovarian follicles of monkeys administered hexachlorobenzene.' *Am. J. Vet. Res.*, 56(12): 1673–1677.
- Bouvier, M. (1988) 'Age estimation in Rhesus macaques (*Macaca mulatta*) based on mandibular dimensions.' *Am. J. Primatol.*, 15(2): 129–142.
- Boyce, M.S., Reed, K. & Cheeran, J.V. (1983) 'Grooming of chital by langur in Kanha National Park, India.' *J. Bombay Nat. Hist. Soc.*, 80(1): 209–210.
- Boyce, W.T., O'Neill-Wagner, P., Price, C.S., Haines, M. & Suomi, S.J. (1998) 'Crowding stress and violent injuries among behaviourally inhibited Rhesus macaques.' *Health Psychol.*, 17(3): 285–289.
- Brandon-Jones, D. (1977) 'The evolution of recent Asian Colobinae.' In: *Recent advances in primatology vol. 3* (D.J. Chivers & K.A. Joysey, eds.), pp. 323–325, Academic Press, London.
- (1984) 'Colobus and leaf monkeys.' In: *Encyclopedia of Mammalia* (I.D. Macdonald, ed.), pp. 399–408, George Allen & Unwin, London.
- Brereton, A.R. (1992) 'Alternative reproductive tactics in Stump-tailed macaques (*Macaca arctoides*).' *Folia Primatol.*, 59(4): 208–212.
- (1993) 'Evolution of the sociosexual pattern of the Stump-tailed macaque (*Macaca arctoides*).' *Folia Primatol.*, 61(1): 43–46.
- (1994) 'Return-benefit spite hypothesis: an explanation of sexual interference in Stump-tailed macaques (*Macaca arctoides*).' *Primates*, 35(2): 123–136.
- Bruce, K.E. & Estep, D.Q. (1992) 'Interruption of and harassment during copulation by Stump-tailed macaques, (*Macaca arctoides*).' *Anim. Behav.*, 44(6): 1029–1044.
- Bunnell, B.N., Gore, W.T. & Perkins, M.N. (1980) 'Performance correlates of social behaviour and organization: social rank and reversal learning in Crab-eating macaques (*M. fascicularis*).' *Primates*, 21(3): 376–388.
- Byrne, G.D. & Suomi, S.J. (1991) 'Effects of woodchips and buried food on behaviour patterns and psychological well-being of captive Rhesus monkeys.' *Am. J. Primatol.*, 23(3): 141–151.



- Cabrera, A. (1908) *Bol. Soc. esp. Hist. Nat. Madrid* 8: 135–138. (As quoted in Hill, W. C).
- Caldecott, J.O. (1986) 'An ecological and behavioural study of the Pig-tailed macaque.' *Contributions to Primatology*, 21: 1–259.
- Call, J., Judge, P.G. & de Waal, F.B.M. (1996) 'Influence of kinship and spatial density on reconciliation and grooming in Rhesus monkeys.' *Am. J. Primatol.*, 39(1): 35–45.
- Callis, R.T., Jahrling, P.B. & DePaoli, A. (1982) 'Pathology of Lassa virus infection in the Rhesus monkey.' *Am. J. Trop. Med. Hyg.*, 31(5): 1038–1045.
- Camperio Ciani, A. (1984) 'A case of infanticide in a free-ranging group of Rhesus monkeys (*Macaca mulatta*) in the Jackoo forest, Simla, India.' *Primates*, 25(3): 372–377.
- Camperio Ciani, A. & Chiarelli, B. (1988) 'Age and sex differences in the feeding strategies of a free-ranging population of *Macaca mulatta* Zimmerman, 1788 (Primates: Cercopithecidae), in Simla (India).' *Monit. Zool. Ital.*, 22(2): 171–182.
- Cantrell, C., Baskin, G. & Garcia, R. (1986) 'Endometritis and valvular endocarditis in a Rhesus monkey.' *J. Am. Vet. Med. Assoc.*, 189(9): 1221–1222.
- Capitanio, J.P. & Taub, D.M. (1992) 'High-level care of a twin infant by a male Rhesus macaque.' *Folia Primatol.*, 58(2): 103–106.
- Capitanio, J.P., Mendoza, S.P., Mason, W.A., McChesney, M.B. & Lerche, N.W. (1994) 'Personality assessments of adult male Rhesus macques and immune system measures.' *Am. J. Primatol.*, 33(3): 200.
- Carlson, C.S., O'Sullivan, M.G., Jayo, M.J., Anderson, D.K., Harber, E.S., Jerome, W.G., Bullock, B.C. & Heberling, R.L. (1997) 'Fatal disseminated Cercopithecine herpesvirus 1 (Herpes B) infection in cynomolgus monkeys (*Macaca fascicularis*).' *Vet. Pathol.*, 34(5): 405–414.
- Chaffin, C.L., Heimler, I. & Hutz, R.J. (1994) 'Demonstration of DNA–estrogen receptor and aryl hydrocarbon receptor interactions in Stump-tailed macaque (*Macaca arctoides*) ovaries.' *Am. J. Primatol.*, 33(3): 200.
- Chambers, K.C. & Phoenix, C.H. (1992) 'Sexual behaviour and serum levels of prolactin, testosterone, and estradiol in young and old Rhesus males.' *Physiol. Behav.*, 52(1): 13–16.
- Chamove, A.S. & Anderson, J.R. (1982) 'Hand-rearing infant Stump-tailed macaques.' *Zoo Biol.*, 1(4): 323–331.
- Champoux, M. & Suomi, S.J. (1994) 'Behavioural and adrenocortical responses of Rhesus macaque mothers to infant separation in an unfamiliar environment.' *Primates*, 35(2): 191–202.
- Champoux, M., Kriete, M.F., Higley, J.D. & Suomi, S.J. (1996) 'CBC and serum chemistry differences between Indian-derived and Chinese-Indian hybrid Rhesus monkey infants.' *Am. J. Primatol.*, 39(1): 79–84.
- Champoux, M., Metz, B. & Suomi, S.J. (1991) 'Behaviour of nursery/peer-reared and mother-reared Rhesus monkeys from birth through 2 years of age.' *Primates*, 32(4): 509–514.
- Champoux, M., Suomi, S.J. & Schneider, M.L. (1994) 'Temperament differences between captive Indian and Chinese-Indian hybrid Rhesus macaque neonates.' *Lab. Anim. Sci.*, 44(4): 351–357.
- Chapais, B. (1983) 'Reproductive activity in relation to male dominance and the likelihood of ovulation in Rhesus monkeys.' *Behav. Ecol. Sociobiol.*, 12(3): 215–228.
- Chaudhuri, A.B.D. (1991) 'Primates in India—A review.' *Man in India*, 71(1): 241–277.
- Chency, D.L. & Seyfarth, R.M. (1990) *How Monkeys See the World*. University of Chicago Press, Chicago.
- Chetry, D., Bose, J., Sarkar, P., Srivastava, A., Bhattacharjee, P.C. & Bernstein, I. (1998) 'Primate status survey report on eastern Assam circle, India.' *CONGR IPS*, 1.7: 249.
- Cheverud, J.M. & Richtsmeier, J.T. (1986) 'Finite-element scaling applied to sexual dimorphism in Rhesus macaque (*Macaca mulatta*) facial growth.' *Syst. Zool.*, 35(3): 381–399.
- Chivers, D.J. & Hladik, C.M. (1980) 'Morphology of the gastrointestinal tract in primates: comparison with other mammals in relation to diet.' *J. Morphol.*, 166: 337–86.
- (1984) 'Feeding and ranging in gibbons: A summary.' In: *The Lesser Apes: Evolutionary And Behavioural Biology*, (eds. H Preuschoft, DJ Chivers, WY Brockelman; & N Creel), Edinburgh: Edinburgh University Press, pp. 267–281.
- (1986) 'Southeast Asian primates.' In: *Primates: The road to self-sustaining populations* (K. Benirschke, ed.), pp. 127–151. Springer-Verlag, London.
- (1994) 'Functional anatomy of gastrointestinal tract.' In: *Colobine monkeys: their ecology, behaviour and evolution* (A.G. Davies & J.F. Oates, eds.), pp. 205–228, Cambridge University Press, Cambridge.



- Choudhury, A.U. (1986) 'Primate genocide In the North Cachar Hills.' *The Sentinel*, 6 April.
- (1996) 'Primates in Assam—status and conservation.' *Tigerpaper*, 23(3): 14–17.
- (1986) 'Discovery of Phayre's leaf monkey in Assam.' *The Sentinel*, 1-1.
- (1988) 'A primate survey in southern Assam, India.' *Primate Conserv.*, 9: 123–125.
- (1988) 'Preliminary survey of the primates of Sibsagar, Assam.' *Primate Conserv.*, 9: 31–34.
- (1990) 'Population dynamics of Hoolock gibbons (*Hylobates hoolock*) in Assam, India.' *Am. J. Primatol.*, 20(1): 37–41.
- (1991) 'Ecology of the Hoolock gibbon (*Hylobates hoolock*), a lesser ape in the tropical forests of northeastern India.' *J. Trop. Ecol.*, 7(1): 147–153.
- (1991) 'Stump-tailed macaque (*Macaca arctoides* Geoffroy) in Manipur.' *J. Bombay Nat. Hist. Soc.*, 88(1): 107.
- (1999) 'Primates in gibbon sanctuary, Assam, India.' *Asian Primates*, 7(1): 4–6.
- (1987) 'Notes on the distributon and conservation of Phayre's leaf monkey and Hoolock gibbon in India.' *Tigerpaper*, 14(2): 2–6.
- (1988) 'Phayre's leaf monkey (*Trachypithecus phayrei*) in Cachar.' *J. Bombay Nat. Hist. Soc.*, 85(3): 485–492.
- (1988) 'Priority ratings for conservation of Indian primates.' *Oryx*, 22: 89–94.
- (1989) 'Ecology of the Capped langur (*Presbytis pileatus*) in Assam, India.' *Folia Primatologica*, 52/1–2/89: 88–92.
- (1989) 'Primates of Assam: their distribution, habitat and status.' Ph.D thesis. Gauhati Univ. 300 pp. + maps.
- (1989). 'Vocalization in Hoolock gibbon (*Hylobates hoolock*).' *Primate Report*, 25: 53–54.
- (1990) 'Primates in Bhutan.' *Oryx*, 24: 125.
- (1990) 'Some observations on the behaviour of Capped langur in Assam, India.' *Tigerpaper*, XVII(1): 23–26.
- (1990) 'The Return of the Monkeys—A Primate Conservation Project.' *Spirit of Enterprise, the 1990 Rolex Awards*, pp. 350–352. Buri International, Berne, Switzerland.
- (1992) 'Golden langur—distribution confusion.' *Oryx*, 26: 172–173.
- (1992) 'On probable sympatric distribution of *Presbytis geei* and *P. pileata* in Bhutan.' *J. Ecological Society*, 3: 49–51.
- (1992) 'The Slow loris (*Nycticebus coucang*) in Northeast India.' *Primate Report*, 34: 77–83.
- (1994) 'Further observations on Phayre's leaf monkey in Cachar, Assam.' *J. Bombay nat.Hist.Soc.*, 91(2): 203–210.
- (1994) 'Phayre's leaf monkey in Northeastern India.' *Tigerpaper*, 21(3): 1–4.
- (1995) 'The Primates of Namdapha National Park.' *IPPL News*, 22(2): 23–24. USA.
- (1996) 'A survey of Hoolock gibbon (*Hylobates hoolock*) in southern Assam, India.' *Primate Report*, 44: 77–85.
- (1996) 'Primates in Bherjan, Borajan and Podumoni Reserved Forests of Assam, India.' *Asian Primates*, 5(3&4): 10–11.
- (1996) 'Survey of primates in some parts of eastern and central Assam.' Final Report to ASTEC (Assam Science Tech. & Environment Council, Guwahati). 32 pp. includ. maps.
- (1998) 'A survey of primates in the Jaintia Hills.' *ASP Bulletin*, 22(3): 8–9.
- (1998) 'Discovery of Pere David's macaque in India.' *The newsltt. of The Rhino Foundation nat. NE India*, 2(1): 7.
- (1990) 'Overlapping distribution of Capped langur and Phayre's leaf monkey.' *J. Bombay Nat. Hist. Soc.*, 87(1): 8.
- Ciani, A.C. (1986) 'Intertroop agonistic behaviour of a feral Rhesus macaque troop ranging in town and forest areas in India.' *Aggressive Behav.*, 12(6): 433–439.
- Clarke, A.S. & Schneider, M.L. (1992) 'The effect of prenatal stress on later responses to stress in juvenile Rhesus monkeys.' *Am. J. Primatol.*, 27(1): 23.



- Clarke, A.S. & Snipes, M. (1998) 'Early behavioural development and temperamental traits in mother-vs-peer-reared Rhesus monkeys.' *Primates*, 39(4): 433–448.
- Clarke, A.S., Harvey, N.C. & Lindburg, D.G. (1992) 'Reproductive coordination in a nonseasonally breeding primate species, *Macaca silenus*.' *Ethology*, 91(1): 46–58.
- (1993) 'Extended postpregnancy estrous cycles in female Lion-tailed macaques.' *Am. J. Primatol.*, 31(4): 275–285.
- Clarke, A.S., Soto, A.A., Abbott, D.H. & Schneider, M.L. (1994) 'Long-term effects of prenatal stress on hpa axis activity in Rhesus monkeys.' *Am. J. Primatol.*, 33(3): 201. (Abstract only).
- Clarke, M.R., Harrison, R.M. & Didier, E.S. (1996) 'Behavioural, immunological, and hormonal responses associated with social change in Rhesus monkeys (*Macaca mulatta*).' *Am. J. Primatol.*, 39(4): 223–233.
- Clutton-Brock, T.H. (1977) 'Methodology and measurement.' In: *Primate Ecology: Studies of feeding and ranging behaviour in lemurs, monkeys and apes* (T.H. Clutton-Brock, ed.), pp. 585–590, Academy Press, London.
- Clutton-Brock, T.H. & Harvey, P. H. (1977) 'Primate ecology and social organization.' *Journal of Zoology, London*, 183: 1–39.
- Colombo, M. & Gross, C.G. (1994) 'Responses of inferior temporal cortex and hippocampal neurons during delayed matching to sample in monkeys (*Macaca fascicularis*).' *Behav. Neurosci.*, 108(3): 443–455.
- Colvin, J.D. (1985) 'Breeding-season relationships of immature male Rhesus monkeys with females. I. Individual differences and constraints on partner choice.' *Int. J. Primatol.*, 6(3): 261–287.
- Colvin, J.D. & Tissier, G. (1985) 'Affiliation and reciprocity in sibling and peer relationships among free-ranging immature male Rhesus monkeys.' *Anim. Behav.*, 33(3): 959–977.
- Conder, G.A., Roehm, P.A., Duprey, D.A., Johnson, S.S. & Pagano, P.J. (1991) 'Treatment of bertiellosis in *Macaca fascicularis* with praziquantel.' *J. Helminthol. Soc. Wash.*, 58(1): 128.
- Cooper, M.A. & Bernstein, I.S. (1999) 'Counter-aggression in Assamese macaques (*Macaca assamensis*): when dominance relationships break down.' American Society of Primatologists meeting in New Orleans, LA. 1999.
- Copps, J., Jacobs, S., Smits, B. & Percy, D. (1994) 'Diagnostic exercise: meningoencephalitis in *Macaca fascicularis*' *Lab. Anim. Sci.*, 44(4): 372–373.
- Cranfield, M.R., Ialleggio, D.M., Berger, N.G., England, B. & Kempeske, S.E. (1992) 'The search for a reversible male birth control in the Lion-tailed macaque as a model for other primate species.' *AAZV (Am. Assoc. Zoo Vet.) AAWV (Am. Assoc. Wildl. Vet.) Annu. Proc.*, pp. 306–319.
- Cranfield, M.R., Ialleggio, D.M., Done, L.B., Berger, N.G. & Smart, J. (1992) 'Successful production of Lion-tailed macaque embryos by *in vitro* fertilization.' *AAZV (Am. Assoc. Zoo Vet.) AAWV (Am. Assoc. Wildl. Vet.) Annu. Proc.*, pp. 331–334.
- Cranfield, M.R., Kempeske, S.E. & Schaffer, N. (1988) 'The use of *in vitro* fertilization and embryo transfer techniques for the enhancement of genetic diversity in the captive population of the Lion-tailed macaque (*Macaca silenus*).' *Int. Zoo Yearb.*, 27: 149–159.
- Cronin, J.E., Cann, R. & Sarich, V.M. (1980) 'Molecular evolution and systematics of the genus, *Macaca*.' In: *The Macaques: Studies in Ecology, Behaviour and Evolution*, ed. D.G. Lindburg, New York: Van Nostrand Reinhold Co., pp. 31–51.
- Crook, J.H. & Gartlon, J.S. (1966) 'Evolution of primate societies.' *Nature*, 210: 1200–1203.
- Dahl, J.F., Bernstein, I.S. & Williams, L.E. (1986) 'Thermoregulation and social structure of a captive group of Rhesus macaques.' *Current Perspectives in Primate Social Dynamics*. David M. Taub and Frederick A. King, eds., 243–251.
- Dang, D.C. (1978) 'Sexual differentiation of the external genital organs of the *Macaca fascicularis* Fetus.' *Ann. Biol. Anim. Biochim. Biophys.*, 18(3): 681–687.
- Dang, D.C., Chaouat, G., Delmas, A., Hureau, J., Hidden, G. & Lassau, J. (1992) 'Assessment of factors responsible for variability of birth weight in the Long-tailed macaque (*Macaca fascicularis*).' *Folia Primatol.*, 59(3): 149–156.
- Daniel, H.J., Schmidt, R.T., Olshan, A.F. & Swindler, D.R. (1982) 'Ontogenetic changes in the bony labyrinth of *Macaca mulatta*.' *Folia Primatol.*, 38(1–2): 122–129.
- Das, J. (1991) 'Behavioural diversity and group fission among wild Rhesus monkeys in India.' *Am. J. Primatol.*, 24(2): 95–96.



- (1999) 'Ecology and behaviour of Hoolock gibbon (*Hylobates hoo*), in the tropical evergreen forests of Namdapha National Park, Arunachal Pradesh, India.' Kyoto; Poster at Asian Science Seminar on Biodiversity: Messages from *Primateology*, p. 18.
- Das, J., Srivastava, A. & Bhattacharjee, P.C. (1996) 'Feeding ecology of Hoolock gibbons in Borajan Reserve Forest, Assam.' IPS/ASP Congress Abstracts, p. 662.
- Das, J., Srivastava, A., Bujarbarua, P., Chetry, D., Biswas, J., Medhi, R., Sarkar, P. & Ahmed, S.S.G. (1999) 'Primate conservation in NE India.' *Asian Sci. Sell. on Biodiversity, Kyoto*, p. 18.
- Das, M., Penke, Z. & Van Hooff, J.A.R.A.M. (1997) 'Affiliation between aggressors and third parties following conflicts in Long-tailed macaques (*Macaca fascicularis*).' *Int. J. Primatol.*, 18(2): 159–182.
- Das, M., Penke, Z. & Van Hooff, J.A.R.A.M. (1997) 'Post-conflict affiliation and stress in Long-tailed macaque aggressors.' *Adv. Ethol.*, 32, 155. (XXV International Ethological Conference, Vienna, Austria, 20–27 August, 1997; Taborsky, Michael; Taborsky, Barbara, eds.). IV. Intraspecific and Interspecific Interactions; (Abstract only).
- Das, S.M. & Sharma, B.D. (1980) 'Observations on a remarkable association between Rhesus monkey (*Macaca mulatta villosa*) and the Himalayan langur (*Presbytis entellus schistaceus*) in the Kumaun Himalayas, India.' *J. Bombay Nat. Hist. Soc.*, 77(3): 496–497.
- Das-Chaudhuri, A.B. & Roy, B.N. (1989) 'A preliminary note on the survival status of Hanuman langur (*Presbytis entellus*) in some villages of Nadia district, West Bengal.' *J. Bombay Nat. Hist. Soc.*, 86(2): 233–235.
- Daschbach, N.J., Schein, M.W. & Haines, D.E. (1983) 'Cage-size effects on locomotor, grooming and agonistic behaviours of the Slow loris, *Nycticebus coucang* (Primates, Lorisidae).' *Appl. Anim. Ethol.*, 9(3–4): 317–330.
- Datta, S. (1988) 'The acquisition of dominance among free-ranging Rhesus monkey siblings.' *Anim. Behav.*, 36(3): 754–772.
- Davies A.G. & Oates J.F. (1994) *Colobine Monkeys: their ecology, behaviour and evolution*. Cambridge University Press, Cambridge.
- De Ruiter, J.R. & Geffen, E. (1998) 'Relatedness of matriline, dispersing males and social groups in Long-tailed macaques (*Macaca fascicularis*).' *Proc. R. Soc. Lond. Ser. B Biol. Sci.*, 265(1391): 79–87.
- De Waal, F.B.M. (1990) 'Do Rhesus mothers suggest friends to their offspring?' *Primates*, 31(4): 597–600.
- (1991) 'Rank distance as a central feature of Rhesus monkey social organization: a sociometric analysis.' *Anim. Behav.*, 41(3): 383–395.
- (1993) 'Codevelopment of dominance relations and affiliative bonds in Rhesus monkeys.' In: *Juvenile Primates: Life History, Development, and Behaviour*, (eds. M.E. Pereira & L.A. Fairbanks), New York: Oxford University Press, pp. 259–270.
- (1993) 'Reconciliation among primates; a review of empirical evidence and unresolved issues.' In: *Primate Social Conflict*, (eds. W.H. Mason & S.P. Mendoza), Albany: State University of New York Press, pp. 111–144.
- Delson, E. (1975) 'Evolutionary history of the Cercopithecidae.' In: F.S. Szalay (ed.), *Approaches of Primate Paleobiology; Contribution to Primatology, vol. 5*, pp. 167–217, S. Karger, Basel.
- Deputte, B.L. & Goustard, M. (1980) 'Copulatory vocalizations of female macaques (*Macaca fascicularis*): variability factors analysis.' *Primates*, 21(1): 83–99.
- Deutsch, J.C. & Lee, P.C. (1991) 'Dominance and feeding competition in captive Rhesus monkeys.' *Int. J. Primatol.*, 12(6): 615–628.
- Dexter, S. & Bayne, K. (1994) 'Results of providing swings to individually housed Rhesus monkeys (*Macaca mulatta*).' *Lab. Primate Newsl.*, 33(2): 9–12.
- Dierschke, D.J. & Wilke, A.M. (1992) 'Ultrasound imaging of uterine dynamics during the menstrual cycle in Rhesus monkeys.' *Biol. Reprod.*, 46(1): 98.
- Digiacoimo, R.F., Shaughnessy, P.W. & Tomlin, S.L. (1978) 'Fetal-placental weight relationships in the Rhesus (*Macaca mulatta*).' *Biol. Reprod.*, 18(5): 749–753.
- Dillberger, J.E., Loudy, D.E., Adler, R.R. & Gass, J.H. (1994) 'Hemobartonella-like parasites in cynomolgus monkeys (*Macaca fascicularis*).' *Vet. Pathol.*, 31(3): 301–307.
- Dillehay, D.L. & Huerkamp, M.J. (1990) 'Tuberculosis in a tuberculin-negative Rhesus monkey (*Macaca mulatta*) on chemoprophylaxis.' *J. Zoo Wildl. Med.*; 21(4): 480–484.
- Dittus, W.P.J. (1979) 'The evolution of behaviours regulating density and age specific sex ratios in a primate population.' *Behaviour*, 69: 265–302.



- Dixon, A.F. (1998) 'Sexual selection and evolution of the seminal vesicles in primates.' *Folia Primatol.*, 69(5): 300–306.
- Dolhinow, P. (1978) 'A behaviour repertoire for the Indian langur monkey (*Presbytis entellus*).' *Primates*, 19(13): 449–478.
- Dolhinow, P. & Lindburg, D.G. (1983) 'A population survey of forest-dwelling Rhesus monkeys in North India.' *Perspectives on Primate Biology*. (P.K. Seth, ed.), pp. 201–209.
- Dolhinow, P. & Taff, M.A. (1993) 'Immature and adult langur monkey (*Presbytis entellus*) males: infant-initiated adoption in a colony group.' *Int. J. Primatol.*, 14(6): 919–926.
- D'Ovidio, M.C. & Turillazzi, P. (1994) 'Changes in serum protein fractions and specific alpha and beta concentrations during lactation in *Macaca fascicularis*.' *Lab. Anim. Sci.*, 44(6): 618–623.
- D'souza, L. & Singh, M. (1992) 'Density and demography in roadside Bonnet monkeys (*Macaca radiata*) around Mysore.' *Journal of Ecology*, 4: 87–93.
- Duffy, C.J. & Rakic, P. (1983) 'Differentiation of granule cell dendrites in the dentate gyrus of the Rhesus monkey: a quantitative golgi study.' *J. Comp. Neurol.*, 214(2): 224–237.
- Duffy, D.M., Wells, T.R., Haluska, G.J. & Stouffer, R.L. (1997) 'The ratio of progesterone receptor isoforms changes in the monkey corpus luteum during the luteal phase of the menstrual cycle.' *Biol. Reprod.*, 57(4): 693–699.
- Dunbar, D.C. & Badam, G.L. (1992) 'Terrestrial gaits of wild Bonnet macaques and Hanuman langurs.' *Am. Zool.*, 32(5): 141A. (Abstract).
- (1993) 'Quantitative aspects of terrestrial gaits in adult Bonnet macaques and Hanuman langurs.' *Am. Zool.*, 33(5): 74A.
- Dunbar, R.I.M. (1988) *Primate Social Systems*. London & Sydney: Croom Helm.
- Easa, P.S., Surendranathan Asari, P.K. & Chand Basha, S. (1997) 'Status and distribution of the endangered Lion-tailed macaque (*Macaca silenus*) in Kerala, India.' *Biol. Conserv.*, 80(1): 33–37.
- Eisenberg, J.F., Muckenhirn, N.A. & Rudran, R. (1972) 'The relationship between ecology and social structure in primates.' *Science*, 176: 863–874.
- Elliot, D.G. (1909) 'Descriptions of apparently new species and subspecies of monkeys of the genera *Callicebus*, *Lagothrix*, *Papio*, *Pithecus*, *Cercopithecus*, *Erythrocebus*, and *Presbytis*.' *Ann. Mag. Nat. Hist.*, 8(4): 244–274.
- (1913) *A review of the Primates. vol. III*. American Museum of Natural History, New York.
- Elmore, D.B., Anderson, J.H., Hird, D.W., Sanders, K.D. & Lerche, N.W. (1992) 'Diarrhea rates and risk factors for developing chronic diarrhea in infant and juvenile Rhesus monkeys.' *Lab. Anim. Sci.*, 42(4): 356–359.
- Else, J.G. & Lee, P.C. (ed) (1986) *Primate ecology and conservation*. Cambridge University Press, pp. 393.
- Ely, J.J., Campbell, M.L., Gonzalez, D.L. & Stone, W.H. (1996) 'Successful application of PCR-amplified DNA markers for paternity determination in Rhesus monkeys (*Macaca mulatta*) and chimpanzees (*Pan troglodytes*).' *Lab. Primate Newsl.*, 35(2): 1–4.
- Emory, G.R., Harris, S.J. & Payne, R.G. (1980) 'Sexual solicitation by females in Long-tailed macaques (*Macaca fascicularis*).' *Biol. Behav.*, 5(3): 249–252.
- Erffmeyer, E.S. (1982) 'The nocturnal behaviour of caged Rhesus monkeys (*Macaca mulatta*).' *Folia Primatol.*, 38(3–4): 240–249.
- Estep, D.Q., Bruce, K.E.M., Johnston, M.E. & Gordon, T.P. (1984) 'Sexual behaviour of group-housed Stump-tailed macaques (*Macaca arctoides*): temporal, demographic and sociosexual relationships.' *Folia Primatol.*, 42(2): 115–126.
- Estep, D.Q., Nieuwenhuijsen, K., Bruce, K.E.M., de Neef, K.J., Walters, P.A. (III), Baker, S.C. & Slob, A.K. (1988) 'Inhibition of sexual behaviour among subordinate Stump-tailed macaques, (*Macaca arctoides*).' *Anim. Behav.*, 36(3): 854–864.
- Estrada, A. & Estrada, R. (1984) 'Female-infant interactions among free-ranging Stump-tailed macaques (*Macaca arctoides*).' *Primates*, 25(1): 48–61.
- Eudey, A.A. (1980) 'Pleistocene glacial phenomena and the evolution of Asian macaques.' In: *The Macaques: Studies in Ecology, Behaviour and Evolution*, ed. D.G. Lindburg. New York: Van Nostrand Reinhold Co., pp. 52–83.
- (1987) *Action Plan for Asian Primate Conservation: 1987–91*. Stony Brook, NY: IUCN/SSC Primate Specialist Group.



- Fa, J.E. (1989) 'The genus *Macaca*: A review of taxonomy and evolution.' *Mammal Review*, 19(2): 45–81.
- Fahey, B.F. & Fischer, J. (1998) 'Assessing female preference for male copulation calls in Rhesus macaques: a playback study.' *Folia Primatol.*, 69(4): 229–230. (5th International Congress of the German Primate Society held in Berlin, October 1–5, 1997; (Niemitz, Carsten, ed.). (Abstract only).
- Falconer, J., Mitchell, M.D., Mountford, L.A. & Robinson, J.S. (1980) 'Plasma oxytocin concentrations during the menstrual cycle in the Rhesus monkey (*Macaca mulatta*).' *J. Reprod. Fert.*, 59(1): 69–72.
- Fanton, J.W., Hubbard, G.B., Witt, W.M. & Wood, D.H. (1984) 'Adenocarcinoma of the small intestine in two Rhesus monkeys.' *J. Am. Vet. Med. Assoc.*, 185(11): 1377–1378.
- Fitch-Snyder, H. & Lindburg, D. (1991) 'Birth observations of the Lion-tailed macaque.' *Am. J. Primatol.*, 24(2): 100–101. (Abstract only).
- Fitts, S.S. (1982) 'Behavioural stereotypy in old and young Rhesus monkeys.' *Primates*, 23(3): 406–415.
- Fleagle, J.G. (1988) *Primate Adaptation and Evolution*. New York: Academic Press.
- Fooden, J. (1976) 'Provisional classification and key to living species of macaques (Primates: *Macaca*).' *Folia Primatol.*, 25: 225–236.
- (1980) 'Classification and distribution of living macaques (*Macaca Lacepede*, 1799).' In: *The Macaques: Studies in Ecology, Behaviour and Evolution*, (ed. D.G. Lindburg), New York: Van Nostrand Reinhold Co., pp. 1–9.
- (1981) 'Taxonomy and evolution of the Sinica group of macaques: 2. species and subspecies accounts of the Indian Bonnet macaque (*Macaca radiata*).' *Fieldiana Zool. New Ser.*, 9: vii + 52 pp.
- (1990) 'The bear macaque (*Macaca arctoides*): A systematic review.' *Journal of Human Evolution*, 19(6–7): 607–686.
- (1991) 'Eastern limit of distribution of the Slow loris (*Nycticebus coucang*).' *Int. J. Primatol.*, 12(3): 287–290.
- (1994) 'Malaria in macaques.' *Int. J. Primatol.*, 15(4): 573–596
- (1997) 'Tail length variation in *Macaca fascicularis* and *M. mulatta*.' *Primates*, 38(3): 221–231. (International Symposium—Evolution of Asian Primates).
- Fooden, J., Mahabal, A. & Saha, S.S. (1981) 'Redefinition of Rhesus macaque–Bonnet macaque boundary in peninsular India (Primates: *Macaca mulatta*, *M. radiata*).' *J. Bombay Nat. Hist. Soc.*, 78(3): 463–474.
- Forbes, H.O. (1897) *A Hand-Book to the Primates*. Edward Lloyd Limited, London.
- Fraser, H.M. (1983) 'Effect of treatment for 1 year with a luteinizing hormone-releasing hormone agonist on ovarian, thyroidal, and adrenal function and menstruation in the Stump-Tailed monkey (*Macaca arctoides*).' *Endocrinology*, 112(1): 245–253.
- Freeland, W.Y. (1976) 'Pathogens and the evolution of primate sociality.' *Biotropica*, 8: 12–24.
- Friedman, E.M., Boinski, S. & Coe, C.L. (1995) 'Interleukin-1 induces sleep-like behaviour and alters call structure in juvenile Rhesus macaques.' *Am. J. Primatol.*, 35(2): 142–153.
- Ganesh, T. (1992) 'A silent association.' *J. Bombay Nat. Hist. Soc.*, 89(3): 374.
- Ganesh, T. & Davidar, P. (1999) 'Fruit biomass and relative abundance of frugivores in a rain forest of southern Western Ghats, India.' *J. Trop. Ecol.*, 15(4): 399–413.
- Garg, S.K., Chhina, G.S. & Singh, B. (1983) 'Effects of stimulation of hypothalamic "feeding areas" on endocrines and metabolism in normal and diabetic monkeys.' *Primates*, 24(2): 260–265.
- Gee, E.P. (1956) 'A new species of langur in Assam.' *J. Bombay Nat. Hist. Soc.*, 53: 252–254.
- (1961) 'The distribution and feeding habits of the Golden langur (*Presbytis geei*).' *J. Bombay Nat. Hist. Soc.*, 58: 1–2.
- Gevers, E., Preuschoft, S. & van Hooff, J.A.R.A.M. (1998) 'Functional differentiation in the affiliative facial displays of Long-tailed macaques (*Macaca fascicularis*).' *Folia Primatol.*, 69(4): 199. (5th International Congress of the German Primate Society held in Berlin, October 1–5, 1997; Niemitz, Carsten, ed.). (Abstract only).
- Gilardi, K.V.K., Shideler, S.E., Valverde, C.R., Roberts, J.A. & Lasley, B.L. (1997) 'Characterization of the onset of menopause in the Rhesus macaque.' *Biol. Reprod.*, 57(2): 335–340.
- Gittins, S.P. & Tilson, R.L. (1984) 'Notes on the ecology of the Hoolock gibbon.' In: *The Lesser Apes: Evolutionary And Behavioural Biology*, eds. H. Preuschoft, D.J. Chivers, W.Y. Brockelman; & N. Creel, Edinburgh: Edinburgh University Press, pp. 258–266.



- Giulietti, M., Pace, M., La Torre, R., D'Ovidio, M.C., Patella, A. & Turillazzi, P.G. (1996) 'Role of delivery on serum iron-related parameters in *Macaca fascicularis* females.' *Comp. Biochem. Physiol. B Biochem. Mol. Biol.*, 114(2): 181–184.
- Gledhill, L. (1982) 'A husbandry plan for the Lion-tailed macaque, (*Macaca silenus*) in captivity.' Am. Assoc. Zool. Parks Aquariums Regional Conf. Proc., pp. 339–343.
- Gogoi, P.C. (1981) 'A sanctuary for Golden langur.' *Tigerpaper*, 8(2): 7–9.
- Goin, D.L. & Gust, D.A. (1998) 'Peer-rearing influences subsequent maternal behaviour and infant survival in a newly formed herpes B-virus negative Rhesus macaque group.' *Primates*, 39(4): 539–543.
- Goldfoot, D.A. (1981) 'Olfaction, sexual behavior, and the pheromone hypothesis in Rhesus monkeys: a critique.' *Am. Zool.*, 21(1): 153–164.
- Goldfoot, D.A., Loon, H.W., Groeneveld, W. & Slob, A.K. (1980) 'Behavioural and physiological evidence of sexual climax in the female Stump-Tailed macaque (*Macaca arctoides*).' *Science*, 208(4451): 1477–1479.
- Goldstein, S.J. & Richard, A.F. (1989) 'Ecology of Rhesus macaques (*Macaca mulatta*) in northwest Pakistan.' *Int. J. Primatol.*, 10(6): 531–567.
- Golub, M.S., Gershwin, M.E., Lonnerdal, B., Keen, C.L., Hurley, L.S. & Hendrickx, A.G. (1990) 'Problems associated with long-term feeding of purified diets in Rhesus monkeys.' *Primates*, 31(4): 579–588.
- Golub, M.S., Keen, C.L., Hendrickx, A.G. & Gershwin, M.E. (1991) 'Food preference of young Rhesus monkeys fed marginally zinc deficient diets.' *Primates*, 32(1): 49–59.
- Gomendio, M. (1989) 'Suckling behaviour and fertility in Rhesus macaques (*Macaca mulatta*).' *J. Zool. (Lond.)*, 217(3): 449–467.
- (1990) 'The influence of maternal rank and infant sex on maternal investment trends in Rhesus macaques: birth sex ratios, inter-birth intervals and suckling patterns.' *Behav. Ecol. Sociobiol.*, 27(5), 365–375.
- (1991) 'Parent/offspring conflict and maternal investment in Rhesus macaques.' *Anim. Behav.*, 42(6): 993–1005.
- Goo, G.P. & Fugate, J.K. (1984) 'Effects of weaning age on maternal reproduction and offspring health in Rhesus monkeys (*Macaca mulatta*).' *Lab. Anim. Sci.*, 34(1): 66–9.
- Goonan, P.M. (1993) 'Behaviour and reproduction of the Slender loris (*Loris tardigradus*) in captivity.' *Folia Primatol.*, 60(3): 146–157.
- Goonan, P.M., Groves, C.P. & Smith, R.D. (1995) 'Karyotype polymorphism in the Slender loris (*Loris tardigradus*).' *Folia Primatol.*, 65(2): 100–109.
- Gordon, T.P. (1981) 'Reproductive behaviour in the Rhesus monkey: social and endocrine variables.' *Am. Zool.*, 21(1): 185–195.
- Gordon, T.P., Bernstein, I.S. & Rose, R.M. (1978) 'Social and seasonal influences on testosterone secretion in the male Rhesus monkey.' *Physiol. Behav.*, 21(4): 623–627.
- Gordon, T.P., Gust, D.A., Wilson, M.E., Ahmed-Ansari, A., Brodie, A.R. & McClure, H.M. (1992) 'Social separation and reunion affects immune system in juvenile Rhesus monkeys.' *Physiol. Behav.*, 51(3): 467–472.
- Gougeon, A., Lefevre, B. & Testart, J. (1992) 'Influence of a gonadotrophin-releasing hormone agonist and gonadotrophins on morphometric characteristics of the population of small ovarian follicles in cynomolgus monkeys (*Macaca fascicularis*).' *J. Reprod. Fertil.*, 95(2): 567–575.
- Gouzoules, H., Gouzoules, S. & Miller, K. (1996) 'Skeptical responding in Rhesus monkeys (*Macaca mulatta*).' *Int. J. Primatol.*, 17(4): 549–467.
- Goverdhan, M.K., Kulkarni, A.B., Gupta, A.K., Tupe, C.D. & Rodrigues, J.J. (1992) 'Two-way cross-protection between west Nile and Japanese encephalitis viruses in Bonnet macaques.' *Acta Virol. (Prague) (Engl. Ed.)*, 36(3): 277–283.
- Green, K. (1978) 'Primates of Bangladesh: A preliminary survey of population and habitat.' *Biological Conservation*, 13, 141–160.
- (1981) 'Preliminary observations on the ecology and behaviour of the Capped langur (*Presbytis pileatus*), in Madhupur Forest of Bangladesh.' *Int. J. Primatol.*, 2, 131–51.
- Green, S. & Minkowski, K. (1977) 'The Lion-tailed monkey and its south Indian rain forest.' In: *Primate Conservation*, Prince Ranier and G. Bourne (eds). New York: Academic Press, pp. 289–337.



- Grewal, B.S. (1984) 'Change from multimale-to unimale-social organization in a troop of Hanuman langurs (*Presbytis entellus*) near Haridwar, UP, India.' *Int. J. Primatol.*, 5(4): 344. (Abstract).
- Gribnau, A.A.M. & Geijsberts, L.G.M. (1981) 'Developmental stages in the Rhesus monkey (*Macaca mulatta*).' *Adv. Anal. Embryol. Cell Biol.*, 68: vi + 84 pp.
- Groombridge, B. (1984) 'A new locality for the Lion-tailed macaque.' *Oryx*, 18(3): 144–147.
- Groves, C.P. (1993) 'Order Primates.' In: *Mammalian Species of the World: A Taxonomic and Geographic Reference, 2nd edition*, eds. D.E. Wilson & D.M. Reader, Washington, DC: Smithsonian Institution Press, pp. 243–277.
- (1970) 'The forgotten leaf-eaters, and the phylogeny of the Colobinae.' In: *Old World Monkeys: Evolution, Systematics and Behaviour* (J.R. Napier & P.H. Napier, eds.), pp. 557–587, London: Academic Press, London.
- (1989) *A Theory of Human and Primate Evolution*. New York: Oxford University Press.
- Gupta, A.K. & Kumar, A. (1994) 'Feeding ecology and conservation of the Phayre's leaf monkey (*Presbytis phayrei*), in northeast India.' *Biological Conservation*, 69(3): 301–306.
- Gupta, A.K. (1992) 'Ecology and conservation of Phayre's leaf monkey (*Presbytis phayrei*) in Tripura.' Unpublished research report submitted to Wildlife Institute of India, Dehradun.
- (1994) 'Status and conservation of non-human primates in Tripura, India.' In: *Current Primatology. vol. 1: Ecology and Evolution*, eds. B. Thierry, J.R. Anderson, J.J. Roeder, N. Heirenschmidt, Strasbourg. Louis Pasteur, pp. 101–111.
- (1996) 'Dietary differences between Phayre's langur (*Trachypithecus phayrei*) groups in Gumti and Sepahijala Wildlife Sanctuary, Northeast India: Responses to food availability, adaptability, and human influence.' Abs. 16th Congress of the International Primatological Society, Madison, Wisconsin, USA, p. 161.
- (in press) 'A note on the review of taxonomic status of Phayre's langur (*Trachypithecus phayrei*) in Tripura, Northeast India.' *Folia Primatologica*.
- (in press) 'Behavioural aspects of Phayre's leaf monkey (*Presbytis phayrei*) in captivity.' *Tigerpaper*.
- (in press) 'Importance of forestry plantations of exotic and native plant species for the conservation of primates in northeast India.' *Tropical Biodiversity*.
- Gupta, A.K. & Mukherjee, S.K. (1994) 'A note on the release of the Golden langur (*Presbytis geei*, Khajuria) into the wild in Tripura, India.' *Indian Forester*, 120(10): 915–919.
- Gupta, K.K. (1998) 'Slender loris (*Loris tardigradus*), distribution and habitat use in Kalakad-Mundanthurai Tiger Reserve, India.' *Folia Primatol.*, 69(Suppl. 1): 401–402. (Biology and Conservation of Prosimians—an International Conference held at the North of England Zoological Society, Chester, September 13–16, 1995; (Harcourt, Caroline S.; Crompton, Robin Huw; Feistner, Anna T. C., editors). (Abstract only).
- Gust, D.A., Gordon, T.P. & Hambright, M.K. (1993) 'Response to removal from and return to a social group in adult male Rhesus monkeys.' *Physiol. Behav.*, 53(3): 599–602.
- Gygax, L., Harley, N. & Kummer, H. (1997) 'A matrilineal overthrow with destructive aggression in *Macaca fascicularis*' *Primates*, 38(2): 149–158.
- Haccou, P., Dieneske, H. & Meelis, E. (1983) 'Analysis of time-homogeneity in Markov chains applied to mother-infant interactions of Rhesus monkeys.' *Anim. Behav.*, 31(3): 927–945.
- Hackleman, S.M., Kammerer, C.M., Manis, S., Scheffler, J., Dyke, B. & Stone, W.H. (1993) 'Linkage between two blood-group markers in Rhesus monkeys (*Macaca mulatta*).' *Cytogenet. Cell Genet.*, 62(1): 56–57.
- Haimoff, E.H. (1985) 'Some observations on the singing behaviour of the Hoolock gibbon (*Hylobates hoolock*).' *J. Bombay Nat. Hist. Soc.*, 82(1): 1–23.
- Hall, K.R.L. (1963) 'Observational learning in monkeys and apes.' *Br. J. Psychol.*, 54: 201–26.
- Hallgrímsson, B. (1993) 'Fluctuating asymmetry in *macaca fascicularis*: a study of the etiology of developmental noise.' *Int. J. Primatol.*, 14(3): 421–443.
- (1999) 'Ontogenetic patterning of skeletal fluctuating asymmetry in Rhesus macaques and humans: evolutionary and developmental implications.' *Int. J. Primatol.*, 20(1): 121–152.
- Hammerschmidt, K., Newman, J.D. & Fischer, J. (1998) 'Vocal development in Rhesus and Barbary macaques.' *Folia Primatol.*, 69(4): 202. (5th International Congress of the German Primate Society held in Berlin, October 1–5, 1997; Niemitz, Carsten, ed.).



- Handen, C.E. & Rodman, P.S. (1980) 'Social development of Bonnet macaques from six months to three years of age: a longitudinal study.' *Primates*, 21(3): 350–356.
- Haque, M.N. & Siddiqi, N.A. (1988) 'Status of Slow loris (*Nycticebus coucang*) in Bangladesh with some information on its food preferences.' *Tigerpaper*, 15(2): 18–21.
- Harihara, S., Saitou, N., Hirai, M., Aoto, N., Terao, K., Cho, F., Honjo, S. & Omoto, K. (1988) 'Differentiation of mitochondrial DNA types in *Macaca fascicularis*.' *Primates*, 29(1): 117–127.
- Harvey, N.C. & Rhine, R.J. (1983) 'Some reproductive parameters of Stump-tailed macaques (*Macaca arctoides*).' *Primates*, 24(4): 530–536.
- Harvey, N.C., Clarke, A.S. & Lindburg, D.G. (1991) 'Brief communication: Morphometric data for adult Lion-tailed macaques (*Macaca silenus*).' *Am. J. Phys. Anthropol.*, 85(2): 233–6.
- Harvey, P.H. (1977) 'The measurement of dietic diversity.' In: *Primate Ecology: Studies of feeding and ranging behaviour in lemurs, monkeys and apes* (T.H. Clutton-Brock, ed.), pp. 591–594, Academy Press, London.
- Hauser, M.D. (1991) 'Sources of acoustic variation in Rhesus macaque (*Macaca mulatta*) vocalizations.' *Ethology*, 89(1): 29–46.
- (1993) 'Right hemisphere dominance for the production of facial expression in monkeys.' *Science*, 261(5120): 475–477.
- (1998) 'Functional referents and acoustic similarity: field playback experiments with Rhesus monkeys.' *Anim. Behav.*, 55(6): 1647–1658.
- Evans, C.S. & Marler, P. (1993) 'The role of articulation in the production of Rhesus monkey (*Macaca mulatta*), vocalizations.' *Anim. Behav.*, 45(3): 423–433.
- Hauser, M.D. & Marler, P. (1993) 'Food-associated calls in Rhesus macaques (*Macaca mulatta*): I. socioecological factors.' *Behav. Ecol.*, 4(3): 194–205.
- (1993) 'Food-associated calls in Rhesus macaques (*Macaca mulatta*): II. costs and benefits of call production and suppression.' *Behav. Ecol.*, 4(3): 206–212.
- Hausfater, G. (1984) 'Infanticide in langurs: strategies, counterstrategies and parameter values.' In: G. Hausfater & S. B. Hrdy (eds.), *Infanticide: Comparative and Evolutionary Perspectives*, pp. 257–81, Aldie, New York.
- Hayashi, K.T. & Moberg, G.P. (1990) 'Influence of the hypothalamic–pituitary–adrenal axis on the menstrual cycle and the pituitary responsiveness to estradiol in the female Rhesus monkey (*Macaca mulatta*).' *Biol. Reprod.*, 42(2):
- Helmreich, D.L., Mattern, L.G. & Cameron, J.L. (1993) 'Lack of a role of the hypothalamic-pituitary-adrenal axis in the fasting-induced suppression of luteinizing hormone secretion in adult male Rhesus monkeys (*Macaca mulatta*).' *Endocrinology*, 132(6): 2427–2437.
- Hemmi, J.M. & Menzel, C.R. (1995) 'Foraging strategies of Long-tailed macaques (*Macaca fascicularis*): directional extrapolation.' *Anim. Behav.*, 49(2): 457–464.
- Hendy-Neely, H. & Rhine, R.J. (1977) 'Social development of Stump-tailed macaques (*Macaca arctoides*): momentary touching and other interactions with adult males during the infants' first 60 days of life.' *Primates*, 18(3): 589–600.
- Hermann, F. & Kaumanns, W. (1998) 'Social relationships in a newly established all-male group of Lion-tailed macaques (*Macaca silenus*).' *Folia Primatol.*, 69(4): 232–233. (5th International Congress of the German Primate Society held in Berlin, October 1–5, 1997; Niemitz, Carsten, ed.). (Abstract only).
- Herndon, J.G. (1983) 'Seasonal breeding in Rhesus monkeys: influence of the behavioural environment.' *Am. J. Primatol.*, 5(3): 197–204.
- Herzog, M.O. & Hohmann, G.M. (1984) 'Male loud calls in *Macaca silenus* and *Presbytis johnii*—a comparison.' *Folia Primatol.*, 43(4): 189–197.
- Het, R., Sinha, A.K. & Misra, J.P. (1993) 'Behavioural studies on Nicobar Crab-eating macaques in captivity.' *Indian Foester*, 119(10): 845–848.
- Hill, D.A. (1987) 'Social relationships between adult male and female Rhesus macaques: 1. Sexual consortships.' *Primates*, 28(4): 439–456.
- Hilliard, J.K. & Ward, J.A. (1999) 'B-virus specific-pathogen-free breeding colonies of macaques (*Macaca mulatta*): retrospective study of seven years of testing.' *Lab. Anim. Sci.*, 49(2): 144–148.



- Hinton, M.A.C. (1923) 'Scientific results from the mammal survey no. XXXVI: on the capped langurs (*Trachypithecus pileatus* Blyth, and its allies).' *J. Bombay Nat. Hist. Soc.*, 29(1): 77–83.
- Hinton, R.J. & Carlson, D.S. (1983) 'Histological changes in the articular eminence and mandibular fossa during growth of the Rhesus monkey (*Macaca mulatta*).' *Am. J. Anat.*, 166(1): 99–116.
- Hislop, A., Howard, S. & Fairweather, D.V.I. (1984) 'Morphometric studies on the structural development of the lung in *Macaca fascicularis* during fetal and postnatal life.' *J. Anat.*, 138(1): 95–112.
- Hladik, C.M. (1975) 'Ecology, diet, and social patterning in Old and New World primates.' In: *Socioecology and psychology of primates* (R.H. Tuttle, ed.), pp. 3–35, The Hague: Mouton, The Hague.
- (1977) 'Field methods for processing food samples.' In: *Primate ecology: Studies of feeding and ranging behaviour in lemurs, monkeys and apes* (T.H. Clutton-Brock, ed.), pp. 595–601, Academy Press, London.
- (1978) 'Adaptive strategies in primates in relation to leaf-eating.' In: G. G. Montgomery (ed.), *The Ecology of Arboreal Folivores*, pp. 373–95, Smithsonian Institutional Press, Washington.
- (1989) 'Group fission in Nilgiri langurs (*Presbytis johnii*).' *Int. J. Primatol.*, 10(5): 441–454.
- (1989) 'Vocal communication of wild Bonnet macaques (*Macaca radiata*).' *Primates*, 30(3): 325–345.
- (1991) 'New evidence for hybridization in *Presbytis johnii* and *Presbytis entellus*.' *J. Bombay Nat. Hist. Soc.*, 88(3): 315–319.
- HogenEsch, H., Broerse, J.J. & Zurcher, C. (1992) 'Neurohypophyseal astrocytoma (pituicytoma) in a Rhesus monkey (*Macaca mulatta*).' *Vet. Pathol.*, 29(4): 359–361.
- Hohmann, G. (1988) 'A case of simple tool use in wild Lion-tailed macaques (*Macaca silenus*).' *Primates*, 29(4): 565–567.
- Hohmann, G. & Herzog, M.O. (1985) 'The south Indian brown leaf monkeys.' *Z. Kolner Zoo*, 28(1): 37–41.
- (1985) 'Vocal communication in Lion-tailed macaques (*Macaca silenus*).' *Folia Primatol.*, 45(3–4): 148–178.
- Hohmann, G. & Vogl, L. (1991) 'Loud calls of male Nilgiri langurs (*Presbytis johnii*): age-, individual-, and population-specific differences.' *Int. J. Primatol.*, 12(5): 503–524.
- Hohmann, G. & Wesley Sunderraj, F.S. (1990) 'Survey of Nilgiri langurs and Lion-tailed macaques in Tamil Nadu, South India.' *Primate Conserv.*, 11: 49–53.
- Hotchkiss, C.E. (1995) 'Use of cisapride for the treatment of intestinal pseudoobstruction in a Stump-tailed macaque (*Macaca arctoides*).' *J. Zoo Wildl. Med.*, 26(1): 98–101.
- Hrdy, S. (1977) *The Langurs of Abu*. Cambridge, MA: Harvard University Press.
- (1976) 'The care and exploitation of non-human primate infants by conspecifics other than the mother.' In: J.S. Rosenblatt, R.A. Hinde, E. Shaw & C. Beer (eds.), *Advances in the Study of Behaviour*, vol. 6, pp. 101–58, Academic Press, New York.
- Hubbard, G.B., Wood, D.H. & Butcher, W.I. (1984) 'Mammary carcinoma with metastasis in a Rhesus monkey, (*Macaca mulatta*).' *Vet. Pathol.*, 21(5): 531–533.
- Hudson, J.C. & Kemnitz, J.W. (1990) 'Life span body weight curves for captive Rhesus macaques.' *Am. J. Primatol.*, 20(3): 199.
- Hutz, R.J. (1994) 'Technologic advances in the imaging of ovarian morphology and their roles in ascertaining follicular growth and development in the Rhesus monkey.' *Int. J. Primatol.*, 15(4): 629–637.
- Hutz, R.J., Dierschke, D.J. & Wolf, R.C. (1991) 'Estradiol-induced follicular atresia in Rhesus monkeys is not prevented by exogenous gonadotropins.' *Am. J. Primatol.*, 23(4): 247–255.
- Hutz, R.J., Wagner, N., Krause, P., Fisher, C., Syed, N., Dierschke, D.J., Monniaux, D. & Tomanek, M. (1993) 'Localization of estrogen receptors in Rhesus monkey ovary.' *Am. J. Primatol.*, 31(4): 299–309.
- Huynen, M.C. (1997) 'Homosexual interactions in female Rhesus monkeys, (*Macaca mulatta*). *Adv. Ethol.*, 32: 211. (25th International Ethological Conference, Vienna, Austria, 20–27 August, 1997; Taborsky, Michael; Taborsky, Barbara, eds.). VI. Sexual Behaviour and Reproduction.
- Hylander, W.L. & Johnson, K.R. (1994) 'Jaw muscle function and wishboning of the mandible during mastication in macaques and baboons.' *Am. J. Phys. Anthropol.*, 94(4): 523–547.
- Hylander, W.L., Ravosa, M.J., Ross, C.F. & Johnson, K.R. (1998) 'Mandibular corpus strain in primates: further evidence for a functional link between symphyseal fusion and jaw-adductor muscle force.' *Am. J. Phys. Anthropol.*, 107(3): 257–271.



- Ibiwoye, M.O., Howard, C.V., Sibbons, P., Hasan, M. & Velzen, D.V. (1993) 'Cerebral malaria in the Rhesus monkey (*Macaca mulatta*): observations on host pathology.' *J. Comp. Pathol.*, 108(3): 303–310.
- Ishida, H., Kawabata, N. & Matano, S. (1983) 'Mode of descending and functional morphology of the biceps femoris muscle in the Slow loris (*Nycticebus coucang*).' *Ann. Sci. Nat. Zool. Biol. Anim.*, 5(2): 67–74.
- Islam, M.A. & Feeroz, M.M. (1992) 'Ecology of Hoolock gibbon of Bangladesh.' *Primates*, 33(4): 451–464.
- Islam, M.A. & Husain, K.Z. (1982) 'A preliminary study on the ecology of the Capped langur.' *Folia Primatologica*, 39(1): 145–159.
- Islam, M.A. (1979) 'Study of the ecology and population of Capped Langur (*Presbytis pileatus* Blyth) of the Madhupur National Park.' M.Sc. thesis, Dhaka University.
- Izard, M. K., Weisenseel, K.A. & Ange, R.L. (1988) 'Reproduction in the Slow loris (*Nycticebus coucang*).' *Am. J. Primatol.*, 16(4): 331–339.
- Izard, M.K. & Rasmussen, D.T. (1985) 'Reproduction in the Slender loris (*Loris tardigradus malabaricus*).' *Am. J. Primatol.*, 8(2): 153–165.
- Janus, M. (1991) 'Aggression in interactions of immature Rhesus monkeys: components, context and relation to affiliation levels.' *Anim. Behav.*, 41(1): 121–134.
- (1992) 'Age and gender influence on sibling relationships in young Rhesus monkeys.' *Am. J. Primatol.*, 27(1): 35.
- (1992) 'Interplay between various aspects in social relationships of young Rhesus monkeys: dominance, agonistic help, and affiliation.' *Am. J. Primatol.*, 26(4): 291–308.
- Jay, P.C. (1963) 'The Indian langur monkey (*Presbytis entellus*).' In: C.H. Southwick (ed.), *Primate Social Behaviour*. Princeton, Van Nostrand.
- (1965) 'The Common langur of North India.' In: *Primate behaviour: Field studies of monkeys and apes* (I. DeVore, ed.), pp. 197–249, Holt, Rinehart & Winston, New York.
- Jayadevappa, S.M., Ranganath, L., Ranganath, B.N., Srinivas, C.L. & Rao, N.M. (1992) 'Surgical repair of comminuted femoral fracture in a Lion-tailed monkey (*Macaca silenus*)—a case report. *Indian Vet. J.*, 69(12): 1127–1128.
- Jayaprakash, D., Satish, K.S., Ramachandra, S.G., Ramesh, V. & Seshagiri, P.B. (1997) 'Successful recovery of preimplantation embryos by nonsurgical uterine flushing in the Bonnet monkey.' *Theriogenology*, 47(5): 1019–1026.
- Jen, K.L.C. (1987) 'Failure to induce weight gain with palatable diets in monkeys (*Macaca mulatta*).' *Primates*, 28(1): 61–69.
- Jenkin, G., Mitchell, M.D., Hopkins, P., Matthews, C.D. & Thorburn, G.D. (1980) 'Concentrations of melatonin in the plasma of the Rhesus monkey (*Macaca mulatta*).' *J. Endocrinol.*, 84(3): 489–494.
- Jensen, G.D. & Tokuda, K. (1974) 'Spatial organization of captive monkeys (*Macaca nemestrina*).' *Primates*, 15(1): 75–83.
- Jeyaraj, D.A. & Govindarajulu, P. (1991) 'Relationship between testosterone and hepatic lipids in mature male Bonnet monkeys, *Macaca radiata* (Geoffroy).' *Indian J. Exp. Biol.*, 29(12): 1140–1141.
- Jingxia, C., Lin, X., Xintian, H., Yuanye, M., Wei, S. & Kunyuan, X. (1993) 'The relation between evolution of spatial working memory function and of morphology of the dorsolateral prefrontal cortex among the Rhesus monkey, Slow loris and Tree shrew.' *Zool. Res.*, 14(2): 158–165.
- Johnson, J.M. (1980) 'The status, ecology and behaviour of Lion-tailed macaque (*Macaca silenus*).' *J. Bombay Nat. Hist. Soc.*, 75 (suppl.): 1017–1027.
- (1981) 'Dominant behaviour of a sub-adult male Lion-tailed macaque in semi-natural conditions.' *J. Bombay Nat. Hist. Soc.*, 79: 400–401.
- (1984) 'Tribal peoples and conservation of primates in India.' *Int. J. Primatol.*, 5(4): 360. (Abstract).
- Johnson, R.L. (1986) 'Mother–infant contact and maternal maintenance activities among free-ranging Rhesus monkeys.' *Primates*, 27(2): 191–203.
- (1986) 'Mother–infant relations among wild monkeys in India and Nepal.' Ph.D dissertation, University of Colorado (Boulder), p. 158. 1985. (From *Diss. Abstr. Int. B Sci. Eng.* 46 (10): 3362).
- Johnson, R.L. & Southwick, C.H. (1984) 'Structural diversity and mother–infant relations among Rhesus monkeys in India and Nepal.' *Folia Primatol.*, 43(4): 198–215.

- (1984) 'Mother-infant relations among wild Rhesus monkeys in India and Nepal.' *Am. Zool.*, 24(3): 51A.
- (1987) 'Ecological constraints on the development of infant independence in Rhesus.' *Am. J. Primatol.*, 13(2): 103–118.
- Johnson, R.L., Berman, C.M. & Malik, I. (1993) 'An integrative model of the lactational and environmental control of mating in female Rhesus monkeys.' *Anim. Behav.*, 46(1): 63–78.
- Johnson, R.L., Kapsalis, E. (1998) 'Menopause in free-ranging Rhesus macaques: estimated incidence, relation to body condition, and adaptive significance.' *Int. J. Primatol.*, 19(4): 751–765.
- Johnson, R.L., Malik, I. & Berman, C.M. (1991) 'Age- and dominance-related variation in feeding time among free-ranging female Rhesus monkeys.' *Int. J. Primatol.*, 12(4): 337–356.
- Johnson, R.L., Teas, J., Bishop, N. & Southwick, C.H. (1988) 'A decade of stability in a Nepalese macaque population.' *J. Mammal.*, 69(1): 178–180.
- Jolly, A. (1972) 'Troop continuity and troop spacing in *Propithecus verreauxi* and *Lemur catta* at Berenty (Madagascar).' *Folia Primatol.*, 17: 335–362.
- (1985) *Evolution of Primate Behaviour*, 2nd edition. MacMillan, New York.
- Jones, C.E., Ballinger, M.B., Mattie, D.R., DelRaso, N.J., Seckel, C. & Vinegar, A. (1991) 'Effects of short-term oral dosing of polychlorotrifluoroethylene (polycyfe) on the Rhesus monkey.' *J. Appl. Toxicol.*, 11(1): 51–60.
- Joseph, G.K. (1998). 'Ecology of lion-tailed macaque (*Macaca silenus*) in tropical forests of southern Western Ghats, India.' Ph.D Dissertation, Forest Research Institute (Deemed) University, Dehradun.
- Joseph, G.K. & Ramachandran, K.K. (1998) 'Recent population trends and management of Lion-tailed macaque (*Macaca silenus*) in Silent Valley National Park, Kerala, India.' *Indian For.*, 124(10): 833–840.
- Jouffroy, F.K., Stern, J.T. Jr., Medina, M.F. & Larson, S.G. (1999) 'Function and cytochemical characteristics of postural limb muscles of the Rhesus monkey: a telemetered EMG and immunofluorescence study.' *Folia Primatol.*, 70(5): 235–253.
- Jovanovic, T. & Gouzoules, H. (1997) 'Vocalizations of kidnapped Rhesus infants elicit differential responses from their mothers.' *Adv. Ethol.*, 32: 124. (25th International Ethological Conference, Vienna, Austria, 20–27 August, 1997; Taborsky, Michael; Taborsky, Barbara, eds.). III. Communication.
- Judge, P. & De Waal, F.B.M. (1993) 'Population density and social behaviour: do Rhesus monkeys cope with crowding?' *Am. J. Primatol.*, 30(4): 321–322.
- (1993) 'Conflict avoidance among Rhesus monkeys: coping with short-term crowding.' *Anim. Behav.*, 46(2): 221–232.
- (1997) 'Rhesus monkey behaviour under diverse population densities: coping with long-term crowding.' *Anim. Behav.*, 54(3): 643–662.
- Judge, P.G., De Waal, F.B.M., Paul, K.S. & Gordon, T.P. (1994) 'Removal of a trauma-inflicting alpha matriline from a group of Rhesus macaques to control severe wounding.' *Lab. Anim. Sci.*, 44(4): 344–350.
- Juergens, U. & Alipour-Didehroshan, M. (1998) 'Phylogenetic trends in the neuro-anatomical projections of the cortical tongue area in primates.' *Folia Primatol.*, 69(4): 226. (5th International Congress of the German Primate Society held in Berlin, October 1–5, 1997; Niemitz, Carsten, ed.).
- Kabir, M.M. & Islam, M.A. (1994) 'An ecological study of the Capped langur (*Presbytis pileatus*) in the semi-evergreen and moist deciduous forests of Bangladesh.' *J. Nature Studies*, 2: 41–60.
- Kadam, K.M. & Swayamprabha, M.S. (1980) 'Parturition in the Slender loris (*Loris tardigradus lydekkerianus*).' *Primates*, 21(4): 567–571.
- Kakati, K. (1998) 'Studies on hoolock gibbons in Borajan RF, Assam.' WII, Dehradun.
- Kalin, N.H. (1991) 'Rhesus monkey defensive behaviour: environmental cues and neurochemical regulation.' *Aggressive Behav.*, 17(2): 77–78. (Abstract only).
- Kalin, N.H., Shelton, S.E., Davidson, R.J. & Lynn, D.E. (1996) 'A new method for aversive Pavlovian conditioning of heart rate in Rhesus monkeys.' *Physiol. Behav.*, 60(4): 1043–1046.
- Kalita, D. (1996) 'Shortening the canine teeth of a monkey (*Macaca assamensis*).' *Indian Vet. J.*, 73(4): 461.
- Kalita, D., Saikia, J. & Lekharu, J.C. (1996) 'Amputation of the forelimb of a monkey (*Macaca assamensis*)—a case report.' *Indian Vet. J.*, 73(2): 195–196.
- Kamis, A.B. & Noor, N.M. (1981) 'Blood volume in *Macaca fascicularis*.' *Primates*, 22(2): 281–282.



- Kamis, A.B. (1982) 'Circadian variations in serum thyroid hormones in *Macaca fascicularis*.' *Primates*, 23(4): 596–597.
- Kanthaswamy, S. & Smith, D.G. (1998) 'Use of microsatellite polymorphisms for paternity exclusion in Rhesus macaques (*Macaca mulatta*).' *Primates*, 39(2): 135–145.
- Kaplan, J.R., Fontenot, M.B., Berard, J., Manuck, S.B. & Mann, J.J. (1995) 'Delayed dispersal and elevated monoaminergic activity in free-ranging Rhesus monkeys.' *Am. J. Primatol.*, 35(3): 229–234.
- Kaplan, J.R., Fontenot, M.B., Manuck, S.B. & Muldoon, M.F. (1996) 'Influence of dietary lipids on agonistic and affiliative behaviour in *Macaca fascicularis*.' *Am. J. Primatol.*, 38(4): 333–347.
- Kaplan, J.R., Heise, E.R., Manuck, S.B., Shively, C.A.; Cohen, S., Rabin, B.S. & Kasprovicz, A.L. (1991) 'The relationship of agonistic and affiliative behaviour patterns to cellular immune function among cynomolgus monkeys (*Macaca fascicularis*) living in unstable social groups.' *Am. J. Primatol.*, 25(3): 157–173.
- Kaplan, J.R., Shively, C.A., Mann, J.J., Botchin, M.B., Kyes, R.C., Howell, S., Manuck, S.B. & Muldoon, M.F. (1993) 'Plasma cholesterol, behaviour, and serotonergic activity in cynomolgus macaques (*Macaca fascicularis*).' *Am. J. Primatol.*, 30(4): 322.
- Kapsalis, E. & Berman, C.M. (1996) 'Models of affiliative relationships among free-ranging Rhesus monkeys (*Macaca mulatta*) I. Criteria for kinship.' *Behaviour*, 133(15–16): 1209–1234.
- (1996) 'Models of affiliative relationships among free-ranging Rhesus monkeys (*Macaca mulatta*) II. Testing predictions for three hypothesized organizing principles.' *Behaviour*, 133(15–16): 1235–1263.
- Karanth, K.U. (1985) 'Ecological status of the Lion-tailed macaque and its rainforest habitats in Karnataka, India.' *Primate Conserv.*, 6: 73–77.
- (1985). 'Ecological status of the Lion-tailed macaque and its rainforest habitats in Karnataka, India.' *IUCN/SSC Primate Specialist Group Newsletter*, July: 73–84.
- (1992) 'Conservation prospects for Lion-tailed macaques in Karnataka, India.' *Zoo Biol.*, 11(1): 33–41.
- Kar-Gupta, K. & Kumar, A. (1994) 'Leaf chemistry and food selection by common langurs (*Presbytis entellus*) in Rajaji National Park, Uttar Pradesh, India.' *Int. J. Primatol.*, 15(1): 75–93.
- Karssemeijer, G.J., Vos, D.R. & van Hooff, J.A.R.A.M. (1990) 'The effect of some non-social factors on mother-infant contact in Long-tailed macaques (*Macaca fascicularis*).' *Behaviour*, 113(3–4): 273–291.
- Kaumanns, W., Zinner, D. & Hindahl, J. (1998) 'Social enrichment in captive Lion-tailed macaques (*Macaca silenus*) by means of group encounters.' *Folia Primatol.*, 69(4): 194–195. (5th International Congress of the German Primate Society held in Berlin, October 1–5, 1997; Niemitz, Carsten, ed.). (Abstract only).
- Kay, N.B. & Davies, A.G. (1994) 'Digestive physiology.' In: *Colobine Monkeys: Their ecology, behaviour and evolution* (A.G. Davies & J.F. Oates, eds.), pp. 229–250, Cambridge Univ. Press,
- Kay, R.F. & Hylander, W.L. (1978) 'The dental structure of mammalian folivores with special reference to primates and phalangeroids (Marsupialia).' In: G.G. Montgomery, (ed.), *The Ecology of Arboreal Folivores*, pp. 173–92, Smithsonian Institution Press, Washington.
- Kay, R.F., Rasmussen, D.T. & Beard, K.C. (1984) 'Cementum annulus counts provide a means for age determination in *Macaca mulatta* (Primates, Anthropeidea).' *Folia Primatol.*, 42(2): 85–95.
- Kemnitz, J.W. & Neu, M.M. (1986) 'Differential influence of various sweet solutions on caloric regulation by Rhesus monkeys.' *Primate Ecology and Conservation*. James G. Else and Phyllis C. Lee, eds., pp. 67–74.
- Kemnitz, J.W., Gibber, J.R., Eisele, S.G. & Lindsay, K.A. (1986) 'Relationship of reproductive condition to food intake and sucrose consumption of female Rhesus monkeys.' *Current Perspectives in Primate Social Dynamics*. David M. Taub and Frederick A. King, ed., pp. 274–286.
- Kessler, M.J. & Martinez, H.S. (1979) 'Treatment of tetanus in the Rhesus monkey (*Macaca mulatta*).' *J. Zoo Anim. Med.*, 10(4): 119–122.
- Kessler, M.J., Turnquist, J.E., Pritzker, K.P. & London, W.T. (1986) 'Reduction of passive extension and radiographic evidence of degenerative knee joint diseases in cage-raised and free-ranging aged Rhesus monkeys (*Macaca mulatta*).' *J. Med. Primatol.*, 15(1): 1–9.
- Khajuria, H. (1954) Catalogue of mammals in the Indian Museum (Zoological Survey). Part 2, Primates: *Cercopithecidae Rec. Indian Mus. (Delhi)*, 52: 101–127.
- (1954) 'Notes on the systematics of three leaf monkeys in the collection of the Indian museum (Zool Surv.).' *Rec. Ind. Mus.* 52: 95–100.



- (1955) Catalogue of mammals in the Zoological Survey of India. Part 4, Primates: *Prosimii*, *Tarsoidea* and *Platyrrhinae*. *Rec. Ind. Mus. (Delhi)*, 53: 223–250.
- (1956) 'A new langur from Goalpara District, Assam.' *Annals. Mag. nat. Hist.*, 9: 86–88.
- (1960) 'Further observations on the Gee's langur (*Presbytis geei* Khajuria), with remarks on the classification of Indian colobidae (Mammalia primates).' *Rec. Ind. Mus.*, 58(2): 123–129.
- (1961) 'The distribution and feeding habits of the Golden langur (*Presbytis geei*).' *Ann Mag. Nat. Hist.*, 58: 1–12.
- (1962) 'Further observations on Gee's langur (*Presbytis geei* Khajuria), with remarks on the classification of Indian Colobidae (Mammalia: Primates).' *Rec. Ind. Mus., (Delhi)*, 58: 123–131.
- (1962) Some field observation on the habits of the Capped langur and the Barking deer in the Garo Hills, Assam. *Rec. Ind. Mus., (Delhi)*, 58: 121–122.
- (1977) 'Ecological observations on the Golden langur (*Presbytis geei* Khajuria), with remarks on its conservation.' In: M.R.N. Sriavastawa & T. C. Anandkumar (eds.), *Use of Non-Human Primates in Bio-Medical Research*, pp. 52–61, INSA, New Delhi.
- (1986) 'The present position of studies on the Golden langur (*Presbytis geei* Khajuria).' In *Wildlife Wealth of India (Resources & Management)*. Trilok Chandra Majupuria, ed., pp. 379–383.
- Khan, M.A.R. & Ahsan, F. (1981) 'The group structure, composition and age-sex relationship of primates in Bangladesh.' *Proc. 3rd National Zoological Conference, Bangladesh*, pp. 287–302.
- (1986) 'The status of primates in Bangladesh and a description of their forest habitats.' *Primate Conserv.*, 7: 102–109.
- Kholkute, S.D., Joseph, R., Joshi, U.M. & Munshi, S.R. (1981) 'Diurnal variations of serum testosterone levels in the male Bonnet monkey (*Macaca radiata*).' *Primates*, 22(3): 427–430.
- (1981) 'Some characteristics of the normal menstrual cycle of the Bonnet monkey (*M. radiata*).' *Primates*, 22(3): 399–403.
- Kholkute, S.D., Katkam, R.R. & Puri, C.P. (1993) 'Lack of seasonality in day and night serum levels of testosterone and dihydrotestosterone, testicular size, and body weight of adult Bonnet monkeys (*M. radiata*) maintained in captivity.' *Primates*, 34(1): 71–76.
- Kimura, K., Takahashi, Y. & Konishi, M. (1980) 'Flexor muscles of the thigh of Crab-eating monkeys (*Macaca fascicularis*).' *Primates*, 21(4): 550–560.
- Kimura, K., Takahashi, Y., Iwamoto, S. & Konishi, M. (1992) 'Morphology of diaphragm in the Crab-eating monkey (*Macaca fascicularis*).' *Primates*, 33(3): 359–370.
- Kimura, K., Takahashi, Y., Konishi, M. & Iwamoto, S. (1981) 'Adductor muscles of the thigh of Crab-eating monkeys (*Macaca fascicularis*).' *Primates*, 22(1): 119–130.
- (1983) 'Extensor muscles of the thigh of Crab-eating monkeys (*Macaca fascicularis*).' *Primates*, 24(1): 86–93.
- Kimura, T., Kumakura, H., Inokuchi, S. & Ishida, H. (1987) 'Composition of muscle fibres in the Slow loris, using the *M. biceps brachii* as an example.' *Primates*, 28(4): 525–532.
- Koenig, A., Beise, J., Chalise, M.K. & Ganzhorn, J.U. (1998) 'When females should contest for food-testing hypotheses about resource density, distribution, size, and quality with Hanuman langurs (*Presbytis entellus*).' *Behav. Ecol. Sociobiol.*, 42(4): 225–237.
- Koenig, A., Borries, C., Chalise, M.K. & Winkler, P. (1998) 'Nutrition and reproductive seasonality of Hanuman langurs (*Presbytis entellus*) or "you've got to be fat in order to conceive."' *Folia Primatol.*; 69(4): 218. ('5th International Congress of the German Primate Society held in Berlin, October 1–5, 1997; Niemitz, Carsten, editor). (Abstract only).
- (1997) 'Ecology, nutrition, and timing of reproductive events in an Asian primate, the Hanuman langur (*Presbytis entellus*).' *J. Zool. (Lond.)*, 243(2): 215–235.
- Koering, M.J. (1983) 'Preantral follicle development during the menstrual cycle in the *Macaca mulatta* ovary.' *Am. J. Anat.*, 166(4): 429–443.
- Kopecky, J. & Reinhardt, V. (1991) 'Comparing the effectiveness of PVC swings versus PVC perches as environmental enrichment objects for caged female Rhesus macaques (*Macaca mulatta*).' *Lab. Primate Newsl.*, 30(2): 5–8.



- Koyama, N. (1973) 'Dominance, grooming, and clasped-sleeping relationships among bonnet monkeys in India.' *Primates*, 14(2/3): 225–244.
- Koyama, N. & Shekar, P.B. (1982) 'Geographic distribution of the Rhesus and the Bonnet monkeys in west central India.' *J. Bombay Nat. Hist. Soc.*, 78(2): 240–255.
- Kriete, M.F., Champoux, M. & Suomi, S.J. (1992) 'Hematological parameters in mother-reared and nursery/peer-reared Rhesus macaque infants.' *Am. J. Primatol.*, 27(1): 40. (Abstract only).
- (1995) 'Development of iron deficiency anemia in infant Rhesus macaques.' *Lab. Anim. Sci.*, 45(1): 15–21.
- Krishnamani, R. (1994) 'Diet composition of the Bonnet macaque (*Macaca radiata*) in a tropical dry evergreen forest of southern India.' *Tropical Biodiversity*, 2: 285–302.
- Krishnan, M. (1972) 'An ecological survey of the larger mammals of peninsular India. Part I.' *J. Bombay Nat. Hist. Soc.*, 68: 503–555.
- Kuhn, E.M., Matz Rensing, K., Stahl Hennig, C., Makoschey, B., Hunsmann, G. & Kaup, F.J. (1997) 'Intestinal manifestations of experimental SIV-Infection in Rhesus monkeys (*Macaca mulatta*): a histological and ultrastructural study.' *J. Vet. Med. Ser. B*, 44(8): 501–512.
- Kumar, A. (1987) 'The ecology and population dynamics of the Lion-tailed macaque (*Macaca silenus*) in South India.' Ph.D dissertation, University of Cambridge, UK.
- (1995) 'Birth rate and survival in relation to group size in the Lion-tailed macaque, *Macaca silenus*.' *Primates*, 36(1): 1–9.
- (1995) 'Rate and survival in relation to group size in the Lion-tailed macaque, *Macaca silenus*.' *Primates*, 36(1): 1–9.
- (2000) 'Sexual harassment among female Lion-tailed macaques in the wild.' *Journal of the Bombay Natural History Society*. (in press).
- Kumar, A. & Kurup, G.U. (1981) 'Infant development in the Lion-tailed macaque, *Macaca silenus* (Linnaeus): the first eight weeks.' *Primates*, 22(4): 512–522.
- (1985) 'Sexual behaviour in the Lion-tailed macaque.' *The Lion-tailed Macaque: Status and Conservation* (Ed. P.G. Heltne), Alan R. Liss Inc. New York. pp. 109–131.
- Kumar, A. Molur, S. and Walker, S. (eds.) (1995) *Lion-tailed Macaque: Population and Habitat Viability Assessment Workshop*. Zoo Outreach Organization, Coimbatore.
- Kumar, S.V. & Raghavaiah, P.S. (1996) 'Successful captive breeding of Stump-tailed macaque in Sri Venkateswara Zoological Park, Tirupati (Andhra Pradesh), India.' *Indian Forester*, 122(10): 923–926.
- Kurth, B., Bryant, D. (1998) 'Pairing female *Macaca fascicularis*.' *Lab. Primate Newsl.*, 37(4): 3.
- Kurup, D.K. (1994) 'A Survey of the Lion-tailed macaque in the Trivandrum Forest Division.' Proceedings of the 4th International Symposium on the Lion-tailed Macaque, 11–14 October 1994, Madras, India.
- Kurup, G.U. (1970) 'Field observations on the habits of Indian langur (*Presbytis entellus* Dufresne), in Gir forest, Gujarat.' *Rec. Zool. Surv. India*, 62: 5–9.
- (1973) 'Present status of Nilgiri langur, *Presbytis johnii* in the Anamalai, Western Ghats.' *Indian Forester*, 99: 518–521.
- Kurup, G. U. (1981) 'Report on the census surveys of rural and urban populations of non-human primates of South India. Man and Biosphere Programme: Project No 124.' Zoological Survey of India, Calicut.
- Kurup, G.U. & Kumar, A. (1993) 'Time budget and activity patterns of the Lion-tailed macaque (*Macaca silenus*).' *Int. J. Primatol.*, 14(1): 27–39.
- (1978) 'Distribution, habitat and status survey of the Lion-tailed macaque, (*Macaca silenus* Linnaeus).' *J. Bombay Nat. Hist. Soc.*, 75(2): 321–340.
- (1979) 'Conservation of Lion-tailed macaque (*Macaca silenus*) and Nilgiri langur (*Presbytis johnii*).' *Tigerpaper*, 6(4): 17–19.
- (1988) 'The grooming pattern in Bonnet macaque (*Macaca radiata* Geoffroy).' *Ann. N.Y. Acad. Sci.*, 525: 414–416.
- (1988) 'The present status of the Lion-tailed macaque.' *Primate Conserv.*, 9: 34–36.
- Kuruville, G.P. (1980) 'Ecology of the Bonnet macaque (*Macaca radiata* Geoffroy) with special reference to feeding habits.' *J. Bombay Nat. Hist. Soc.*, 75 (suppl.): 976–988.



- Lane, J.H., Mansfield, K.G., Jackson, L.R., Diters, R.W., Lin, K.C., MacKey, J.J. & Sasseville, V.G. (1998) 'Acute fulminant sarcocystosis in a captive-born Rhesus macaque.' *Vet. Pathol.*, 35(6): 499–505.
- Lanigan, C.M.S. & Smith, D.G. (1990) 'Paternity testing in macaques: a comparison of protein and DNA polymorphism in Rhesus monkeys.' *Am. J. Primatol.*, 20(3): 206–207. (Abstract only).
- Laudenslager, M.L., Rasmussen, K.L.R., Berman, C.M., Suomi, S.J. & Berger, C.B. (1993) 'Specific antibody levels in free-ranging Rhesus monkeys: relationships to plasma hormones, cardiac parameters, and early behaviour.' *Dev. Psychobiol.*, 26(7): 407–420.
- Launhardt, K. & Borries, C. (1998) 'Dominance and reproductive success in male Hanuman langurs (*Presbytis entellus*).' *Folia Primatol.*, 69(4): 214. (5th International Congress of the German Primate Society held in Berlin, October 1–5, 1997; Niemitz, Carsten, ed.). (Abstract only).
- Laws, J. & Laws, J.V.H. (1984) 'Social interactions among adult male langurs (*Presbytis entellus*) at Rajaji Wildlife Sanctuary.' *Int. J. Primatol.*, 5(1): 31–50.
- Leach, M.W., Parker, A.J. & Ott-Joslin, J. (1986) 'Sacrocoxygeal dysgenesis in a Crab-eating macaque.' *J. Am. Vet. Med. Assoc.*, 189(9): 1219.
- Lehman, S.M. & Lessnau, R.G. (1992) 'Pickle barrels as enrichment objects for Rhesus macaques.' *Lab. Anim. Sci.*, 42(4): 392–397.
- Lehman, S.M., Overdorff, D.J. & Lessnau, R.G. (1992) 'Drinking from salt-water sources by free-ranging Rhesus macaques.' *Am. J. Primatol.*, 27(1): 43.
- (1993) 'Preliminary analysis of drinking from seawater sources by free-ranging Rhesus macaques (*Macaca mulatta*).' *Am. J. Primatol.*, 31(3): 231–237.
- Lerche, N.W., Marx, P.A. & Gardner, M.B. (1991) 'Elimination of type D retrovirus infection from group-housed Rhesus monkeys using serial testing and removal.' *Lab. Anim. Sci.*, 41(2): 123–127.
- Leventhal, A.G., Thompson, K.G. & Liu, D. (1993) 'Retinal ganglion cells within the foveola of New World (*Saimiri sciureus*) and Old World (*Macaca fascicularis*) monkeys.' *J. Comp. Neurol.*, 338(2): 242–254.
- Lindburg, D.G. (1976) 'Dietary habits of Rhesus monkeys (*Macaca mulatta* Zimmermann) in Indian forests.' *J. Bombay Nat. Hist. Soc.*, 73(2): 261–269.
- (1980) 'Status and captive reproduction of the Lion-tailed macaque *Macaca silenus*.' *Int. Zoo Yearb.*, 20: 60–70.
- (1983) 'Mating behaviour and estrus in the Indian Rhesus monkey.' *Perspectives on Primate Biology*. P.K. Seth, ed., pp. 45–61.
- (1990) 'Proceptive calling by female Lion-tailed macaques.' *Zoo Biol.*, 9(6): 437–466.
- Lyles, A.M. & Czekala, N.M. (1989) 'Status and reproductive potential of Lion-tailed macaques in captivity.' *Zoo Biol. Suppl.*, 1: 5–16.
- Line, S.W., Morgan, K.N. & Markowitz, H. (1991) 'Simple toys do not alter the behaviour of aged Rhesus monkeys.' *Zoo Biol.*, 10(6): 473–484.
- Ling, E.A. (1983) 'Scanning electron microscopic study of epiplexus cells in the lateral ventricles of the monkey (*Macaca fascicularis*).' *J. Anat.*, 137(4): 645–652.
- Linnankoski, I. & Hietanen, J.K. (1995) 'Observations on task-related behaviour of *Macaca arctoides*.' *Folia Primatol.*, 65(1): 34–37.
- Linnankoski, I., Gronroos, M. & Pertovaara, A. (1993) 'Eye contact as a trigger of male sexual arousal in Stump-tailed macaques (*Macaca arctoides*).' *Folia Primatol.*, 60(3): 181–184.
- Lippold, M.T. & Lehman, S.M. (1992) 'An analysis of the social behaviours of aged Rhesus macaques.' *Am. J. Primatol.*, 27(1): 45.
- Loftin, K.C. & Levy, B.M. (1983) 'A micro-culture technique for the mitogen stimulation of lymphocytes from *Macaca mulatta* (Rhesus) and *Macaca fascicularis* (cynomolgus).' *Primates*, 24(1): 118–126.
- Lomholt, B., Frederiksen, S., Jensen, L.R., Christensen, K. & Hallenberg, C. (1996) '5S rRNA genes in *Macaca fascicularis* map to chromosome 1p in three loci.' *Mamm. Genome*, 7(6): 451–453.
- Lowen, C. & Dunbar, R.I.M. (1994) 'Territory size and defendibility in primates.' *Behav. Ecol. Sociobiol.* 35: 347–354.
- Lubach, G.R., Coe, C.L., Karaszewski, J.W. & Ershler, W.B. (1992) 'Prenatal stress alters immune function in infant Rhesus monkeys.' *Am. J. Primatol.*, 27(1): 45–46.



- Lucas, P.W. & Teaford, M.F. (1994) 'Functional morphology of colobine teeth.' In: *Colobine monkeys: Their ecology, behaviour and evolution* (A.G. Davies & J.F. Oates, eds.), pp. 173–204, Cambridge University Press, Cambridge.
- Lucas, P.W., Darvell, B.W., Lee, P.K.D., Yuen, T.D.B. & Choong, M.F. (1998) 'Colour cues for leaf food selection by Long-tailed macaques (*Macaca fascicularis*) with a new suggestion for the evolution of trichromatic colour vision.' *Folia Primatol.*, 69(3): 139–152.
- Luder, H.U. (1993) 'Hazard rates and causes of death in a captive group of Crab-eating monkeys (*Macaca fascicularis*).' *Am. J. Primatol.*, 30(2): 139–147.
- MacKinnon, J. & MacKinnon, K. (1987) 'Conservation status of the primates of the Indo-Chinese subregion.' *Primate Conservation*, 8: 187–195.
- Maestriperi, D. & Wallen, K. (1997) 'Affiliative and submissive communication in Rhesus macaques.' *Primates*, 38(2): 127–138.
- (1993) 'Costs and benefits of maternal aggression in Rhesus macaques.' *Am. J. Primatol.*, 30(4): 331.
- (1993) 'Maternal anxiety and mothering style in female Rhesus macaques.' *Am. J. Primatol.*, 30(4): 331.
- (1993) 'Maternal anxiety in Rhesus macaques (*Macaca mulatta*). I. Measurement of anxiety and identification of anxiety-eliciting situations.' *Ethology*, 95(1): 19–31.
- (1993) 'Maternal anxiety in Rhesus macaques (*Macaca mulatta*). II. Emotional bases of individual differences in mothering style.' *Ethology*, 95(1): 32–42.
- (1994) 'Influence of infants on female social relationship in monkeys.' *Folia Primatol.*, 63: 192–202.
- (1995) 'First steps in the macaque world: do Rhesus mothers encourage their infants' independent locomotion?' *Anim. Behav.*, 49(6): 1541–1549.
- (1996) 'Social communication among captive Stump-tailed macaques (*Macaca arctoides*).' *Int. J. Primatol.*, 17(5): 785–802.
- (1997) 'Parenting styles of abusive mothers in group-living Rhesus macaques.' *Adv. Ethol.*, 32, 245. (25th International Ethological Conference, Vienna, Austria, 20–27 August, 1997; Taborsky, Michael; Taborsky, Barbara, eds.). VI. Sexual Behaviour and Reproduction.
- (1998) 'Parenting styles of abusive mothers in group-living Rhesus macaques.' *Anim. Behav.*, 55(1): 1–11.
- Mahieux, R., Pecon-Slattey, J. & Gessain, A. (1997) 'Molecular characterization and phylogenetic analyses of a new, highly divergent simian T-cell lymphotropic virus type 1 (STLV-1marc1) in *Macaca arctoides*' *J. Virol.*, 71(8): 6253–6258.
- Mahmood, A., Agarwal, N., Sanyal, S., Dudeja, P.K. & Subrahmanyam, D. (1979) 'Alterations in the intestinal brush border membrane structure and function in chronic DDT-exposed monkeys.' *Pestic. Biochem. Physiol.*, 12(2): 141–146.
- Maity, B. & Rathore, D.S. (1998) 'Postnatal growth of captive Rhesus macaques (*Macaca mulatta*) during the first month of life.' *J. Bombay Nat. Hist. Soc.*, 95(2): 246–254.
- Makori, N., Rodriguez, C.G., Cukierski, M.A. & Hendrickx, A.G. (1996) 'Development of the brain in staged embryos of the Long-tailed monkey (*Macaca fascicularis*).' *Primates*, 37(4): 351–361.
- (1978) 'Observations on ecology and behaviour of the Rhesus monkey (*Macaca mulatta*), in Asarori.' *J. Bombay Nat. Hist. Soc.*, 75(3): 919–921.
- (1978) 'Paternal behaviour of the Rhesus macaque (*Macaca mulatta*) in nature.' *J. Bombay Nat. Hist. Soc.*, 75(2): 475–476.
- (1980) 'Observations on population and behaviour of the Bonnet monkey.' *Comparative Physiology and Ecology*, 5: 9–12.
- Makwana, S.C. & Advani, R. (1981) 'Social changes in the Hanuman langur, (*Presbytis entellus*) around Jodhpur.' *J. Bombay Nat. Hist. Soc.*, 78(1): 152–154.
- Makwana, S.C. & Pirta, R.S. (1983) 'On the composition of Rhesus monkey (*Macaca mulatta*) population of Asarori forest, North India.' *Comp. Physiol. Ecol.*, 8(4): 301–302.
- Makwana, S.C. (1978) 'Field ecology and behaviour of the Rhesus macaque (*Macaca mulatta*): I. group composition, home range, roosting sites, and foraging routes in the Asarori forest.' *Primates*, 19(3): 483–492.



- Malhotra, Y.R. & Sahi, D.N. (1982) 'A population survey of non-human primates in some parts of Jammu Province (Jammu and Kashmir state), India.' *Tigerpaper*, 9(1): 24–27.
- Malik, I. (1984) 'Time budgets and activity patterns of free-ranging Rhesus monkeys at Tughlaqabad, India.' *Int. J. Primatol.*, 5(4): 359.
- (1986) 'Time budgets and activity patterns in free-ranging Rhesus monkeys.' *Primate Ecology and Conservation*. James G. Else and Phyllis C. Lee, eds., pp. 105–114.
- (1988) 'Possibilities of self-sustenance of free-ranging Rhesus of Tughlaqabad.' *J. Bombay Nat. Hist. Soc.*, 85(3): 578–591.
- (1989) 'Population growth and stabilizing age structure of the Tughlaqabad Rhesus.' *Primates*, 30: 117–120.
- Malik, I. & Johnson, R. (1991) 'Group fission induced by trapping among Rhesus at Tughlaqabad, India.' *Am. J. Primatol.*, 24(2): 117–118.
- (1994) 'Commensal Rhesus in India: the need and cost of translocation. Proceedings of the Symposium 'Commensal Primates,' Strasbourg, 19 August 1992, during the 14th Congress of the International Primatological Society. Sylvain Biquand and Jean-Pierre Gautier, eds. *Rev. Ecol. Terre Vie*, 49(3): 233–243.
- Malik, I. & Southwick, C. (1987) 'Feeding behaviour of free-ranging Rhesus of Tughlaqabad.' *J. Bombay Nat. Hist. Soc.*, 84(2): 336–349.
- Malik, I., Johnson, R.L. & Berman, C.M. (1992) 'Control of postpartum mating behaviour in free-ranging Rhesus monkeys.' *Am. J. Primatol.*, 26(2): 89–95.
- Malik, I., Seth, P.K. & Southwick, C.H. (1984) 'Population growth of free-ranging Rhesus monkeys at Tughlaqabad.' *Am. J. Primatol.*, 7(4): 311–321.
- (1985) 'Group fission in free-ranging Rhesus monkeys of Tughlaqabad, northern India.' *Int. J. Primatol.*, 6(4): 411–422.
- Mandal, A.K. (1989) 'Crab-eating macaque (*Macaca fascicularis* Raffles) feeding on house sparrow (*Passer domesticus* Linnaeus).' *J. Bombay Nat. Hist. Soc.*, 86(3): 435.
- Mann, D.R., Adams, S.R., Gould, K.G., Orr, T.E. & Collins, D.C. (1989) 'Evaluation of the possible direct effects of gonadotrophin-releasing hormone analogues on the monkey (*Macaca mulatta*) testis.' *J. Reprod. Fertil.*, 85(1): 89–95.
- Manohar, B.R. & Mathur, R. (1992) 'Interspecific play behaviour between Hanuman langur (*Presbytis entellus*) and Rhesus macaque (*Macaca mulatta*).' *J. Bombay Nat. Hist. Soc.*, 89(1): 114–115.
- Manson, J.H. (1993) 'Rhesus macaques don't choose their friends as mates.' *Am. J. Primatol.*, 30(4): 332. (Abstract only).
- (1993) 'Sons of low-ranking female Rhesus macaques can attain high dominance rank in their natal groups.' *Primates*, 24(3): 285–288.
- (1994) 'Mating patterns, mate choice, and birth season heterosexual relationships in free-ranging Rhesus macaques.' *Primates*, 35(4): 417–433.
- (1995) 'Do female Rhesus macaques choose novel males?' *Am. J. Primatol.*, 37(4): 285–296.
- (1996) 'Rhesus macaque copulation calls: re-evaluating the "honest signal" hypothesis.' *Primates*, 37(2): 145–154.
- (1997) 'Does female rank or age affect mate choice in free-ranging Rhesus macaques?' *Folia Primatol.*, 68(6): 366–369.
- Marsh, C.W. & Mittermeier, R.A. (ed.) (1987) *Primate conservation in the tropical rain forest*. Alan, R. Liss, New York.
- Marshall, G.R. & Plant, T.M. (1996) 'Puberty occurring either spontaneously or induced precociously in Rhesus monkey (*Macaca mulatta*) is associated with a marked proliferation of Sertoli cells.' *Biol. Reprod.*, 54(6): 1192–1199.
- Martel, F.L., Nevison, C.M., Rayment, F.D.G. & Simpson, M.J.A. (1994) 'The social grooming of captive female Rhesus monkeys: effects of the births of their infants.' *Int. J. Primatol.*, 15(4): 555–572.
- Martensz, N.D. & Everitt, B.J. (1982) 'Effects of passive immunization against testosterone on the sexual activity of female Rhesus monkeys.' *J. Endocrinol.*, 94(2): 271–282.



- Matheson, M.D. (1999) 'Social contact following severe aggression in Rhesus macaques (*Macaca mulatta*): a new test of the consolation hypothesis.' *Int. J. Primatol.*, 20(6): 961–975.
- Mathur, R. & Bhatnagar, P.S. (1991) 'Study of activity pattern in *Presbytis entellus* at Ambagarh Reserve Forest, Jaipur.' *J. Bombay Nat. Hist. Soc.*, 30 (9): 495–497.
- Mathur, R. & Lobo, A. (1987) 'Reaction towards sick animals by conspecifics in the Common grey langur (*Presbytis entellus*).' *J. Bombay Nat. Hist. Soc.*, 84(2): 421–422.
- (1988) 'Density estimate of monkeys of Jaipur, India.' *Primate Rept.*, 19: 35–42.
- (1989) 'Intrusion of a Rhesus *Macaca mulatta* pair into a langur *Presbytis entellus* group.' *J. Bombay Nat. Hist. Soc.*, 86(3): 308–312.
- Mathur, R. & Manohar, B.R. (1986) 'A note on the interaction of Common langur (*Presbytis entellus*) and wolf (*Canis lupus*).' *J. Bombay Nat. Hist. Soc.*, 83 (3): 653.
- (1990) 'Density of *Macaca mulatta* and *Presbytis entellus* in the old city of Jaipur: a three-year survey.' *Applied Animal Behaviour Science*, 27: 351–381.
- (1990) 'Splitting in *Presbytis entellus* groups.' *Behavioural Processes*, 22: 1–11.
- (1991) 'Departure of juvenile male *Presbytis entellus* from the natal group.' *Int. J. Primatol.*, 12(1): 39–43.
- (1992) 'Rate of takeovers in groups of Hanuman langurs (*Presbytis entellus*) at Jaipur.' *Folia Primatol.*, 58(2): 61–71.
- (1994 a.) 'Number and size of groups of *Presbytis entellus* in four different habitats in and around Jaipur, Rajasthan.' *J. Bombay Nat. Hist. Soc.*, 91(2): 275–281.
- (1994 b.) 'Group composition, percentage survivorship, birth rate and population of *Presbytis entellus* in Jaipur, Rajasthan.' *J. Bombay nat. Hist. Soc.* 91(3): 391–397.
- Mathur, R., Bhatnagar, P.S. & Mahohar, B.R. (1990) 'Ticks, lice and grasshopper eating by *Presbytis entellus*.' *Human Evolution*, 5(6): 531–536.
- Mathur, R., Manohar, B.R. & Lobo, A. (1989) 'Monkeys of the old city of Jaipur, India.' *J. Bombay Nat. Hist. Soc.*, 86(2): 151–154.
- Matsumoto, T. & Ducsay, C.A. (1992) 'Maternal plasma catecholamines in the Rhesus macaque during late gestation: effect of photoperiod and timed melatonin infusion.' *Biol. Reprod.*, 47(4): 582–587.
- Matsumura, A. & Inokuchi, S. (1996) 'Muscle fibre composition and innervation ratios of the extensor digitorum and extensor hallucis brevis muscles in the Crab-eating macaque (*Macaca fascicularis*).' *Folia Primatol.*, 66(1–4): 44–54.
- Matsunami, K. & Hamada, I. (1983) 'Characteristics of ipsilateral movement-related neurons in the motor cortex of the monkey (*Macaca mulatta*). Part II. bilateral neurons.' *Ann. Sci. Nat. Zool. Biol. Anim.*, 5(3): 177–124.
- Matteri, R.L., Bridson, W.E., Dierschke, D.J., Wegner, F.H. & Durning, M. (1992) 'The secretion of bioactive and immunoreactive follicle-stimulating hormone (FSH) and luteinizing hormone (LH) throughout the menstrual cycle of the Rhesus monkey (*Macaca mulatta*).' *Am. J. Primatol.*, 26(4): 243–257.
- Matteri, R.L., Warikoo, P.K. & Bavister, B.D. (1992) 'Biochemical and biological properties of urinary follicle-stimulating hormone (FSH) from the Rhesus monkey (*Macaca mulatta*).' *Am. J. Primatol.*, 27(3): 205–213.
- Mattern, L.G., Helmreich, D.L. & Cameron, J.L. (1993) 'Diurnal pattern of pulsatile luteinizing hormone and testosterone secretion in adult male Rhesus monkeys (*Macaca mulatta*): influence of the timing of daily meal intake.' *Endocrinology*, 132(3): 1044–1054.
- Mayagoitia, L., Santillan-Doherty, A.M., Lopez-Vergara, L. & Mondragon-Ceballos, R. (1993) 'Affiliation tactics prior to a period of competition in captive groups of Stump-tailed macaques.' *Ethol. Ecol. & Evol.*, 5(4): 435–446.
- McCann, C. (1928) 'Notes on the common Indian langur (*Trachypithecus entellus*).' *J. Bombay nat. Hist. Soc.*, 33: 192–4.
- (1933) 'Notes on some Indian macaques.' *J. Bombay Nat. Hist. Soc.*, 36: 796–810.
- (1933) 'Notes on the colouration and habits of the White-browed gibbon or Hoolock (*Hylobates hoolock* Harl.).' *J. Bombay Nat. Hist. Soc.*, 36: 395–405.
- (1933) 'Observations on some of the Indian langurs.' *J. Bombay Nat. Hist. Soc.*, 36: 618–628.
- (1942) 'The colouration of the newly-born young of the Capped langurs (*Trachypithecus pileatus*).' *J. Bombay nat. Hist. Soc.*, 43: 513–14.



- McIntyre, D.T. & Petto, A.J. (1993) 'Effect of group size on behaviour of group-housed female Rhesus macaques (*Macaca mulatta*).' *Lab. Primate Newsl.*, 32(3): 1–4.
- McKey, D.B. (1978) 'Soils, vegetation and seed eating by black colobus monkeys.' In: G.G. Montgomery (ed.), *The Ecology of Arboreal Folivores*, pp. 423–437, Smithsonian Institution Press, Washington D. C.
- McKey, D.B. & Waterman, P.G. (1982) 'Ranging behaviour of a group of black colobus (*Colobus satanus*) in the Douala-Eda Reserve, Cameroon.' *Folia Primatol.*, 39: 264–304.
- McKey, D.B., Gartlan, S., Waterman, P.G. & Choo, G.M. (1981) 'Food selection by black colobus monkeys (*Colobus satanas*) in relation to plant chemistry.' *Biological Journal of the Linnean Society*, 16: 115–146.
- Medhamurthy, R., Aravindan, G.R. & Moudgal, N.R. (1993) 'Hemiorchidectomy leads to dramatic and immediate alterations in pituitary follicle-stimulating hormone secretion and the functional activity of the remaining testis in the adult male Bonnet monkey (*Macaca radiata*).' *Biol. Reprod.*, 49(4): 743–749.
- Medhi, R. (1999) 'Development of parent-offspring relations in Golden langurs (*Trachypithecus geei*).' Ph.D Thesis in prep., Gauhati University.
- Mehlman, P.T., Higley, J.D., Faucher, I., Corr, J., Taub, D.M., Dodson, A., Lilly, A., Linnoila, M. & Suomi, S. (1992) 'CNS 5-HIAA and aggression in free-ranging adolescent Rhesus males.' *Am. J. Primatol.*, 27(1): 46–47. (Abstract only).
- Meier, R.J., Jamison, C.S. & Jamison, P.L. (1993) 'Prenatal testosterone effect on dermatoglyphic development in Rhesus macaques.' *Folia Primatol.*, 60(3): 164–168.
- Melnick, D.J. (1988) 'The genetic structure of a primate species: Rhesus macaques and other cercopithecine monkeys.' *Int. J. Primatol.*, 9(3): 195–231.
- Melnick, D.J. & Hoelzer, G.A. (1992) 'Differences in male and female macaque dispersal lead to contrasting distributions of nuclear and mitochondrial DNA variation.' 13th Congress of the International Primatological Society in Kyoto, Japan, July 1990. Euclid O. Smith and David S. Sprague, eds. *Int. J. Primatol.*, 13(4): 379–393.
- (1996) 'The population genetic consequences of macaque social organization and behaviour.' In: *Evolution and Ecology of Macaque Societies*, eds. J.E. Fa & D.G. Lindburg, New York: Cambridge University Press, pp. 413–443.
- Melnick, D.J., Hoelzer, G.A., Absher, R. & Ashley, M.V. (1993) 'mtDNA diversity in Rhesus monkeys reveals overestimates of divergence time and paraphyly with neighbouring species.' *Mol. Biol. Evol.*, 10(2): 282–295.
- Menon, S.A. (1992) 'Conservation of the endangered Lion-tailed macaque (*M. silenus*) in the landscape mosaic of the Western Ghats.' *Am. J. Primatol.*, 27(1): 47.
- (1994) 'Activity patterns and feeding ecology of Lion-tailed macaques in a disturbed forest fragment.' *Am. J. Primatol.*, 33(3): 229. (Abstract only).
- (1993) 'Ecology and Conservation of the Endangered Lion-tailed Macaque (*Macaca silenus*) in the Landscape Mosaic of the Western Ghats.' Ph.D Dissertation, Ohio State University.
- Menon, S.A. & Poirier, F.E. (1996) 'Lion-tailed macaques (*Macaca silenus*) in a disturbed forest fragment: activity patterns and time budget.' *Int. J. Primatol.*, 17(6): 969–985.
- Michael, R.P. & Zumpe, D. (1978) 'Potency in male Rhesus monkeys: effects of continuously receptive females.' *Science*, 200(4340): 451–453.
- (1982) 'Influence of olfactory signals on the reproductive behaviour of social groups of Rhesus monkeys (*Macaca mulatta*).' *J. Endocrinol.*, 95(2): 189–205.
- (1984) 'Interactions of social, spatial, and hormonal factors on the behaviour of Rhesus monkeys (*Macaca mulatta*).' *Primates*, 25(4): 462–474.
- Michael, R.P., Zumpe, D. & Bonsall, R.W. (1986) 'Comparison of the effects of testosterone and dihydrotestosterone on the behaviour of male cynomolgus monkeys (*Macaca fascicularis*).' *Physiol. Behav.*, 36(2): 349–355.
- Migot-Nabias, F., Ollomo, B., Dubreuil, G., Morelli, A., Domarle, O., Nabias, R. & Georges, A.J. (1999) '*Plasmodium coatneyi*: differential clinical and immune responses of two populations of *Macaca fascicularis* from different origins.' *Exp. Parasitol.*, 91(1): 30–39.
- Miller, G.F. (1994) 'Bronchiolar-alveolar adenoma in a Rhesus monkey (*Macaca mulatta*).' *Vet. Pathol.*, 31(3): 388–390.
- Miller, R.E. & Boever, W.J. (1983) 'Cryptococcosis in a Lion-tailed macaque (*Macaca silenus*).' *J. Zoo Anim. Med.*, 14(3): 110–114.



- Mishra, C., Raman, T.R.S., & Johnsingh, A.J.T. (1994) 'Survey of primates, serow, and goral in Mizoram.' Wildlife Institute of India, Dehradun. pp. 36.
- Mitchell, M.D., Mountford, L.A., Natale, R. & Robinson, J.S. (1980) 'Concentrations of oxytocin in the plasma and amniotic fluid of Rhesus monkeys (*Macaca mulatta*) during the latter half of pregnancy.' *J. Endocrinol.*, 84(3): 473–478.
- Mittermeier, R.A. (1977) 'A global strategy for primate conservation.' Unpublished report to IUCN and *N.Y. Zool. Soc.*, pp. 325.
- (1986) 'Strategies for the conservation of highly endangered primates.' In: *Primates: The road to self-sustaining populations* (K. Benirschke, ed.), pp. 1013–1022, Springer-Verlag, London.
- Mittra, E.S., Fuentes, A. & McGrew, W.C. (1997) 'Lack of hand preference in wild Hanuman langurs (*Presbytis entellus*).' *Am. J. Phys. Anthropol.*, 103(4): 455–461.
- Mladinich, C.R.J., Collins, B.R. & Huang, S.W. (1987) 'Penicillin allergy in a Stump-tailed macaque (*Macaca arctoides*).' *J. Zoo Anim. Med.*, 18(2–3): 109–110.
- Mohnot, S.M. (1971) 'Some aspects of social changes and infant-killing in Hanuman langurs. (*Presbytis entellus*) in western India.' *Mammalia*, 35: 175–198.
- (1980) 'On the primate resources of India.' *J. Bom. Nat. Hist. Soc.*, 75 (.Suppl.): 961–970.
- (1984) 'Huddling behaviour of Hanuman langur, (*Presbytis entellus*).' *Int. J. Primatol.*, 5(4): 362.
- (1984) 'Observations on all-male bands of the Hanuman langur (*Presbytis entellus*).' In: *Current Primate Researches*, eds. M.L. Roonwal, S.M. Mohnoi, and N.S. Rathore, University of Jodhpur, pp. 343–356.
- Mohnot, S.M. & Srivastava, A. (1992) 'Evolution of langurs' social organization.' *Primate Report*, 34: 53–63.
- Mohnot, S.M., Dave, V.K., Agoramoorthy, G. & Rajpurohit, L.S. (1984) 'Ecobehavioural studies of Hanuman langur, (*Presbytis entellus*).' *Proc. 2nd Workshop MAB Projects*, 96–98. From *Paryavaran Abstr.* 1985, 2(2): 54.
- Mohnot, S.M., Ferguson, D. & Southwick, C. (1998) 'Annual Report of the Indo-U.S. Primate Project, 04 Year,' J.N.V. University, Jodhpur, Rajasthan. pp. 41.
- (1999) 'Annual Report of the Indo-U.S. Primate Project, 05 Year,' J.N.V. University, Jodhpur, Rajasthan. 69 pp.
- Mohnot, S.M., Srivastava, A. & Southwick, C.H. (1998) 'Primate status report on Assam, India.' *CONOR IPS*, 17: 247.
- Monroe, S.E., Yamamoto, M. & Jaffe, R.B. (1983) 'Changes in gonadotrope responsivity to gonadotropin-releasing hormone during development of the Rhesus monkey.' *Biol. Reprod.*, 29(2): 422–431.
- Moore, J. (1992) 'Dispersal, nepotism, and primate social behaviour.' *International Journal of Primatology*, 13(4): 361–378.
- Mootnick, A.R., Haimoff, E.H. & Nyunt-Lwin, K. (1987) 'Conservation and captive management of Hoolock gibbons in the socialist republic of the union of Burma.' *AAZPA (Am. Assoc. Zool. Parks Aquariums) Annu. Conf. Proc.*, pp. 398–424.
- Morales, J.C. & Melnick, D.J. (1998) 'Phylogenetic relationships of the macaques (Cercopithecidae: *Macaca*), as revealed by high resolution restriction site mapping of mitochondrial ribosomal genes.' *J. Hum. Evol.*, 34(1): 1–23.
- Morgan, J.P. & Eisele, P.H. (1992) 'Radiographic changes in Rhesus macaques affected by scurvy.' *Vet. Radiol. Ultrasound*, 33(6): 334–339.
- Morin, P.A. & Ryder, O.A. (1991) 'Founder contribution and pedigree inference in a captive breeding colony of Lion-tailed macaques, using mitochondrial DNA and DNA fingerprint analyses.' *Zoo Biol.*, 10(4): 341–352.
- (1978) 'Further observations on the Golden langur (*Presbytis geei* Khajuria), (1959) with a note on Capped langur (*Presbytis pileatus* Blyth), (1843) of Assam.' *Primates*, 19(4): 737–747.
- (1978) 'Further observations on the Golden langur (*Presbytis geei* Khajuria), with note on Capped langur (*P. pileatus* Blyth) of Assam, India.' *Proc. Wild Life Workshop, Zool. Surv. Ind.*, pp.129–132.
- (1981) 'Distribution and present status of the Golden langur (*Presbytis geei* Khajuria), in some forests of Assam, India.' *Proc. Wild Life Workshop*. pp. 129–132.
- (1982) 'Phayre's leaf monkey (*Presbytis phayrei* Blyth, 1847) of Tripura.' *J. Bom. nat. Hist. Soc.*, 79(1): 47–56.

- (1982) 'Survey of Non-human Primates of Tripura, India.' *J. Zool. Soc. India*, 34(1–2): 70–81.
- (1984) 'The ecology of Hoolock gibbon (*Hylobates hoolock*) of Tripura, India.' *Int. J. Primatol.*, 5(4): 363.
- (1986) 'The ecology of the Hoolock gibbon (*Hylobates hoolock*), in Tripura, India.' *Primate Ecology and Conservation*. James G. Else and Phyllis C. Lee, eds., pp. 115–124.
- (1992) 'Non-human primates and their conservation with particular reference to North eastern India.' In: P. K. Seth & S. Seth (eds.), *Perspectives in Primate Biology*, 4: 27–34. Today and Tomorrow's Printers and Publishers, Delhi.
- (1994) 'Status of the Golden langur (*Presbytis geei* Khajuria).' *Zool. Surv. of India Status of Endangered Species Report*, 1: 1–16.
- (1998) 'Studies on the status and ecology of Golden langurs (*Presbytis geei*).' In: *Report to the National Geographic Society*. pp. 88.
- Chaudhuri, S. & Murmu, A. (1988) 'Hoolock gibbons in Arunachal Pradesh, northeast India.' *Primate Conserv.*, 9: 121–123.
- Mukherjee, R.P. & Chakraborty, R.N. (1992) 'Report on the Census of Non-human Primates of Tripura.' Unpublished report submitted to Forest Department, Government of Tripura, Tripura, India.
- Mukherjee, R.P. & Saha, S. (1974) 'The Golden langur (*Presbytis geei*, Khajuria 1956) of Assam.' *Primates*, 15(4): 327–340.
- Mukherjee, R.P. (1977) 'Effects of crowding on temple Rhesus monkeys of Imphal, Manipur.' *J. Bombay Nat. Hist. Soc.*, 74(2): 275–281.
- Mukherjee, R.P., Chaudhuri, S. & Murmu, A. (1991–1992) 'Hoolock gibbons (*Hylobates hoolock*) in Arunachal Pradesh, northeast India: the Lohit District.' *Primate Conserv.*, 12–13: 31–33.
- Mukherjee, S.K. (1981) 'Notes on Barbe's leaf monkey (*Presbytis barbi* Blyth).' *J. Bombay Nat. Hist. Soc.*, 79: 184–185.
- Mukku, V.R., Murty, G.S.R.C., Srinath, B.R., Ramasharma, K., Kotagi, S.G. & Moudgall, N.R. (1981) 'Regulation of testosterone rhythmicity by gonadotropins in Bonnet monkeys (*Macaca radiata*).' *Biol. Reprod.*, 24(4): 814–819.
- Muller, E.F. (1979) 'Energy metabolism, thermoregulation and water budget in the Slow loris (*Nycticebus coucang*, Boddaert 1785).' *Comp. Biochem. Physiol. A Comp. Physiol.*, 64(1): 109–119.
- Murray, E.A., Gaffan, E.A. & Flint, R.W.(Jr.) (1996) 'Anterior rhinal cortex and amygdala: dissociation of their contributions to memory and food preference in Rhesus monkeys.' *Behav. Neurosci.*, 110(1): 30–42.
- Murray, R.D., Bour, E.S. & Smith, E.O. (1985) 'Female menstrual cyclicality and sexual behaviour in Stump-tailed macaques (*Macaca arctoides*).' *Int. J. Primatol.*, 6(1): 101–113.
- Nair, P.N.R. (1983) 'A crypto-lymphatic unit at the uvula of the monkey *Macaca fascicularis*' *Cell Tissue Res.*, 228(1): 171–182.
- Nakakuki, S. (1994) 'The bronchial tree and lobular division of the Crab-eating monkey (*Macaca fascicularis*) lung.' *J. Vet. Med. Sci.*, 56(3): 569–571.
- Napier, J.R. & Napier, P.H. (1967) *Handbook of Living Primates: Morphology, Ecology and Behaviour of Nonhuman Primates*. London, New York: Academic Press.
- (1985) *The Natural History of the Primates*. Cambridge, Mass.: MIT Press.
- Narain, S.D. (1965) 'Eco-ethological studies on *Macaca radiata* at Madumalai Wildlife Sanctuary, South India.' *Tigerpaper*, 12: 29–32.
- Natoli, E., Lupo, C. & Chiarelli, B. (1993) 'Behavioural and hormone profiles of male Crab-eating macaques (*Macaca fascicularis*) living in a social group.' *Aggressive Behav.*, 19(1): 25.
- Navaneetham, D., Sivashanmugam, P. & Rajalakshmi, M. (1996) 'Changes in binding of lectins to epididymal, ejaculated, and capacitated spermatozoa of the Rhesus monkey.' *Anat. Rec.*, 245(3): 500–508.
- Nevison, C.M. (1997) 'Social rank and birth sex ratios in Rhesus monkeys (*Macaca mulatta*).' *Appl. Anim. Behav. Sci.*, 51(3,4): 285–291. (Research in Zoos: from Behavioural Research to Sex Ratio Manipulation; Hosey, Geoff; Glatston, Angela R., eds.).
- Nevison, C.M., Rayment, F.D.G. & Simpson, M.J.A. (1996) 'Birth sex ratios and maternal social rank in a captive colony of Rhesus monkeys (*Macaca mulatta*).' *Am. J. Primatol.*, 39(2): 123–138.
- Newman, J.D., Jones, S. & Champoux, M. (1994) 'Detailed characterization of vocal behaviour associated with brief social separations in developing Rhesus macaques.' *Am. J. Primatol.*, 33(3): 231.



- Newton, P. (1992) 'Feeding and ranging patterns of forest Hanuman langurs (*Presbytis entellus*).' *Int. J. Primatol.*, 13(3): 245–285.
- (1994) 'Social stability and change among forest Hanuman langurs (*Presbytis entellus*).' *Primates*, 35(4): 489–498.
- (1984) 'Infanticide and social change in forest grey langurs (*Presbytis entellus*), in Kanha Tiger Reserve, India.' *Int. J. Primatol.*, 5(4): 366.
- (1984) 'The Ecology and Social Organization of Hanuman langurs (*Presbytis entellus*, Dufresne 1797) in Kanha Tiger Reserve, Central Indian Highlands.' Ph.D dissertation, University of Oxford, England.
- (1985) 'The behavioural ecology of forest Hanuman langurs.' *Tigerpaper*, 12(3): 3–7.
- (1986) 'Infanticide in an undisturbed forest population of Hanuman langurs (*Presbytis entellus*).' *Animal Behaviour*, 34: 785–9.
- (1987) 'The social organization of forest Hanuman langurs (*Presbytis entellus*).' *Int. J. Primatol.*, 8(3): 199–232.
- (1988) 'The variable social organization of Hanuman langurs (*Presbytis entellus*), infanticide, and the monopolization of females.' *Int. J. Primatol.*, 9: 59–77.
- (1989) 'Associations between langur monkeys (*Presbytis entellus*) and chital deer (*Axis axis*): chance encounters or a mutualism?' *Ethology*, 83(2): 89–120.
- Nieuwenhuijsen, K., Lammers, A.J.J.C., de Neef, K.J. & Slob, A.K. (1985) 'Reproduction and social rank in female Stump-tailed macaques (*Macaca arctoides*).' *Int. J. Primatol.*, 6(1): 77–99.
- Nikolei, J. (1998) 'Seasonal aspects of adult Hanuman langur (*Presbytis entellus*) locomotor behaviour in Ramnagar, South Nepal.' *Folia Primatol.*, 69(4): 188. (5th International Congress of the German Primate Society held in Berlin, October 1–5, 1997; Niemitz, Carsten, ed.).
- Nikolei, J. & Borries, C. (1997) 'Sex differential behaviour of immature Hanuman langurs (*Presbytis entellus*) in Ramnagar, South Nepal.' *Int. J. Primatol.*, 18(3): 415–438.
- Nolte, A. (1955) 'Field observations on the daily routine and social behaviour of common Indian monkeys with special reference to the Bonnet monkey (*Macaca radiata* Geoffroy).' *J. Bombay Nat. Hist. Soc.*, 53: 177–184.
- Novak, M.A., Musante, A., Munroe, H., O'Neill, P.L., Price, C. & Suomi, S.J. (1993) 'Old, socially housed Rhesus monkeys manipulate objects.' *Zoo Biol.*, 12(3): 285–298.
- Novak, M.A., O'Neill, P. & Suomi, S.J. (1992) 'Adjustments and adaptations to indoor and outdoor environments: continuity and change in young adult Rhesus monkeys.' *Am. J. Primatol.*, 28(2): 125–138.
- Nunn, B.J. & Baylor, D.A. (1982) 'Visual transduction in retinal rods of the monkey (*Macaca fascicularis*).' *Nature*, 299(5885): 726–728.
- Oates, J.E. (1986) 'Food distribution and foraging behaviour.' In *Primate Societies*, eds. B.B. Smuts, D.L. Cheney, R.M. Seyfarth, R.W. Wrangham, and T.T. Struhsaker, Chicago: University of Chicago Press, pp. 197–209.
- Oates, J.F. (1982) 'Coat colour aberrations in *Presbytis johnii*: a founder effect?' *Primates*, 23(2): 307–311.
- Oates, J.F. & Davies, A.G. (1994) 'What are the colobines?' In: A.G. Davies & J.F. Oates (eds.), *Colobine Monkeys: their ecology, behaviour and evolution*, pp. 1–10, Cambridge University Press, Cambridge, UK.
- Oates, J.F., Davies, A.G. & Delson, E. (1994) 'The diversity of living colobines.' In: *Colobine Monkeys: their ecology, behaviour and evolution* (A.G. Davies. & J.F. Oates, eds.), pp. 45–74, Cambridge University Press, Cambridge.
- Oates, J.F., Swain, T. & Zant, J. (1977) 'Secondary compounds and food selection by colobus monkeys.' *Biochemical Systematics and Ecology*, 5: 317–321.
- Oates, J.F., Waterman, P.G. & Choo, G.M. (1980) 'Food selection by the South Indian leaf-monkey (*Presbytis johnii*), in relation to leaf chemistry.' *Oecologia*, 45: 45–56.
- Oddershede, I.R. & Elizondo, R.S. (1982) 'Body fluid and hematologic adjustments during resting cold acclimation in Rhesus monkey.' *J. Appl. Physiol. Respir. Environ. Exercise Physiol.*, 52(4): 1024–1029.
- Ojha, P.R. (1974) 'Tail carriage and dominance in the Rhesus monkey, (*Macaca mulatta*).' *Mammalia*, 38(2): 163–170.
- (1976) 'A survey of bites and other injuries inflicted by Rhesus macaque (*Macaca mulatta*) on man in Maroth village (Rajasthan, India).' *J. Bombay Nat. Hist. Soc.*, 73(3): 518–521.



- (1983) 'Infant-snatching behaviour in the Rhesus macaque, (*Macaca mulatta*).' In: *Perspectives on Primate Biology*. P.K. Seth, ed., pp. 75–79.
- O'Keefe, R.T. & Lifshitz, K. (1985) 'A behavioural profile for Stump-tail macaques.' *Primates*, 26(2): 143–160.
- O'Keefe, R.T., Lifshitz, K. & Linn, G. (1983) 'Relationships among dominance, inter-animal spatial proximity and affiliative social behaviour in Stump-tailed macaques (*Macaca arctoides*).' *Appl. Anim. Ethol.*, 9(3–4): 331–339.
- Olson, L.C. (1991) 'Resistant shigella in a quarantined group of domestically raised *Macaca mulatta*.' *Lab. Primate Newsl.*, 30(4): 4–6.
- O'Neill, P.L., Novak, M.A. & Suomi, S.J. (1991) 'Normalizing laboratory-reared Rhesus macaque (*Macaca mulatta*) behaviour with exposure to complex outdoor enclosures.' *Zoo Biol.*, 10(3): 237–245.
- O'Neill, P.L., Price, C.S. & Suomi, S.J. (1992) 'Rhesus habitat use analyzed in a lifespan developmental framework.' *Am. J. Primatol.*, 27(1): 49.
- Oppenheim, F.G., Offner, G.D. & Troxler, R.F. (1982) 'Phosphoproteins in the parotid saliva from the subhuman primate *Macaca fascicularis*.' *J. Biol. Chem.*, 257(16): 9271–9282.
- Oppenheimer, J.R. (1977) '*Presbytis entellus*, the Hanuman langur.' In: *Primate Conservation* (H.S.H. Prince Rainier and G.H. Bourne, eds.), pp. 469–512. Academic Press, New York.
- Oppenheimer, J.R., Akonda, A.W. & Husain, K.Z. (1983) 'Rhesus monkeys: effect of habitat structure, human contact and religious beliefs on population size.' *Perspectives on Primate Biology*. P. K. Seth, ed., pp. 193–199.
- Osman (1953) *Primates: Comparative Anatomy and Taxonomy 1. Strepsirhini —A Monograph*. University Press, Edinburgh, 798 pp.
- Ostyn, J.M., Maltha, J.C. & van der Linden, F.P.G.M. (1995) 'Age assessment in infant Crab-eating monkeys (*Macaca fascicularis*) based on tooth development.' *J. Zool. (Lond.)*, 235(2): 247–252.
- Overskei, T.L., Pirie, G. (Jr.), Veazey, R.S., Vice, C.C., Monahan, C.M. & Bivin, S.W. (1994) 'Entamoeba histolytica infection in Hanuman (*Semnopithecus entellus*) and purple-faced (*Trachypithecus vetulus*) langurs.' *J. Zoo Wildl. Med.*, 25(2): 240–247.
- Owren, M.J., Dieter, J.A., Seyfarth, R.M. & Cheney, D.L. (1992) "'Food" calls produced by adult female Rhesus (*Macaca mulatta*) and Japanese (*M. fuscata*) macaques, their normally raised offspring, and offspring cross-fostered between species.' *Behaviour*, 120(3–4): 218–231.
- Paliwal, A., Malaviya, B. & Kamboj, V.P. (1992) 'Oviducal fluid protein patterns in the Rhesus monkey (*Macaca mulatta*) during the menstrual cycle.' *Reprod. Fertil. Dev.*, 4(2): 249–257.
- Palmieri, J.R. & Krishnasamy, M. (1978) '*Phanerosolus aspinosus* sp. n. (Lecithodendriidae: Phaneropsolinae) from the leaf monkey (*Macaca fascicularis* Raffles).' *J. Helminthol.*, 52(2): 155–158.
- Palombit, R.A. (1992) 'A preliminary study of vocal communication in wild Long-tailed macaques (*Macaca fascicularis*). I. vocal repertoire and call emission.' *Int. J. Primatol.*, 13(2): 143–182.
- Pan, R., Jablonski, N.G., Oxnard, C. & Freedman, L. (1998) 'Morphometric analysis of *Macaca arctoides* and *M. thibetana* in relation to other macaque species.' *Primates*, 39(4): 519–537.
- Pan, R.I., Peng, Y.Z., Ye, Z.Z. & Wang, A. H. (1990) 'Cranial morphological comparison between Francois and Phayre's leaf monkeys.' 13th Congress of the IPS, p. 84.
- Pan, R.I., Peng, Y.Z., Ye, Z.Z. & Yu, F.H. (1993) 'Sexual dimorphism of skull and dentition in Phayre's leaf monkey (*Presbytis phayrei*).' *Folia Primato.*, 60(4): 230–326.
- Panda, A.K. & Pal, D. (1996) 'Association of *Balantidium coli* with other parasitic infections in captive monkeys.' *Indian Vet. J.*, 73(10): 1082–1083.
- (1996) 'Occurrence of *Balantidium coli* infection in captive monkeys and their handlers.' *Indian J. Anim. Sci.*, 66(2): 137–138.
- Panda, R.M. & Bohidar, K. (1997) 'Feeding habits of the Common langur (*Presbytis entellus*) leading to human problems in Orissa.' *Zoos' Print*, 12 (9): 31–32.
- Parker, S.P. (ed.) (1990) *Grzimek's Encyclopedia of Mammals. vol. 2*. New York: McGraw Hill.
- Parks, K., Musante, A. & Novak, M. (1992) 'Studies of aging in Rhesus monkeys: a longitudinal perspective.' *Am. J. Primatol.*, 27(1): 49.



- Pavani, S., Maestriperi, D., Schino, G., Turillazzi, P.G. & Scucchi, S. (1991) 'Factors influencing scratching behaviour in Long-tailed macaques (*Macaca fascicularis*).' *Folia Primatol.*, 57(1): 34–38.
- Peng, Y.Z., Pan, R.L., Ye, Z.Z. & Wang, A. H. (1989) 'Comparative research of the craniofacial morphology between Phayre's leaf monkey and Francois' leaf-monkey.'
- Perez, L.E., Czekala, N.M., Weisenseel, K.A. & Lasley, B.L. (1988) 'Excretion of radiolabeled estradiol metabolites in the Slow loris (*Nycticebus coucang*).' *Am. J. Primatol.*, 16(4): 321–330.
- Perry, S. & Manson, J.H. (1995) 'A comparison of the mating behaviour of adolescent and adult female Rhesus macaques (*Macaca mulatta*).' *Primates*, 36(1): 27–39.
- Petruccioli, L. & Turillazzi, P.G. (1991) 'Effect of methylmercury on acetylcholinesterase and serum cholinesterase activity in monkeys (*Macaca fascicularis*).' *Bull. Environ. Contam. Toxicol.*, 46(5): 769–773.
- Phillippi-Falkenstein, K.M. & Clarke, M.R. (1992) 'Survey of parasites of Rhesus monkeys housed in small social groups.' *Am. J. Primatol.*, 27(4): 293–302.
- Phillippi-Falkenstein, K.M., Clarke, M.R. & Cogswell, F.B. (1992) 'A comparison of two protocols to monitor parasitism in socially-housed Rhesus monkeys.' *Am. J. Primatol.*, 27(1): 51.
- Pirta, R.S. (1986) 'Cooperative life of Rhesus monkeys.' *Wildlife Wealth of India (Resources & Management)*. Trilok Chandra Majupuria, ed., pp. 346–365.
- Pirta, R.S., Gadgil, M. & Kharshikar, A.V. (1997) 'Management of the Rhesus monkey (*Macaca mulatta*) and Hanuman langur (*Presbytis entellus*) in Himachal Pradesh, India.' *Biol. Conserv.*, 79(1): 97–106.
- Pirta, R.S., Prakash, P. & Singh, M. (1980) 'A population study of two species of non-human primates: *Macaca mulatta* and *Macaca radiata*.' *J. Bombay Nat. Hist. Soc.*, 77(3): 429–434.
- Plant, T.M. (1982) 'Pulsatile luteinizing hormones secretion in the neonatal male Rhesus monkey (*Macaca mulatta*).' *J. Endocrinol.*, 93(1): 71–74.
- Platt, D. & Novak, M.A. (1994) 'Active and passive forms of video stimulation in Rhesus macaques.' *Am. J. Primatol.*, 33(3): 234.
- Pocock, R. I. (1931) 'The mammal survey of Eastern Ghats, Report on the Monkeys.' *J. Bombay Nat. Hist. Soc.*, 35: 51–59.
- (1939) *The Fauna of British India, including Ceylon and Burma: Mammalia I. Primates and Carnivora (in part) Families Felidae and Viverridae*. 2nd Ed. Taylor & Francis, London.
- (1928) 'The langurs, or leaf-monkeys, of British India. 2 Parts.' *J. Bombay Nat. Hist. Soc.*, 32: 472–504 and 660–677.
- (1931) 'The Pig-tailed macaques (*Macaca nemestrina*).' *J. Bombay Nat. Hist. Soc.*, 35: 297–311.
- (1934) 'The external characters of the Catarrhine monkeys and Apes.' *Proc. Zool. Soc. Lond.*, 2: 1479–1579.
- (1935) 'The monkeys of genera *Pithecus* (or *Presbytis*) and *Pygathrix* found to the East of the Bay of Bengal.' *Proc. Zool. Soc. (1934), London*, pp. 985–961.
- Poglayen-Neuwall, I. (1978) 'Description of a fetus of a Lion-tailed macaque (*Macaca silenus*).' *Zool. Gart.*, 48(4): 271–272.
- Poirier, F.E. (1968) 'The Nilgiri langur (*Presbytis johnii*) mother–infant dyad.' *Primates*, 9: 45–68.
- (1970) 'The Nilgiri langur (*Presbytis johnii*) of South India.' In: *Primate behaviour: developments in field and laboratory research* (L.A. Rosenblum, ed.), pp. 251–383, Academic Press, New York.
- (1974) 'Colobine aggression: a review.' In: R. L. Holloway (ed.), *Primate Aggression, Territoriality and Xenophobia*, pp. 123–283. Academic Press, New York.
- Pook, A.G. & Box, H.O. (1974) 'A quantitative method for studying behaviour in small groups of monkeys in captivity.' *Primates*, 15(10): 101–105.
- Prakash, I. (1962) 'Group organization, sexual behaviour, and breeding season of certain Indian monkeys.' *Japan I. Ecol.*, 12: 83–86.
- Prasad, S., Elliott, A.Y., Gatmaitan, B.R., Fultze, A. & Dimmler, J. (1982) 'Prevalence of antibody to mumps virus in cynomolgus monkeys (*Macaca fascicularis*).' *Lab. Anim. Sci.*, 32(4): 426–427.
- Prater, S.H. (1948) *The Book of Indian Animals*. Bombay Natural History Society.
- Procell Wilkins, P., Maddison, S.E., Slemenda, S.B. & Tsang, V.C.W. (1991) 'Isotypic analysis of humoral immuneresponses in Rhesus monkeys to an adult microsomal antigen of *Schistosoma mansoni*: an indicator of successful treatment.' *Am. J. Trop. Med. Hyg.*, 45(5): 629–635.



- Radhakrishnan, B. & Suarez-Quian, C.A. (1992) 'Characterization of epidermal growth factor receptor in testis, epididymis and vas deferens of non-human primates.' *J. Reprod. Fertil.*, 96(1): 13–23.
- Rahman, H. (1973) 'The langurs of Gir sanctuary (Gujarat)—a preliminary survey.' *J. Bombay Nat. Hist. Soc.*, 70: 294–314.
- Rahaman, H. & Parthasarathy, M.D. (1969) 'The home range, roosting places and day ranges of the Bonnet macaque (*Macaca radiata*).' *Journal of Zoology, London*, 157: 267–276.
- (1968) 'The expressive movements of the Bonnet macaque.' *Primates*, 9: 259–272.
- (1969) 'Studies on the social behaviour of Bonnet monkeys.' *Primates*, 10: 149–162.
- (1978) 'Behavioural variants of Bonnet macaque (*Macaca radiata*) inhabiting cultivated gardens.' *J. Bombay Nat. Hist. Soc.*, 75(2): 406–425.
- Rajagopal, A.S. (1965) 'Some observations on the social behaviour of the Bonnet monkeys (*Macaca radiata*) of South India.' *J. Bengal Nat. Hist. Soc.*, 33: 228–238.
- Rajpurohit, L.S. (1991) 'Resident male replacement, formation of a new male band and paternal behaviour in *Presbytis entellus*.' *Folia Primatol.*, 57(3): 159–164.
- (1995) 'Temporary splitting or subgrouping in male bands of Hanuman langurs (*Presbytis entellus*), around Jodhpur, western India.' *Mammalia*, 59(1): 3–8.
- Mohnot, S.M., Agoramoorthy, G. & Srivastava, A. (1986) 'Observation on ousted males of bisexual groups of Hanuman langur (*Presbytis entellus*).' *Primate Report*, 14: 209.
- Rajpurohit, L.S. & Mohnot, S.M. (1991) 'The process of weaning in Hanuman langurs (*Presbytis entellus entellus*).' *Primates*, 32(2): 213–218.
- Rajpurohit, L.S. & Sommer, V. (1991) 'Sex differences in mortality among langurs (*Presbytis entellus*) of Jodhpur, Rajasthan.' *Folia Primatol.*, 56(1): 17–27.
- Rajpurohit, L.S., Sommer, V. & Mohnot, S.M. (1995) 'Wanderers between harems and bachelor bands: male Hanuman langurs (*Presbytis entellus*) at Jodhpur in Rajasthan.' *Behaviour*, 132(3–4): 255–299.
- Rakic, P. & Riley, K.P. (1983) 'Overproduction and elimination of retinal axons in the fetal Rhesus monkey.' *Science*, 219(4591): 1441–1444.
- Ram, S. & Sinha, A. (2000) 'Food for thought: Behavioural strategies adopted by wild Bonnet macaques to reduce social tension during provisioning.' Proceedings of the National Seminar on Wildlife Conservation, Research and Management, Wildlife Institute of India, Dehradun, August 1998; in press.
- Ram, S., Venkatachalam, S. & Sinha, A. (2000) 'Changing behavioural strategies of wild female Bonnet macaques during natural foraging and on provisioning.' *Ethology*, in press.
- Ramachandra, S.G., Ramesh, V., Krishnamurthy, H.N., Ravindranath, N., Taranatha Shetty, K. (1998) 'Normal hematological and plasma biochemical parameters of the captive Bonnet monkey (*Macaca radiata*).' *Primates*, 39(2): 127–134.
- Ramachandran, K.K. (1994). 'Status of Lion-tailed macaque in Silent Valley National Park and adjacent areas.' Proceedings of the 4th International Symposium on the Lion-tailed Macaque, 11–14 October 1994, Madras, India.
- Raman, T.R.S., Mishra, C. & Johnsingh, A.J.T. (1995) 'Survey of primates in Mizoram, North-East India.' *Primate Conserv.*, 16: 59–62.
- Ramaswami, L.S., Kurup, G.U. & Gadgil, B.A. (1982) 'Some aspects of the reproductive biology of the Lion-tailed macaque (*Macaca silenus* Linn.)—a zoo study.' *J. Bombay Nat. Hist. Soc.*, 79(2): 324–330.
- Ranjitsinh, (1989) 'On the primates of Gumti sanctuary, Tripura.' *J. Bombay Nat. Hist. Soc.*, 86(3): 435.
- Rao, A. J., Ramesh, V., Ramachandra, S.G., Krishnamurthy, H.N., Ravindranath, N. & Moudgal, N.R. (1997) 'Breeding of Bonnet monkeys (*Macaca radiata*) in captivity.' *Lab. Anim. Sci.*, 47(2): 180–183.
- Rao, A.J., Ramesh, V., Ramachandra, S.G., Krishnamurthy, H.N., Ravindranath, N. & Moudgal, N.R. (1998) 'Growth and reproductive parameters of bonnet monkey (*Macaca radiata*).' *Primates*, 39(1): 97–107.
- Rao, A.T. & Acharjyo, L.N. (1980) 'A clinical case of chronic glomerular nephritis in a Rhesus monkey (*Macaca mulatta*).' *J. Zoo Anim. Med.*, 11(2): 57–58.
- Rasmussen, D.R. (1993) 'Prediction of affiliation and sexual behaviour in Rhesus monkeys with previous familiarity.' *Lab. Primate Newsl.*, 32(2): 12–15.
- Ratterree, M.S. & Baskin, G.B. (1992) 'Congenital hypotrichosis in a Rhesus monkey.' *Lab. Anim. Sci.*, 42(4): 410–412.



- Reindel, J.F., Fitzgerald, A.L., Breider, M.A., Gough, A.W., Yan, C., Mysore, J.V. & Dubois, A. (1999) 'An epizootic of lymphoplasmacytic gastritis attributed to *Helicobacter pylori* infection in cynomolgus monkeys (*Macaca fascicularis*).' *Vet. Pathol*, 36(1): 1–13.
- Reinhardt, V. (1990) 'Comparing the effectiveness of PVC perches versus wooden perches as environmental enrichment objects for singly-caged Rhesus monkeys.' *Lab. Primate Newsl.*, 29(1): 13–14.
- (1991) 'Agonistic behaviour responses of socially experienced, unfamiliar adult male Rhesus monkeys (*Macaca mulatta*) to pairing.' *Lab. Primate Newsl.*, 30(1): 5–7.
- (1991) 'Implementing an environmental enhancement plan for previously singly-caged *Macaca mulatta* at a research facility.' *Lab. Primate Newsl.*, 30(3): 4–5.
- (1992) 'Are Rhesus macaques really so aggressive?' *Int. Zoo News*, 39(1): 14–19.
- (1992) 'Avoiding aggression during and after pair formation of adult Rhesus macaques.' *Lab. Primate Newsl.*, 31(3): 10–11.
- (1992) 'Difficulty in training juvenile Rhesus macaques to actively cooperate during venipuncture in the homecage.' *Lab. Primate Newsl.*, 31(3): 1–2.
- (1994) 'Continuous pair-housing of caged *Macaca mulatta*: risk evaluation.' *Lab. Primate Newsl.*, 33(1): 1–4.
- (1998) 'Pairing *Macaca mulatta* and *Macaca arctoides* of both sexes.' *Lab. Primate Newsl.*, 37(4): 2.
- Rendall, D., Rodman, P.S. & Emond, R.E. (1996) 'Vocal recognition of individuals and kin in free-ranging Rhesus monkeys.' *Anim. Behav.*, 51(5): 1007–1015.
- Renlund, R.C., Pritzker, K.P., Cheng, P.T., Kessler, M.J. (1986) 'Rhesus monkeys (*Macaca mulatta*) as a model for calcium pyrophosphate dihydrate crystal deposition disease.' *J. Med. Primatol.*, 15(1): 11–6.
- Resko, J.A., Goy, R.W., Robinson, J.A. & Norman, R.L. (1982) 'The pubescent Rhesus monkey: some characteristics of the menstrual cycle.' *Biol. Reprod.*, 27(2): 354–361.
- Rhine, R.J. & Hendy-Neely, H. (1978) 'Social development of Stump-tailed macaques (*Macaca arctoides*): synchrony of changes in mother–infant interactions and individual behaviours during the first 60 days of life.' *Primates*, 19(4): 681–692.
- 'Social development of Stump-tailed macaques (*Macaca arctoides*): momentary touching, play, and other interactions with aunts and immatures during the infants' first 60 days of life.' *Primates*, 19(1): 115–123.
- Rhodes, L., Argersinger, M.E., Gantert, L.T., Friscino, B.H., Hom, G., Pikounis, B., Hess, D.L. & Rhodes, W.L. (1997) 'Effects of the administration of testosterone, dihydrotestosterone, oestrogen and fadrozole, an aromatase inhibitor, on sex skin colour in intact male Rhesus macaques.' *J. Reprod. Fertil.*, 111(1): 51–57.
- Richards, A.F. (1985) *Primates in Nature*. W. H. Freeman & Co., New York.
- Richard, A.F., Goldestein, S.J. & Dewar, R.E. (1989) 'Weed macaques: The evolution implications of macaque feeding ecology.' *Int. J. Primatol.*, 10: 569–594.
- Richie, T., Shrestha, R., Teas, J., Taylor, H. & Southwick, C. (1978) 'Rhesus monkeys at high altitudes in northwestern Nepal.' *J. Mammal.*, 59(2): 443–444.
- Ridley, M. (1986) 'The number of males in a primate troop.' *Animal Behaviour*, 34: 1848–1858.
- Ripley, S. (1984) 'Environmental grain, niche diversification and feeding behaviour in primates.' In: D.J. Chivers, B. A. Wood & A. Bilsborough (eds.), *Food Acquisition and Processing by Primates*, pp. 33–72, Plenum Press, New York.
- Roonwal, M.L. (1986) 'The langurs (*Presbytis*).' In *Wildlife Wealth of India (Resources & Management)*. Trilok Chandra Majupuria, ed., 366–378.
- Roonwal, M.L. & Mohnot, S.M. (1977) *Primates of South Asia: Ecology, Sociobiology & Behaviour*. Cambridge (Mass.): Harvard University Press.
- Rosenberg, D.P., Link, D.P. & Prahalada, S. (1983) 'Arteriovenous malformation in a Rhesus monkey (*Macaca mulatta*).' *Lab. Anim. Sci.*, 33(2): 183–186.
- Rosenblatt, H., Dyrenfurth, I., Ferin, M. & Wiele, R.L.V. (1980) 'Food intake and the menstrual cycle in Rhesus monkeys.' *Physiol. Behav.*, 24(3): 447–449.
- Ross, C. & Srivastava, A. (1994) 'Factors influencing the population density of the Hanuman langur (*Presbytis entellus*) in Sariska Tiger Reserve.' *Primates*, 35(3): 361–367.
- Ross, C. (1991) 'Life history pattern of New World monkeys.' *Int. J. Primatol.*, 12(5): 481–502.



- (1992) 'Basal metabolic rate, body weight, and diet in primates: an evaluation of the evidence.' *Folia Primatol.*, 58: 7–23.
- (1992) 'Life history patterns and ecology of macaque species.' *Primates*, 33(2): 207–215.
- (1993) 'Predator mobbing by an all-male band of Hanuman langurs (*Presbytis entellus*).' *Primates*, 34(1): 105–107.
- (1993) 'Take-over and infanticide in South Indian Hanuman langurs (*Presbytis entellus*).' *Am. J. Primatol.*, 30(1): 75–82.
- Ross, C., Srivastava, A., Pirta, R.S. (1993) 'Human influences on the population density of Hanuman langurs (*Presbytis entellus*) and Rhesus macaques (*Macaca mulatta*) in Shimla, India.' *Biological Conservation*, 65(2): 159–163.
- Rowe, N. (1996) *The Pictorial Guide to the Living Primates*. East Hampton, NY: Pogonias Press
- Ruliang, P., Yanzhang, P. & Zhizhang, Y. (1991) 'Multivariate comparison of the forelimb between Stump-tailed and Rhesus macaques.' *Folia Primatol.*, 57(3): 147–155.
- Saad, M.M., Doyle, W.J. & Gest, T.R. (1982) 'Morphology of the middle ear in the Rhesus monkey (*Macaca mulatta*).' *Acta Anat.*, 112(2): 117–130.
- Saha, S.S. & Mukherjee, R.P. (1974) 'The Golden langurs (*Presbytis geei* Khajuria, 1956) of Assam.' *Primates*, 15(4): 327–340.
- Saha, S.S. (1980) 'The Golden langur, *Presbytis geei*, Khajuria, in Bhutan.' *J. Bombay Nat. Hist. Soc.*, 76(3): 493–495.
- Sahi, D.N. (1985) 'Eco-ethological studies on macaca radiata at Madumalai Wildlife Sanctuary, South India.' *Tigerpaper*, 12(4): 29–32.
- Sakthivelou, G. & Kumar, A. (1998) 'Temporary group splitting in the Lion-tailed macaque (*Macaca silenus*) in a forest fragment in Indira Gandhi Wildlife Sanctuary, Tamil Nadu.' *J. Bombay Nat. Hist. Soc.*, 95(3): 422–425.
- Samuel, B.U., Indersingh, I., Chandhi, G. & John, T.J. (1992) 'Microscopic anatomy of small intestine of *Macaca radiata* with special reference to gut associated lymphoid tissue.' *Indian J. Exp. Biol.*, 30(6): 474–476.
- (1992) 'Ultrastructural specialization of intestinal epithelium over Peyer's patches in the Bonnet monkey (*Macaca radiata*).' *Indian J. Exp. Biol.*, 30(12): 1138–1141.
- Samuels, A., Silk, J.B. & Rodman, P.S. (1984) 'Changes in the dominance rank and reproductive behaviour of male Bonnet macaques (*Macaca radiata*).' *Anim. Behav.*, 32(4): 994–1003.
- Sandhyamani, S. (1991) 'Cardiovascular effects in Bonnet monkeys (*Macaca radiata*) of a cassava-based protein-deficient diet.' *Vet. Human Toxicol.*, 33(5): 429–430.
- Sandoff, D.A., Fischel, R.J., Carroll, M.E. & Brockway, B. (1992) 'Chronic blood pressure radiotelemetry in Rhesus macaques.' *Lab. Anim. Sci.*, 42(1): 78–80.
- Sankai, T., Terao, K., Yanagimachi, R., Cho, F. & Yoshikawa, Y. (1994) 'Cryopreservation of spermatozoa from cynomolgus monkeys (*Macaca fascicularis*).' *J. Reprod. Fertil.*, 101(2): 273–278.
- Sarkar, H.B.D., Murali, S., Prasad, D.T., Shekarappa, B.M. & Vijayalakshmi, V. (1981) 'The population and distribution of the Slender loris (*Loris tardigradus*) in Karnataka state.' *Tigerpaper*, 8(1): 7–10.
- Sarkar, P. & Bhattacharjee, P.C. (1996) 'Feeding and grooming behaviour of Assamese macaque (*Macaca assamensis*) in Goalpara, India.' *IPS/ ASP Congress Abstracts (1996)*, 565.
- Sarkar, P. & Srivastava, A. (1998) 'Cheek pouch robbery in free-ranging provisioned group of Assamese macaque.' *CONGR IPS*, 17: 52.
- Sasaki, K., Kawasaki, Y., Sekita, K., Ochiai, T., Takeda, M. & Uchiyama, M. (1992) 'Disposition of  $\alpha$ -hexachlorocyclohexane, p,p'-DDT, and trans-chlordane administered subcutaneously to monkeys (*Macaca fascicularis*).' *Arch. Environ. Contam. Toxicol.*, 22(1): 25–29.
- Sauber, J.J., Fanton, J.W., Harvey, R.C. & Golden, J.G. (1992) 'An attempt to eradicate herpes virus simiae from a Rhesus monkey breeding colony.' *Lab. Anim. Sci.*, 42(5): 458–462.
- Schaik, C.P. Van. (1983) 'Why are diurnal primates living in groups?' *Behaviour*, 87: 120–144.
- Schaik, C.P. Van & Dunbar, R.L.M. (1990) 'The evolution of monogamy in large primates: A new hypothesis and some crucial tests.' *Behaviour*, 115(1–2): 30–62.
- Schaik, C.P. Van & Van H. JARAM (1983) 'On the ultimate causes of primate social systems.' *Behaviour*, 85: 91–117.



- Schaik, C.P.Van., Assink, P.R. & Salafsky, N. (1992) 'Territorial behaviour in southeast asian langurs: Resource defence or mate defence?' *Am. J. Primatol.*, 26: 233-242.
- Schallenger, E., Richardson, D.W. & Knobil, E. (1981) 'Role of prolactin in the lactational amenorrhea of the Rhesus monkey (*Macaca mulatta*).' *Biol. Reprod.*, 25(2): 370–374.
- Schapiro, S.J. & Bloomsmith, M.A. (1994) 'Behavioural effects of enrichment on pair-housed juvenile Rhesus monkeys.' *Am. J. Primatol.*, 32(3): 159–170.
- Schapiro, S.J. & Kessel, A.L. (1993) 'Weight gain among juvenile Rhesus macaques: a comparison of enriched and control groups.' *Lab. Anim. Sci.*, 43(4): 315–318.
- Schapiro, S.J., Bloomsmith, M.A., Kessel, A.L. & Bushong, D. (1992) 'Changes in behaviour from single- to pair-housing among enriched and control juvenile spf Rhesus monkeys.' *Am. J. Primatol.*, 27(1): 56–57.
- Schapiro, S.J., Bloomsmith, M.A., Porter, L.M. & Suarez, S.A. (1996) 'Enrichment effects on Rhesus monkeys successively housed singly, in pairs, and in groups.' *Appl. Anim. Behav. Sci.*, 48(3,4): 159–172.
- (1996) 'The effects of different types of feeding enhancements on the behaviour of single-caged, yearling Rhesus macaques.' *Anim. Welf.*, 5(2): 129–138.
- (1997) 'A comparison of the effects of simple versus complex environmental enrichment on the behaviour of group-housed, subadult Rhesus macaques.' *Anim. Welf.*, 6(1): 17–28.
- Schapiro, S.J., Lee-Parritz, D.E., Taylor, L.L., Watson, L., Bloomsmith, M.A. & Petto, A. (1994) 'Behavioural management of specific pathogen-free Rhesus macaques: group formation, reproduction, and parental competence.' *Lab. Anim. Sci.*, 44(3): 229–234.
- Schapiro, S.J., Nehete, P.N., Perlman, J.E., Bloomsmith, M.A. & Sastry, K.J. (1998) 'Effects of dominance status and environmental enrichment on cell-mediated immunity in Rhesus macaques.' *Appl. Anim. Behav. Sci.*, 56(2–4): 319–332.
- Schaub, H. (1995) 'Dominance fades with distance: an experiment on food competition in Long-tailed macaques (*Macaca fascicularis*).' *J. Comp. Psychol.*, 109(2): 196–202.
- (1996) 'Testing kin altruism in Long-tailed macaques (*Macaca fascicularis*) in a food-sharing experiment.' *Int. J. Primatol.*, 17(3): 445–467.
- Schlotterhausen, L. (1992) 'Interactions between people and Bonnet monkeys (*Macaca radiata*) at Alagarkoil, a South Indian Temple.' M.A thesis, New York University, New York, USA.
- Schneider, M.L., Moore, C.F., Suomi, S.J. & Champoux, M. (1991) 'Laboratory assessment of temperament and environmental enrichment in Rhesus monkey infants (*Macaca mulatta*).' *Am. J. Primatol.*, 25(3): 137–155.
- Schuelke, O. (1998) 'Bachelors and harem males—a comparison of feeding and ranging behaviour in adult langur males (*Presbytis entellus*) at Jodhpur/Rajasthan, India.' *Folia Primatol.*, 69(4), 220. (5th International Congress of the German Primate Society held in Berlin, October 1–5, 1997; Niemitz, Carsten, ed.).
- Schultz, A.H. (1969) *The Life of Primates*. New York: Universe Books.
- Schulze, H. (1998) 'Developing a husbandry manual to facilitate the distribution and presentation of information: with special reference to Slender loris (*Loris tardigradus nordicus*) at Ruhr University, Bochum.' *Int. Zoo Yearb.*, 36: 34–48.
- Scollay, P.A. & DeBold, P. (1980) 'Allomothering in a captive colony of Hanuman langurs (*Presbytis entellus*).' *Ethology and Sociobiology*, 1: 291-299.
- Seelig, D. (1998) 'Pair-housing male *Macaca fascicularis*: a summary.' *Lab. Primate Newsl.*, 37(3): 14–16.
- Sellers, W.I. (1996) 'A biomechanical investigation into the absence of leaping in the locomotor repertoire of the Slender loris (*Loris tardigradus*).' *Folia Primatol.*, 67(1): 1–14.
- Seshagiri, P.B., Bridson, W.E., Dierschke, D.J., Eisele, S.G. & Hearn, J.P. (1993) 'Non-surgical uterine flushing for the recovery of preimplantation embryos in Rhesus monkeys: lack of seasonal infertility.' *Am. J. Primatol.*, 29(2): 81–91.
- Seth, P.K. & Seth, S. (1984) 'Ecology and behaviour of Rhesus monkeys in India.' *Int. J. Primatol.*, 5(4): 378.
- (1984) 'Population trends in naturally occurring Rhesus monkey populations in India.' *Int. J. Primatol.*, 5(4): 379.
- (1986) 'Ecology and behaviour of Rhesus monkeys in India.' *Primate Ecology and Conservation*, James G. Else and Phyllis C. Lee, eds., pp. 89–104.



- Seth, P.K., Seth, S. & Saxena, M.B. (1983) 'Chromosomal homology in *Macaca mulatta*, *Papio papio* and man.' *Perspectives on Primate Biology*, P. K. Seth, ed., pp. 161–165.
- Seth, P.K., Seth, S. & Shukla, A.K. (1983) 'Sociobiology of free-ranging Rhesus monkeys.' *Perspectives on Primate Biology*, P. K. Seth, ed., pp. 36–44.
- Seth, P.K., Seth, S., Reddy, C.L. & Chopra, P.K. (1992) 'Population trends in naturally occurring Rhesus monkey populations in different habitats in India.' *Primate Report*, 32: 61–73.
- Seth, S., Seth, P.K. & Dixit, V.P. (1983) 'Genetic variations in primates: red cell enzymes and serum proteins in Rhesus monkeys, baboons and langurs.' *Perspectives on Primate Biology*, P. K. Seth, ed., pp. 181–187.
- Shideler, S.E., Czekala, N.M., Kasman, L.H., Lindburg, D.G. & Lasley, B.L. (1983) 'Monitoring ovulation and implantation in the Lion-tailed macaque (*Macaca silenus*) through urinary estrone conjugate evaluations.' *Biol. Reprod.*, 29(4): 905–911.
- Shimizu, K. & Takenaka, O. (1991) 'DNA polymorphisms in the  $\alpha$ - and  $\beta$ - globin gene regions in Asian macaques.' *Biochem. Genet.*, 29(3/4): 189–202.
- Shimoji, M., Bowers, C.L. & Crockett, C.M. (1993) 'Initial response to introduction of a PVC perch by singly-caged *Macaca fascicularis*.' *Lab. Primate Newsl.*, 32(4): 8–11.
- Shively, C.A., Brammer, G.L., Kaplan, J.R., Raleigh, M.J. & Manuck, S.B. (1991) 'The complex relationship between behavioural attributes, social status, and whole blood serotonin in male *Macaca fascicularis*.' *Am. J. Primatol.*, 23(2): 99–112.
- Shotake, T. (1979) 'Serum albumin and erythrocyte adenosine deaminase polymorphisms in Asian macaques with special reference to taxonomic relationships among *Macaca assamensis*, *M. radiata*, and *M. mulatta*.' *Primates*, 20(3): 443–451.
- Shukla, A.K., Seth, P.K. & Seth, S. (1984) 'Population trends of Rhesus monkeys (*Macaca mulatta*) in India.' *Int. J. Primatol.*, 5(4): 380.
- Silberberg, A., Widholm, J.J., Bresler, D., Anderson, J.R. & Fujita, K. (1998) 'Natural choices in nonhuman primates.' *J. Exp. Psychol. Anim. Behav. Processes*, 24(2): 215–228.
- Silk, J., Short, J., Roberts, J. & Kusnitz, J. (1993) 'Gestation length in Rhesus macaques (*Macaca mulatta*).' *Int. J. Primatol.*, 14(1): 95–104.
- Silk, J.B. (1980) 'Kidnapping and female competition among captive Bonnet macaques.' *Primates*, 21(1): 100–110.
- (1991) 'Mother–infant relationships in Bonnet macaques: sources of variation in proximity.' *Int. J. Primatol.*, 12(1): 21–38.
- (1993) 'Does participation in coalitions influence dominance relationships among male Bonnet macaques?' *Behaviour*, 126(3–4): 171–189.
- (1993) 'The evolution of social conflict among female primates.' In: *Primate Social Conflict*, eds. W.A. Mason & S.P. Mendoza, Albany: SUNY Press, pp. 49–83.
- Silverman, J., Weisbrode, S.E., Myer, C.W., Biller, D.S. & Kerpsack, S.J. (1994) 'Enchondroma in a Rhesus monkey.' *J. Am. Vet. Med. Assoc.*, 204(5): 786–788.
- Simonds, P.E. (1965) 'The Bonnet macaque in South India.' In: I. DeVore *Primate Behaviour: Field Studies of Monkeys and Apes*. Holt, Rinehart and Winston, New York. pp. 175–196.
- (1974) 'Sex differences in Bonnet macaque networks and social structure.' *Archives of Sexual Behavior*, 3: 151–166.
- (1984) 'Aggressive and friendly interactions in a troop of Bonnet macaques (*Macaca radiata*).' *Natl. Geogr. Soc. Res. Rep.*, 16: 583–608.
- Simpson, M.J.A. & Datta, S.B. (1991) 'Predicting infant enterprise from early relationships in Rhesus macaques.' *Behaviour*, 116(1–2): 42–63.
- Simpson, M.J.A. & Tartabini, A. (1992) 'Control of nipple and body contact by mothers and infants in Rhesus macaques.' *Folia Primatol.*, 59(1): 26–32.
- Singh, M. (1999) 'Status and conservation of the Lion-tailed macaque and other arboreal mammals in tropical rainforest of Sringeri forest range, Western Ghats, Karnataka, India.' *Submitted to the Amer. Jour. of Primatology*.
- Singh, M. & Pirta, R.S. (1978) 'Movement out of home range and disturbed behaviour patterns in a group of Bonnet macaques: *Macaca radiata*.' *American Journal of Physical Anthropology*, 49: 265–269.



- (1983) 'Field experiments and observations on Rhesus and Bonnet monkeys. A case for primate sociobiology.' *Perspectives on Primate Biology*, P. K. Seth, ed., pp. 81–88.
- Singh, M. & Sachdeva, R. (1977) 'Behaviour of juvenile Bonnet monkey before and after his mother gives birth to a new baby.' *Primates*, 18(3): 605–610.
- Singh, M. & Vinathe, S. (1990) 'Inter-population differences in the time budgets of Bonnet monkeys (*Macaca radiata*).' *Primates*, 31(4): 589–596.
- Singh, M., Akram, N. & Pirta, R.S. (1984) 'Evolution of demographic patterns in the Bonnet monkey (*Macaca radiata*).' In: Roonwal, M.L., S.M. Mohnot and N.S. Rathore (eds.). *Current Primate Researches*, Zoology Department, Jodhpur University, Jodhpur. pp. 7–16.
- Singh, M., Prakash, P. & Pirta, R.S. (1980) 'Changing patterns of behaviour during the early stages of Bonnet monkey (*Macaca radiata*).' *Proceedings of the Indian Academy of Sciences (Animal Sciences)*, 89: 101–108.
- Singh, M.E., Singh, M.R., Kumara, H.N., Kumar, M.A. & D'Souza, L. (1997) 'Inter-and intra-specific associations of non-human primates in Anaimalai Hills, South India.' *Mammalia*, 61(1): 17–28.
- Singh, S.D. (1977) 'Effects of infant–infant separation of young monkeys in a free-ranging natural environment.' *Primates*, 18(1): 205–214.
- Singh, S.D. (1980) 'Xenophobic reactions of free-ranging Rhesus infant groups raised in natural habitat.' *Primates*, 21(4): 492–497.
- Sinha, A. (1996) 'A new twist in an old Macaque tale: Allogrooming relationships among wild female Bonnet macaques.' Abstract at the 16th Congress of the International Primatological Society, Madison, Wisconsin, USA, August 1996.
- (1997) 'Complex tool manufacture by a wild Bonnet macaque (*Macaca radiata*).' *Folia Primatol.*, 68(1): 23–25.
- (1998) 'Affiliative relationships and coalition formation among wild male Bonnet macaques.' Abstract at the 17th Congress of the International Primatological Society, Antananarivo, Madagascar, August 1998.
- (1998) 'Knowledge acquired and decisions made: triadic interactions during allogrooming in wild Bonnet macaques (*Macaca radiata*).' *Philos. Trans. R. Soc. Lond. B Biol. Sci.*, 353(1368): 619–631.
- (1999) 'Tactical deception in wild Bonnet macaques: Evidence of intentionality.' *Advances in Ethology* 34: 103. Abstract at the 26th International Ethological Conference, Bangalore, India, August 1999.
- (2000) 'True lies: Tactical deception in wild Bonnet macaques (*Macaca radiata*).' N/AS Report, National Institute of Advanced Studies, Bangalore; in press.
- Sinha, A. & Dutta Roy, A. (2000) '*Ekam advitiam*: The socioecology of unimale troops of wild Bonnet macaques (*Macaca radiata*).' NIAS Working Paper, National Institute of Advanced Studies, Bangalore; in press.
- Sivasubramanian, C. (1986) 'A note on the Rhesus macaque (*Macaca mulatta*) feeding on calotes.' *J. Bombay Nat. Hist. Soc.*, 83 (Suppl.), 197.
- Skorupa, J.P. (1987) 'Do line-transect surveys systematically underestimate primate densities in logged forests?' *Am. J. Primatol.*, 13: 1–9.
- Slob, A.K., Groeneveld, W.H. & Bosch, J.J.V.W.T. (1986) 'Physiological changes during copulation in male and female Stump-tailed macaques (*Macaca arctoides*).' *Physiol. Behav.*, 38(6): 891–895.
- Small, M.F. & Smith, D.G. (1982) 'The relationship between maternal and paternal rank in Rhesus macaques (*Macaca mulatta*).' *Anim. Behav.*, 30(2): 626–627.
- (1985) 'Sex of infants produced by male Rhesus macaques.' *Am. Nat.*, 126(3): 354–361.
- (1986) 'The influence of birth timing upon infant growth and survival in captive Rhesus macaques (*Macaca mulatta*).' *Int. J. Primatol.*, 7(3): 289–304.
- Smith, D.G. (1993) 'A 15-year study of the association between dominance rank and reproductive success of male Rhesus macaques.' *Primates*, 34(4): 471–480.
- (1994) 'Male dominance and reproductive success in a captive group of Rhesus macaques (*Macaca mulatta*).' *Behaviour*, 129(3–4): 225–242.
- (1995) 'Absence of deleterious effect of inbreeding in Rhesus macaques.' *Int. J. Primatol.*, 16(5): 855–870.
- 1994) 'Influence of regional crossbreeding between Rhesus macaques on the rate of weight gain of their offspring.' *Zoo Biol.*, 13(3): 277–284.



- Smith, E.O. (1984) 'Non-seasonal breeding patterns in Stump-tailed macaques (*Macaca arctoides*).' *Primates*, 25(1): 117–122.
- Smith, P.C. (1999) 'Endometriosis in nonhuman primates.' *Lab. Anim. Pract.*, 32(1): 23–25.
- Sommer, V. (1987) 'Infanticide among free-ranging langurs (*Presbytis entellus*) at Jodhpur (Rajasthan/India): recent observations and a reconsideration of hypotheses.' *Primates*, 28(2): 163–197.
- (1989) 'Sexual harassment in langur monkeys (*Presbytis entellus*): competition for ova, sperm, and nurture?' *Ethology*, 80(1–4): 205–217.
- (1993) 'Father–son recognition in Hanuman langurs (*Presbytis entellus*): a field experiment in India.' *Primates*, 34(2): 217–221.
- (1994) 'Infanticide among the langurs of Jodhpur—testing the sexual selection hypothesis with a long-term record.' In: *Infanticide and Parental Care*, eds. S. Parmigini & F. Vom Saal. London: Harwood Academic, pp. 155–193.
- Mendoza-Granados, D. & Reichard, U. (1998) 'Predation risk causes grouping pattern in Hanuman langurs (*Presbytis entellus*).' *Folia Primatol.*, 69(4), 223–224. (5th International Congress of the German Primate Society held in Berlin, October 1–5, 1997; Niemitz, Carsten, ed.).
- Srivastava, A. & Borries, C. (1992) 'Cycles, sexuality, and conception in free-ranging langurs (*Presbytis entellus*).' *Am. J. Primatol.*, 28(1): 1–27.
- Sommer, V. & Mendoza-Granados, D. (1995) 'Play as indicator of habitat quality: a field study of langur monkeys (*Presbytis entellus*).' *Ethology*, 99(3): 177–192.
- Sommer, V. & Mohnot, S.M. (1985) 'New observations on infanticides among Hanuman langurs (*Presbytis entellus*) near Jodhpur (Rajasthan/India).' *Behav. Ecol. Sociobiol.*, 16(3): 245–248.
- Sommer, V. & Rajpurohit, L.S. (1989) 'Male reproductive success in harem troops of Hanuman langurs (*Presbytis entellus*).' *Int. J. Primatol.*, 10(4): 293–317.
- Southwick, C.H. (1979) 'Conservation and management of wild primate populations.' *Bioscience*, 29: 233–237.
- (1989) 'Rhesus monkey populations in India and Nepal: Patterns of growth, decline and natural regulation. Chapter 7.' In: M.N. Cohen, R.S. Malpass, and H.G. Klein (eds.), *Biosocial Mechanisms of Population Regulation*, New Haven, CT and London: Yale University pp. 151–170.
- Southwick, C.H. & Lindburg, D.G. (1986) 'The primates of India: Status, trends, and conservation.' In: *Primates: The Road to Self-Sustaining Populations*, ed. K. Benirschke. New York: Springer-Verlag, pp. 171–187.
- Southwick, C.H. & Siddiqi, M.F. (1977) 'Population dynamics of Rhesus monkeys in India.' In: *Primate Conservation*, eds. HRH Prince Ranier & G. Bourne, London: Academic Press, pp. 339–362.
- (1983) 'Population fluctuations of Rhesus monkeys in Aligarh district, northern India.' *Bull. Ecol. Soc. Am.*, 64(2): 83.
- (1983) 'Status and conservation of Rhesus monkeys in India.' *Perspectives on Primate Biology*. P. K. Seth, ed., pp. 227–236.
- Southwick, C.H. & Siddiqi, M.F. (1985) 'Rhesus monkey's fall from grace.' *Nat. Hist.*, 94(2): 63–70.
- (1986) 'Effects of habitat displacement on the population ecology of Rhesus monkeys (*Macaca mulatta*) in India.' *Int. Congr. Ecol.*, 4: 319.
- (1987) 'Rhesus monkey population in India: patterns of decline and recovery.' *Am. Zool.*, 27(4): 45A.
- (1988) 'Partial recovery and a new population estimate of Rhesus monkey populations in India.' *Am. J. Primatol.*, 16(3): 187–197.
- (1994) 'Population status of nonhuman primates in Asia, with emphasis on Rhesus macaques in India.' *Am. J. Primatol.*, 34(1): 51–59.
- (1994) 'Primate commensalism: the Rhesus monkey in India.' Proceedings of the Symposium 'Commensal Primates', Strasbourg, 19 August 1992, during the 14th Congress of the International Primatological Society. Sylvain Biquand and Jean-Pierre Gautier, eds. *Rev. Ecol. Terre Vie*, 49(3): 223–231.
- (1994) 'Status of nonhuman primates in Asia, with emphasis on Rhesus macaques in India.' *Am. J. Primatol.*, 34(1): 51–59.
- (in press) 'The Aligarh Rhesus Population: Forty Years of Change.' *Amer. Journal of Primatology*.
- Southwick, C.H., Beg, M.A. & Siddiqi, M.R. (1965) 'Rhesus Monkeys in North India. Chapter 4.' In: I. DeVore (ed.), *Primate Behaviour: Field Studies of Monkeys and Apes*. New York: Holt, Rinehart and Winston, pp. 111–159



- Southwick, C.H., Richie, T., Taylor, H., Teas, H.J. & Siddiqi, M.F. (1980) 'Rhesus monkey populations in India and Nepal: patterns of growth, decline, and natural regulation.' *Biosocial Mechanisms of Population Regulation*, Mark Nathan Cohen, Roy S. Malpass, and Harold G. Klein, eds., pp. 151–170.
- Southwick, C.H., Siddiqi, M.F. & Oppenheimer, J.R. (1983) 'Twenty year changes in Rhesus monkey populations in agricultural areas of northern India.' *Ecology*, 64(3): 434–439.
- Southwick, C.H., Siddiqi, M.F., Cohen, J.A., Oppenheimer, J.R., Khan, J. & Ashraf, S.W. (1982) *Further declines in Rhesus populations of India. Advanced Views in Primate Biology*. A. B. Chiarelli and R. S. Corruccini, eds., pp. 128–137.
- Southwick, C.H., Siddiqi, M.F., Farooqui, M.Y. and Pal, B.C. (1976) 'Effects of artificial feeding on aggressive behaviour of Rhesus monkeys in India.' *Anim. Behav.*, 24(1): 11–15.
- Southwick, C.H., Teas, J., Richie, T. & Taylor, H. (1982) 'Ecology and behaviour of Rhesus monkeys (*Macaca mulatta*) in Nepal.' *Natl. Geogr. Soc. Res. Rep.*, 14: 619–630.
- Sprague, D.S. (1998) 'Age, dominance rank, natal status, and tenure among male macaques.' *Am. J. Phys. Anthropol.*, 105(4): 511–521.
- Srinivas, C.L., Jayadevappa, S.M., Ranganath, B.N., Ranganath, L. & Nagaraja, R. (1996) 'Ventral hernia in a monkey (*Macaca radiata*): a case report.' *Indian Vet. J.*, 73(9): 975–976.
- Srivastava, A. (1991) 'Cultural transmission of snake-mobbing in free-ranging Hanuman langurs.' *Folia Primatol.*, 56(2): 117–120.
- (1991) 'Insectivory and its significance to langur diets.' *Primates*, 32(2): 237–241.
- (1992) 'Use of resources by free-ranging female langurs (*Presbytis entellus*) during different reproductive phases.' *Folia Primatol.*, 59(3): 157–162.
- (1996) 'Conservation Priorities of Golden langurs (*Trachypithecus geei*).' *Bihanga*, pp. 27–33.
- (1997) 'Monopolization model and socioecology of Hanuman langurs (*Seminopithecus entellus*).' *Adv. Ethol.*, 32, 262. (25th International Ethological Conference, Vienna, Austria, 20–27 August, 1997; Taborsky, Michael; Taborsky, Barbara, eds.). VII. Sociality. (Abstract only).
- (1999) *Primates of northeast India*. Megadiversity Press, pp. 1–208.
- (1999) 'Protected area network: answer to primate conservation.' Godollo: Proc. 2nd Int. Wildlife Management Cong., p. 98.
- Srivastava, A. & Bhattacharjee, P.C. (1996) 'Feeding ecology of Hoolock gibbons in the Borajan Reserve Forest, Assam.' *Abs. 14th Congress of the International Primatological Society, Madison, Wisconsin, USA*. p. 662.
- Srivastava, A. & Dunbar, R.I.M. (1996) 'The mating system of Hanuman langurs: a problem in optimal foraging.' *Behavioural Ecology and Sociobiology*, 39: 219–226.
- Srivastava, A. & Mohnot, S.M. (1992) 'Existence of multimale troops and their transformation into unimale troops in Hanuman langurs (*Presbytis entellus*).' *Primate Report*, 34: 71–75.
- Srivastava, A., Baruah, M. & Mohnot, S.M. (in press) 'The population dynamics and conservation of the Golden langur.' *J. Bombay Nat. Hist. Soc.*
- Srivastava, A., Borries, C. & Sommer, V. (1991) 'Homosexual mounting in free-ranging female Hanuman langurs (*Presbytis entellus*).' *Arch. Sex. Behav.*, 20(5): 487–512.
- Srivastava, A., Rajpurohit, L.S. & Mohnot, S.M. (1994) 'Troop fission in Hanuman langurs (*Presbytis entellus*) around Jodhpur between 1968 and 1990. Abstracts from the 5th Scientific Meeting of the Société Francophone de Primatologie, held at the Station Biologique de Paimpont, 14–15 October 1993. B. L. Deputte and C. T. Snowdon, eds., *Folia Primatol.*, 62(4): 208–209.
- Srivastava, P.S., Juyal, P.D., Sinha, S.R.P., Singh, S.P. & Sahai, B.N. (1988) 'Attempt to infect monkeys with *Sarcocystis cruzi* sporocysts.' *J. Vet. Parasitol.*, 2(1): 63–65.
- St. Andre, E., Manis, S., Gouzoulesm, H., Ely, J., Garza, G. & Stone, W.H. (1992) 'Adult male interactions with immatures in free-ranging Rhesus monkeys.' *Am. J. Primatol.*, 27(1): 59.
- Stanford, C.B. (1988) 'Ecology of the Capped langur and Phayre's leaf monkey in Bangladesh.' *Primate Conservation*, 9: 125–128.
- (1991) 'Social dynamics of inter-group encounters in the Capped langur (*Presbytis pileatus*).' *Am. J. Primatol.*, 25(1): 35–47.



- (1991) The Capped langur in Bangladesh: Behavioral ecology and reproductive tactics. *Contributions to Primatology*, 26, 1-179.
- (1992) 'Comparative ecology of the Capped langur (*Presbytis pileatus* Blyth) in two forest types in Bangladesh.' *J. Bombay Nat. Hist. Soc.*, 89(2): 187-193.
- (1992) 'Costs and benefits of allomothering in wild Capped langurs (*Presbytis pileata*).' *Behavioural Ecology and Sociobiology*, 30(1): 29-34.
- Starin, E.D. (1978) 'A preliminary investigation of home range use in the Gir forest langur.' *Primates*, 19(3): 551-568.
- Steineke, T.C. & Kirby, M.A. (1993) 'Early axon outgrowth of retinal ganglion cells in the fetal Rhesus macaque.' *Dev. Brain Res.*, 74(2): 151-162.
- Steklis, H.D. & Fox, R. (1988) 'Menstrual-cycle phase and sexual behaviour in semi-free-ranging Stump-Tailed macaques (*Macaca arctoides*).' *Int. J. Primatol.*, 9(5): 443-456.
- Stern, B.R. & Smith, D.G. (1984) 'Sexual behaviour and paternity in three captive groups of Rhesus monkeys (*Macaca mulatta*).' *Anim. Behav.*, 32(1): 23-32.
- Stetter, M.D., Worley, M.B. & Ruiz, B. (1995) 'Herpe-svirus—associated malignant lymphoma in a Slow loris (*Nycticebus coucang*).' *J. Zoo Wildl. Med.*, 26(1): 155-160.
- (1993) 'Herpes associated lymphoma in a Slow loris (*Nycticebus coucang*).' *Annu. Proc. Am. Assoc. Zoo Vet.*, pp. 120-122.
- Stevenson-Hinde, J., Stillwell-Barnes, R. & Zunz, M. (1980) 'Individual differences in young Rhesus monkeys: consistency and change.' *Primates*, 21(4): 498-509.
- Su, B., Wang, W. & Zhang, Ya-Ping (1998) 'Protein polymorphism and genetic divergence in Slow loris (Genus: *Nycticebus*).' *Primates*, 39(1): 79-84.
- Subramanian, K.A. & Sinha, A. (1999) 'Social relationships influence decision-making during group fission in wild Bonnet macaques.' *Advances in Ethology*, 34: 142. (Abstract at the 26th International Ethological Conference, Bangalore, India, August 1999).
- Sugiyama, Y. (1964) 'Group composition, population density and some sociological observations of Hanuman langurs (*Presbytis entellus*).' *Primates*, 5: 103-23.
- (1965) 'On the social change of Hanuman langurs (*Presbytis entellus*) in their natural conditions.' *Primates*, 6: 381-417.
- (1967) 'Social organization in Hanuman langurs.' In: S. A. Altmann (ed.), *Social Communication among Primates*, pp. 221-236, Chicago Press, Chicago.
- (1968). 'The Ecology of the Lion-tailed Macaque (*Macaca silenus*): A pilot study.' *J. Bombay Nat. Hist. Soc.*, 65: 238-263.
- (1971) 'Characteristics of the social life of Bonnet macaques (*Macaca radiata*).' *Primates*, 12: 247-266.
- (1976) 'Characteristics of the ecology of the Himalayan langurs.' *Journal of Human Evolution*, 5: 249-77.
- (1984) 'Some aspects of infanticide and intermale competition among langurs (*Presbytis entellus*) at Dharwar, India.' *Primates*, 25(4): 423-432.
- Sulzman, F.M., Ferraro, J.S., Fuller, C.A., Moore-Ede, M.C., Klimovitsky, V., Magedov, V. & Alpatov, A.M. (1992) 'Thermoregulatory responses of Rhesus monkeys during spaceflight.' *Physiol. Behav.*, 51(3): 585-591.
- Sundaram, K., Thau, R.B., Goldstein, M., Phillips, D.M., Rivier, J., Vale, W. & Bardin, C.W. (1984) 'Effect of an lhrh agonist on pituitary and testicular function in Rhesus monkeys.' *J. Reprod. Fert.*, 72(2): 365-371.
- Sundararaj, A., Thilagarajan, N., Thanikachalam, M., Viswanathan, S. & Manohar, B.M. (1992) 'Pulmonary acariasis in Lion-tailed macaque monkeys (*Macaca silenus*).' *Indian Vet. J.*, 69(12): 1085-1087.
- Swayamprabha, M.S. & Kadam, K.M. (1980) 'Mother-infant relationship in the Slender loris (*Loris tardigradus lydekkerianus*).' *Primates*, 21(4): 561-566.
- Takahashi, Y. & Kimura, K. (1981) 'A case of supernumerary muscle bundle "M. tubero-femoralis fick" of the biceps femoris in a Crab-eating monkey.' *Primates*, 22(1): 139-141.
- Takenaka, A., Ueda, S., Terao, K. & Takenaka, O. (1991) 'Multiple alpha-globin genes in Crab-eating macaques (*Macaca fascicularis*).' *Mol Biol Evol.*, 8(3): 320-6.
- Tarantal, A.F. (1993) 'Hematologic reference values for the fetal Long-tailed macaque (*Macaca fascicularis*).' *Am. J. Primatol.*, 29(3): 209-219.



- Taylor, H., Teas, J., Richie, T., Southwick, C. & Shrestha, R. (1978) 'Social interactions between adult male and infant Rhesus monkeys in Nepal.' *Primates*, 19(2): 343–351.
- Taylor, W.J., Brown, D.A., Lucas-Awad, J. & Laudenslager, M.L. (1997) 'Response to temporally distributed feeding schedules in a group of Bonnet macaques (*Macaca radiata*).' *Lab. Primate Newsl.*, 36(3): 1–3.
- Teas, J., Feldman, H.A., Richie, T.L., Taylor, H.G. & Southwick, C.H. (1982) 'Aggressive behaviour in the free-ranging Rhesus monkeys of Kathmandu, Nepal.' *Aggressive Behav.*, 8(1): 63–77.
- Teas, J., Taylor, H.G., Richie, T.L., Das Shrestha, R., Turner, G.K. & Southwick, C.H. (1981) 'Parturition in Rhesus monkeys (*Macaca mulatta*).' *Primates*, 22(4): 580–586.
- Teofilovski-Parapid, G.; Kreclovic, G. (1998) 'Coronary artery distribution in *Macaca fascicularis* (*Cynomolgus*).' *Lab. Anim. (Lond.)*, 32(2): 200–205.
- Terborgh, J. & Janson, C.H. (1986) 'The socioecology of primate groups.' *Annual Review of Ecology and Systematics*, 17: 111–35.
- Terry, R.L. (1970) 'Primate grooming as a tension reduction mechanism.' *J. Psychol.*, 76: 129–136.
- Thierry, B. (1985) 'Patterns of agonistic interactions in three species of macaque (*Macaca mulatta*, *M. fascicularis*, *M. tonkeana*).' *Aggressive Behav.*, 11(3): 223–233.
- Thiruthalinathan, R., Ganesh, T.N., Swaminathan, D. & Vasaviah, V. (1997) 'Prolapse of eyeball in a Lion-tailed macaque (*Macaca silenus*).' *Indian J. Vet. Surg.*, 18(1): 41.
- Thorington, R.W. & Groves, C.P. (1970) 'An annotated classification of the Cercopithecoidea.' In: *Old World monkeys: Evolution, systematics and behaviour* (J.R. Napier & P.H. Napier, eds.), pp. 631–647, Academic Press, London.
- Tilson, R.L. (1979) 'Behaviour of hoolock gibbon (*Hylobates hoolock*) during different seasons in Assam, India.' *J. Bombay Nat. Hist. Soc.*, 76(1): 1–16.
- (1982) 'The western limit of Pig-tailed macaque distribution in Assam.' *J. Bombay Nat. Hist. Soc.*, 79: 399–400.
- Timmermans, P.J.A. & Vossen, J.M.H. (1996) 'The influence of rearing conditions on maternal behaviour in cynomolgus macaques (*Macaca fascicularis*).' *Int. J. Primatol.*, 17(2): 259–276.
- Tiwari, K.K. & Mukherjee, R.P. (1992) 'Population census of Rhesus macaques and Hanuman langurs in India.' *Records of the Zoological Survey of India*, 92(1–4): 349–369.
- Tobin, H., Logue, A.W., Chelonis, J.J. & Ackerman, K.T. (1996) 'Self-control in the monkey *Macaca fascicularis*.' *Anim. Learn. Behav.*, 24(2): 168–174.
- Tollner, T.L., VandeVoort, C.A., Overstreet, J.W. & Drobnis, E.Z. (1990) 'Cryopreservation of spermatozoa from cynomolgus monkeys (*Macaca fascicularis*).' *J. Reprod. Fertil.*, 90(2): 347–352.
- Torii, R., Nigi, H. (1998) 'Successful artificial insemination for indoor breeding in the Japanese monkey (*Macaca fuscata*) and the cynomolgus monkey (*Macaca fascicularis*).' *Primates*, 39(4): 399–406.
- Treuting, P.M., Johnson-Delaney, C., Birkebak, T.A. (1998) 'Diagnostic exercise: vesicular epidermal rash, mucosal ulcerations, and hepatic necrosis in a cynomolgus monkey (*Macaca fascicularis*).' *Lab. Anim. Sci.*, 48(4): 384–386.
- Tuggle, B.N. & Beehler, B.A. (1984) 'The occurrence of *Pterygodermatites nycticebi* (Nematoda: Rictulariidae) in a captive Slow loris, (*Nycticebus coucang*).' *Proc. Helminthol. Soc. Wash.*, 51(1): 162–163.
- Turnquist, J.E. & Wells, J.P. (1994) 'Ontogeny of locomotion in Rhesus macaques (*Macaca mulatta*): I. early postnatal ontogeny of the musculoskeletal system.' *J. Hum. Evol.*, 26(5/6): 487–499.
- Umapathy, G. & Kumar, A. (2000). 'The demography of the Lion-tailed macaque (*Macaca silenus*) in rain forest fragments in the Anamalai Hills in the Western Ghats, South India.' *Primates*,
- Uno, H., Richardson, R. & Houser, W.D. (1990) 'Cerebral infarction in aged Rhesus monkeys and magnetic resonance imaging.' *Am. J. Primatol.*, 20(3): 239–240.
- Van Noordwijk, M.A. & van Schaik, C.P. (1987) 'Competition among female Long-tailed macaques, *Macaca fascicularis*.' *Anim. Behav.*, 35(2): 577–589.
- Van Schaik, C.P. (1983) 'Why are diurnal primates living in groups?' *Behaviour*, 87: 120–44.
- Van Schaik, C.P., Assink, P.R. & Salafsky, N. (1992) 'Territorial behaviour in southeast Asian langurs: Resource defence or mate defence?' *Am. J. Primatol.*, 26: 233–242.
- Van Schaik, C.P., van Noordwijk, M. A., de Boer, R. J. & den Tonkelaar, I. (1983) 'The effect of group size on time



- budgets and social behaviour in wild Long-tailed macaques (*Macaca fascicularis*).’ *Behav. Ecol. Sociobiol.* 13: 173–181.
- Veenema, H.C., Spruijt, B.M., Gispen, W.H. & van Hoof, Jan A. R. A. M. (1997) ‘Influence of aging and rank history on discrimination-reversal learning in socially housed Long-tailed macaques, *Macaca fascicularis*.’ *Adv. Ethol.*, 32: 269. (25th International Ethological Conference, Vienna, Austria, 20–27 August, 1997; Taborsky, Michael; Taborsky, Barbara, eds.). VII. Sociality. (Abstract only).
- Vernon, M.W., Dierschke, D.J., Sholl, S.A. & Wolf, R.C. (1983) ‘Ovarian aromatase activity in granulosa and theca cells of Rhesus monkeys.’ *Biol. Reprod.*, 28(2): 342–349.
- Vinayak, V.K., Sehgal, S.C., Sawhney, S., Sehmi, N. & Jindal, B.R. (1979) ‘Immune response of monkeys (*Macaca mulatta*) to amebic antigens.’ *J. Parasitol.*, 65(3): 407.
- Viso, M. & Florence, G. (1992) ‘Physiology and environmental enrichment of Rhesus monkeys on board the space shuttle.’ Abstracts of the 1990 Meeting of the Francophone Primatological Society, Paris, France, December 14, 1990. Nicolas Herrenschildt, secretary. *Folia Primatol.*, 58(3): 162–163.
- Vochteloo, J.D., Timmermans, P.J.A., Duijghuisen, J.A.H. & Vossen, J.M.H. (1993) ‘Effects of reducing the mother’s radius of action on the development of mother–infant relationships in Long-tailed macaques.’ *Anim. Behav.*, 45(3): 603–612.
- Vogel, P., Weigler, B.J., Kerr, H., Hendrickx, A.G. & Barry, P.A. (1994) ‘Seroepidemiologic studies of cytomegalovirus infection in a breeding population of Rhesus macaques.’ *Lab. Anim. Sci.*, 44(1): 25–30.
- Vos, D.R., Karssemeijer, G.J. & van Hooff, J.A.R.A.M. (1992) ‘Ecological constraints on the behaviour of mother Long-tailed macaques (*Macaca fascicularis*).’ *Behav. Ecol. Sociobiol.*, 31(6): 385–391.
- Wada, K. (1983) ‘Ecological adaptation in Rhesus monkeys at the Kumaon Himalaya.’ *J. Bombay Nat. Hist. Soc.*, 80(3): 469–498.
- (1984) ‘Rhesus monkey distribution in the lower Himalayas and secondary forest succession.’ *J. Bombay Nat. Hist. Soc.*, 81(2): 355–363.
- Walker, M.L., Gordon, T.P. & Wilson, M.E. (1983) ‘Menstrual cycle characteristics of seasonally breeding Rhesus monkeys.’ *Biol. Reprod.*, 29(4): 841–848.
- (1983) ‘Female Rhesus monkey aggression during the menstrual cycle.’ *Anim. Behav.*, 31(4): 1047–1054.
- Walker, P. & Murray, P. (1975) ‘An assessment of masticatory efficiency in a series of anthropoid primates with special reference to the Colobinae and Cercopithecinae.’ In: R. H. Tuttle (ed.), *Primate Functional Morphology and Evolution*, pp. 151–94, Mouton, The Hague.
- Wall, C.E. (1999) ‘A model of temporomandibular joint function in anthropoid primates based on condylar movements during mastication.’ *Am. J. Phys. Anthropol.*, 109(1): 67–88.
- Wallis, J., King, B.J. & Roth-Meyer, C. (1986) ‘The effect of female proximity and social interaction on the menstrual cycle of Crab-eating monkeys (*Macaca fascicularis*).’ *Primates*, 27(1): 83–94.
- Wangchuk, T. (1996) ‘A census and biogeography of Golden langurs (*Presbytis geei*) in Bhutan.’ *Asian Primates*, 5(4): 26.
- Warter, S., Rumpler, Y. (1998) ‘Chromosomal variability in the Genus *Nycticebus*.’ *Folia Primatol.*, 69(5): 296–299.
- Waterman, P.G. & Kool, K.M. (1994) ‘Colobine food selection and plant chemistry.’ In: *Colobine Monkeys: Their ecology, behaviour and evolution* (A.G. Davies & J.F. Oates, eds.), pp. 251–287, Cambridge University Press, Cambridge.
- Watson, L., Lee-Parritz, D.E., Petto, A. & Lareau-Alves, M. (1993) ‘Effects of early social history on affiliative and dominance behaviour of adult Rhesus monkeys.’ *Am. J. Primatol.*, 30(4): 356. (Abstract only).
- Watson, L.M. (1992) ‘Effect of an enrichment device on stereotypic and self-aggressive behaviours in singly-caged macaques: a pilot study.’ *Lab. Primate Newsl.*, 31(3): 8–10.
- Wayre, P. (1968) ‘Some observations on the Golden langur (*Presbytis geei* Khajuria).’ *J. Bombay Nat. Hist. Soc.*, 65(2): 473–477.
- (1968) ‘The Golden langur and the Manas sanctuary.’ *Oryx*, 9: 337–339.
- Wechsler, B. (1986) ‘Behaviour of an alpha male in a captive group of Crab-eating macaques (*Macaca fascicularis*).’ *Folia Primatol.*, 46(2): 91–97.



- Wehrenberg, W.B. & Dyrenfurth, I. (1983) 'Photoperiod and ovulatory menstrual cycles in female macaque monkeys.' *J. Reprod. Fert.*, 68(1): 119–122.
- Wehrenberg, W.B., Dyrenfurth, I. & Ferin, M. (1980) 'Endocrine characteristics of the menstrual cycle in the Assamese monkey (*Macaca assamensis*).' *Biol. Reprod.*, 23(3): 522–525.
- Weigler, B.J., Hird, D.W., Hilliard, J.K., Lerche, N.W., Roberts, J.A. & Scott, L.M. (1993) 'Epidemiology of *Cercopithecine herpesvirus 1* (b virus) infection and shedding in a large breeding cohort of Rhesus macaques.' *J. Infect. Dis.*, 167(2): 257–263.
- Weinman, D., White, E.A. & Antipa, G.A. (1984) '*Trypanosoma lucknowi*, a new species of Trypanosome from *Macaca mulatta* with observations on its fine structure.' *J. Protozool.*, 31(3): 429–433.
- Wheatley, B.P. (1979) 'The behaviour and ecology of the Crab-eating macaque.' *Tigerpaper*, 6(2–3): 49–51.
- (1980) 'Malaria as a possible selective factor in the speciation of macaques.' *J. Mammal.*, 61(2): 307–311.
- Wilson, M.E., Gordon, T.P. & Collins, D.C. (1982) 'Age differences in copulatory behaviour and serum 17 $\beta$ -estradiol in female Rhesus monkeys.' *Physiol. Behav.*, 28(4): 733–737.
- (1982) 'Variation in ovarian steroids associated with the annual mating period in female Rhesus monkeys (*Macaca mulatta*).' *Biol. Reprod.*, 27(3): 530–539.
- Wilson, M.E., Gordon, T.P., Blank, M.S. & Collins, D.C. (1984) 'Timing of sexual maturity in female Rhesus monkeys (*Macaca mulatta*) housed outdoors.' *J. Reprod. Fert.*, 70(2): 625–633.
- Wilson, M.E., Walker, M.L. & Gordon, T.P. (1984) 'Effects of age, lactation, and repeated cycles on Rhesus monkey copulatory intervals.' *Am. J. Primatol.*, 7(1): 21–26.
- Winkler, P. (1984) 'Life-history of langurs, (*Presbytis entellus*) at Jodhpur, India: reproductive parameters and infant mortality.' *Int. J. Primatol.*, 5(4): 392.
- (1988) 'Troop history, female reproductive strategies and timing of male change in Hanuman langurs, (*Presbytis entellus*).' *Human Evolution*, 3: 227–237.
- Winkler, P., Loch, H. & Vogel, C. (1984) 'Life history of Hanuman langurs (*Presbytis entellus*) reproductive parameters, infant mortality, and troop development.' *Folia Primatol.*, 43(1): 1–23.
- Wolfe, L.D. & Mathur, R. (1987) 'Monkeys of Jaipur, Rajasthan, India: (*Macaca mulatta*, *Presbytis entellus*).' *J. Bombay Nat. Hist. Soc.*, 84(3): 534–539.
- Wolfe, L.D. (1989) 'Survival strategies of the Rhesus monkeys who inhabit the area in and around Jaipur, Rajasthan, India.' *Am. J. Primatol.*, 18(2): 172.
- Wolfensohn, S. (1998) '*Shigella* infection in macaque colonies: case report of an eradication and control programme.' *Lab. Anim. Sci.*, 48(4): 330–333.
- Wolfheim, J.H. (ed.) (1983) *Primates of the World: Distribution, Abundance, and Conservation*. Seattle: University of Washington Press.
- Wong, W.C. & Tan, C.K. (1980) 'The fine structure of the intermediolateral nucleus of the spinal cord of the monkey (*Macaca fascicularis*).' *J. Anat.*, 130(2): 263–277.
- Woodbeck, T. & Reinhardt, V. (1991) 'Perch use by *Macaca mulatta* in relation to cage location.' *Lab. Primate Newsl.*, 30(4): 11–12.
- Worley, M. & Shima, A. (1991) 'Isolation of a herpesvirus from short-term lymphocyte cultures of the Slow loris.' *Annu. Proc. Am. Assoc. Zoo Vet.*, pp. 173–174.
- Wrangham, R.W. (1980) 'An ecological model of female-bonded primate groups.' *Behaviour*, 75: 262–300.
- Wroughten, R.C. (1916) 'The langurs of Assam.' *J. Bombay Nat. Hist. Soc.*, 24: 653–655.
- Wu, G.J., Simerly, C., Zoran, S.S., Funte, L.R. & Schatten, G. (1996) 'Microtubule and chromatin dynamics during fertilization and early development in Rhesus monkeys, and regulation by intracellular calcium ions.' *Biol. Reprod.*, 55(2): 260–270.
- Yamauchi, K., Azuma, N. & Shimizu, M. (1983) 'Comparison of casein of cynomolgus monkey (*Macaca fascicularis*) with human casein.' *Comp. Biochem. Physiol. B Comp. Biochem.*, 75(2): 287–292.
- Yanai, T., Teranishi, M., Manabe, S., Takaoka, M., Yamoto, T., Matsunuma, N. & Goto, N. (1992) 'Astrocytoma in a cynomolgus monkey (*Macaca fascicularis*).' *Vet. Pathol.*, 29(6): 569–571.
- Ye, Z.Z., Pan, R.L. & Peng, Y.Z. (1989) 'Arterial system of Francois' and Phayre's leaf monkeys.' *Zoo. Res.*, 10: 19–28.



- (1991) 'Dermatology of Francois' Leaf monkey and Phayre's leaf monkey.' In: A. Ehara, T. Kimura, O. Takenaka, & M. Iwamoto (eds.), *Primate Today*, pp. 595–596.
- Yeager, C.P. (1996) 'Feeding ecology of the Long-tailed macaque (*Macaca fascicularis*) in Kalimantan Tengah, Indonesia.' *Int. J. Primatol.*, 17(1), 51-62.
- Younis, A.I., Keskinetepe, L., Simplicio, A.A., Gould, K. & Brackett, B.G. (1997) 'Effects of EGTA and Cytochalasin-B during freezing and vitrification of immature and mature bovine and Rhesus monkey (*M. mulatta*) oocytes.' *Theriogenology*, 47(1): 361. (Proceedings Annual Conference of the International Embryo Transfer Society; Dieleman, Steph J.; Heyman, Yvan, ed.).
- Yuan, C.Z., Zhou, Y.L. & Ma, Y.Y. (1990) 'Comparative neuroanatomy and evolution of *Presbytis phayrei*.' *Acta Zool., Sin*, 36(3): 324–326.
- Zelinski-Wooten, M.B., Stouffer, R.L., Molskness, T.A. & Wolf, D.P. (1994) 'Repeated follicular stimulation in Rhesus monkeys with recombinant human gonadotropins.' *Am. J. Primatol.*, 33(3): 253–254.
- Zhang, Y. & Shi, L. (1993) 'Phylogeny of Rhesus monkeys (*Macaca mulatta*) as revealed by mitochondrial DNA restriction enzyme analysis.' *Int. J. Primatol.*, 14(4): 587–606.
- Zhang, Ya-Ping & Ryder, O.A. (1998) 'Mitochondrial cytochrome B gene sequences of Old World monkeys: with special reference on evolution of Asian colobines.' *Primates*, 39(1): 39–49.
- Zimmermann, E. (1985) 'Vocalizations and associated behaviours in adult Slow loris (*Nycticebus coucang*).' *Folia Primatol.*, 44(1): 52–64.
- (1989) 'Reproduction, physical growth and behavioural development in Slow loris (*Nycticebus coucang*, Lorisidae).' *Human Evolution*, 4(2–3): 171–179.
- Zumpe, D. & Michael, R.P. (1985) 'Effects of ovarian hormones on the behaviour of captive *Macaca fascicularis*.' *Am. J. Primatol.*, 8(2): 167–181.
- Zumpe, D., Bonsall, R.W. & Michael, R.P. (1992) 'Some contrasting effects of surgical and "chemical" castration on the behaviour of male cynomolgus monkeys (*Macaca fascicularis*).' *Am. J. Primatol.*, 26(1): 11–22.

