



**Selected
References on
Waterbirds of
India***

001. Abdulali, H. (1936). The jack Snipe and the White-eyed Pochard in Hyderabad. *Journal of Bombay Natural History Society*. 38:625.
002. Abdulali, H. (1942). The distribution of the Rosy Tern. *Journal of Bombay Natural History Society*. 14(1): 1-4.
003. Abdulali, H. (1965). Behaviour of lesser Whistling teal (*Dendrocygna javanica*) Horsfield in Alipore zoo Calcutta. *Journal of Bombay Natural History Society*. 62(2): 300-301.
004. Abdulali, H. (1968). A catalogue of the birds in the collection of the Bombay Natural History Society *Anseriformes*. *Journal of Bombay Natural History Society*. 65(2): 418-430.
005. Abdulali, H. (1968). A catalogue of the birds in the collection of the Bombay Natural History Society. *Journal of Bombay Natural History Society*. 65(1): 181-199.
006. Abdulali, H. (1983). Occurrence of the Great Crested Grebe (*Podiceps cristatus*) Linn at Ranchi, Bihar. *Journal of Bombay Natural History Society*. 80(2): 414-415.
007. Abdulali, H. and Ambedkar, V.C. (1942). Occurrence of the Black Tern *Chlidonias niger* (Linn.) in India. *Journal of Bombay Natural History Society*. 80: 640.
009. Abdulali, H. and Hussain, S.A. (1971). Occurrence of Eastern Ringed Plover *Charadrius hiaticula tundrae* (Lowe) in Tamil Nadu. *Journal of Bombay Natural History Society*. 68: 450-451.
009. Abdulali, H. Nair, J.G. (1969). Further extension of recorded southern range of little crane, *Porzana parva* (Scopoli). *Journal of Bombay Natural History Society*. 66: 166-167.
010. Abhisheka, K., David, P.J., Prashanth, M.B., Seshadri, K.S. and Ganesh, T. (2013). First detailed survey of waterbirds in Tirunelveli and Thookhudi districts, Tamilnadu, India. *Journal of Threatened Taxa*. 5(12): 4641-4652.
011. Abhisheka, K., Seshadri, K.S.m Prashanth, M.B. and Ganesh, T. (2012). The Agasthyamalai landscape: land of mountains, wetlands and biodiversity. *Sanctuary Asia*. 32(4): 44-47.
012. Ahimaz, P. (1995). Madhavaram Jheel. *Newsletter for Birdwatchers*. 35: 109-110.
013. Ahmed, A. (1996). Sighting of white storks near Guntakal. *Newsletter for Birdwatchers*. 36: 38.
014. Ahmed, A. (1999). New breeding colony of painted storks near Sira. *Newsletter for Birdwatchers*. 39(2): 20.
015. Aitken, E.H. (1904). Late stay of snipe. *Journal of Bombay Natural History Society*. 15: 709.
016. Ali, S. (1959). Local movement of resident waterbirds. *Journal of Bombay Natural History Society*. 56(2): 346-347.
017. Ali, S. (1960). Flamingo city" revisited: nesting of rosy pelican (*Pelecanus onocrotalus* Linn.) in Rann of Kutch. *Journal of Bombay Natural History Society*. 57: 412-415.
018. Ali, S. (1978). Mystery" birds of India - 4: The Pink headed duck (*Rhodonessa caryophyllacea*). *Hornbill*. 4-7p.
019. Ali, S. and Dillon, R.A. (1978). Indian pond heron or paddybird (*Ardeola grayii grayii*) (Sykes). *Handbook of the Birds of India and Pakistan; Oxford University Press, New Delhi, Vol. 1 (Divers to Hawks)*. 63p.
020. Ali, S. and Ripley, S.D. (1975). The handbook of the birds of India and Pakistan 10 vols. *Oxford University Press, Delhi*.
021. Ambedkar, V.C. (1983). Occurrence of the Sooty Tern (*Sterna fuscata*) at Point Calimere, Tamil Nadu. *Journal of Bombay Natural History Society*. 80: 215.
022. Andheria, A.P. (1999). Birds of whitefield and kodi tank (Bangalore). *Newsletter for Birdwatchers*. 39(2): 26-28.
023. Andheria, A.P. (2001). Sighting of the Black Stork *Ciconia nigra* and Lesser Adjutant stork *Leptoptilos javanicus* a Nagarhole National Park, Karnataka. *Journal of Bombay Natural History Society*. 98(3): 443-445.
024. Anon. (1948). The Dwarf or Lesser Whitefronted Goose *Anser erythropus* (L.) in India: an authentic record. *Journal of Bombay Natural History Society*. 47(4): 747-748. 011.
025. Anon. (1952). Occurrence of the Pheasant-tailed Jacana [*Hydrophasianus chirurgus* (Scopoli)] in Madras. *Journal of Bombay Natural History Society*. 50: 406-407.
026. Anon. (1957). Occurrence of the Ruff and Reeve *Philomachus pugnax* (Linnaeus) near Coimbatore. *Journal of Bombay Natural History Society*. 54: 464.
027. Anon. (1962). Extension of the range of Grey Heron, *Ardea C. cinerea* Linnaeus. *Journal of Bombay Natural History Society*. 59: 651-652.
028. Anon. (1991). Flash floods ravage Ranganthittu Bird sanctuary. *Asian Wetland news*. 4(2): 4-5.
029. Anon. (1992). Waterbirds of Harike Sanctuary, Chandigarh. *Department of Punjab, Chandigarh*.

030. Anon. (1998). Wetlands and waterbirds of West Bengal. *Calcutta: Vision Pub.*
031. Anon. (2000). Fauna of Renuka wetland : wetland Ecosystem series 2. *Zoological Survey of India, Kolkata.* 187p.
032. Anon. (2002). Ecological, social and hydrological factors affecting the management of wetland systems in Uttar Pradesh with special reference to Vijay Sagar and associated water bodies in Mahoba district, Okhla and associated water bodies in Ghaziabad district, Bakhira bird sanctuary, and Nawabganj bird sanctuary. *Wildlife Institute of India, Dehradun.* 182p.
033. Anon. (2003). Tracking Movement Pattern of Bar-headed goose in Jammu and Kashmir. Research Report, *Wildlife Institute of India and Department of Wildlife Protection, Govt of J & K WII* 32p
034. Anon. (2009). Faunal diversity of Pong Dam and its catchment area. *Wetland Ecosystem Series 12.* 138p.
035. Anon. (2011). Management plan for Okhla Bird Sanctuary (2011-2021). *Wildlife Institute of India, Dehradun.* 217p.
036. Anon. (NA). Breeding waterbirds sanctuary, Keoladeo Ghana, Bharatpur. *Bombay: BNHS.*
037. Ara, J. (1950). Tameness of wild Greylag Goose taken as adults. *Journal of Bombay Natural History Society.* 49: 552.
038. Ara, J. (1960). In search of the Pinkheaded duck *Rhodonessa caryophyllacea* (Latham). *Journal of Bombay Natural History Society.* 57: 416-416.
039. Arbuthnot, P.H. (1915). Woodcock (*Scolopax rusticola* (sic) in the Eastern Ghats. *Journal of Bombay Natural History Society.* 23: 777.
040. Archibald, G.W., Sundar, K.S.G. and Barzen, J. (2003). A review of the three subspecies of Sarus Crane *Grus antigone*. *Journal of Ecological Society.* 16: 5-15.
041. Augier, P.W. (1935). Abundance of the Fantail and Pintail Snipe. *Journal of Bombay Natural History Society.* 37: 956.
042. Ayyadurai, M. (1988). An unusual feeding behaviour in Common tern (*Sterna hirundo*). *Journal of Bombay Natural History Society.* 85: 422-423.
043. Babukutty, M. (1997). Ecological studies of wetland birds in Kuttanad-Central Kerala. *Ph.D. thesis. Department of Life Sciences, University of Kalicut, Kerala.*
044. Bacon, B. (1909). The Cotton Teal (*Nettapus coromandelianus*) in the Konkan, Western India. *Journal of Bombay Natural History Society.* 19: 264.
045. Badshah, M.A. (1963). Breeding colony of painted storks. *Peacock.* 3: 15-17.
046. Baker, E.C.S. (1897). Indian ducks and their allies Part II. *Journal of Bombay Natural History Society.* 11: 172-198.
047. Baker, E.C.S. (1899). The birds of North Cachar - Part X. *Journal of Bombay Natural History Society.* 12(3): 486-510.
048. Baker, E.C.S. (1908). Indian ducks and their allies. 1st edition. *Bombay Natural History Society, Bombay.*
049. Baker, E.C.S. (1911). Occurrence of the Great Snipe (*Gallinago major*) near Bangalore. *Journal of Bombay Natural History Society.* 20: 1155.
050. Baker, E.C.S. (1930). The fauna of British India - birds 8 vols. *Taylor and Francis, London.*
051. Baker, E.C.S. (1935). The nidification of birds of Indian empire - vol. 4. *Taylor and Francis, London.*
052. Baker, H.R. (1922). Occurrence of the Malay Bittern (*Gorsachius melanolophus*) at Ootacamund, Southern India. *Journal of Bombay Natural History Society.* 28: 547-548.
053. Balachandran, S. (1988). Some observations on unusual feeding behaviour of White-breasted Waterhen (*Amaurornis Phoenicurus*). *Journal of Bombay Natural History Society.* 85: 615-616. 001.
054. Balachandran, S. (1994). Some interesting bird records from Kaliveli Lake, near Pondicherry. *Journal of Bombay Natural History Society.* 91: 317.
055. Balachandran, S. (1995). Comments on the occurrence of Black Tern *Chlidonias niger* at Point Calimere by Vivek Menon. *Journal of Bombay Natural History Society.* 91: 453-454.
056. Balachandran, S. (1995). Shorebirds of the Gulf of Mannar Marine National Park, Tamilnadu. *Journal of Bombay Natural History Society.* 92(3): 303-313.
057. Balachandran, S. (1997). Population, age structure, moult, biometrics and subspecies of Knot *Calidris canutus* wintering in the Gulf of Mannar Marine National Park, South-east India. *Wader study Group Bulletin.* 86: 44-47.
058. Balachandran, S. (1997). Population, status, Moulting and measurements of Great Knot *Calidris tenuirostris* wintering in South India. *Stilt.* 30: 3-6.
059. Balachandran, S. (1998). Population, moult, biometrics and subspecies of Large Sand Plover *Charadrius leschenaultii* wintering in southeast India. *Journal of Bombay Natural History Society.* 95(3): 426-430.
060. Balachandran, S. (2006). The decline in wader populations along the east coast of India with special reference to Point Calimere, South-East India. *IN: Boere, G.C., Galbraith, C.A. and Stroud, D.A. (eds). Waterbirds around the world. The stationery office, Edinburgh UK.* P. 296-301.
061. Balachandran, S. (2007). Current status of Flamingos at major coastal wetlands along the East coast of India with special emphasis on population decline. *IN: Childress, B., Arengo, F., Bechet, A. and Jarrett, N. (eds) Flamingo bulletin of the IUCN/SSC wetlands International Flamingo Specialist Group, no. 15, December 2007, Wildfowl and wetland trust, Slimbridge, UK.* P. 27-31.
062. Balachandran, S. and Hussain, S.A. (1994). Highest longevity record for the Lesser Sand Plover *Charadrius mongolus*. *Journal of Bombay Natural History Society.* 91: 140-141.
063. Balachandran, S. and Hussain, S.A. (1998). Moulting, age structure, biometrics and subspecies of Lesser Sand Plover *Charadrius mongolus* wintering along the South-east coast of India. *Stilt.* 33: 3-9.
064. Balachandran, S., Hussain, S.A. and Underhill, L.G. (2000). Primary moult, biometrics, mass and age composition of Grey Plovers *Pluvialis squatarola* in Southeastern India. *Bird study.* 47: 82-90.

065. Balachandran, S. Natarajan, V. (1992). Possible occurrence of four subspecies of Lesser Sand Plover *Charadrius mongolus* at Pt. Calimere Wildlife Sanctuary, Tamil Nadu. *Journal of Bombay Natural History Society*. 89: 118-119.
066. Balachandran, S. and Natarajan, V. (1992). Unusual behaviour or an adaptation against predator in Terek Sandpiper *Tringa terek*. *Journal of Bombay Natural History Society*. 89(3): 373.
067. Balachandran, S. and Natarajan, V. (1997). Biometrics, moult, age structure and subspecies of Broad-billed Sandpiper *Limicola falcinellus* wintering at Great Vedaranyam Swamp, in south-east India. *Stilt*. 31: 23-25.
068. Balachandran, S., Rajan, S.A., Balasubramanian, P., Natarajan, V. and Ali, S.Q. (1986). Some Storm-blown pelagic birds in Point Calimere. *Journal of Bombay Natural History Society*. 83: 436-438.
069. Balachandran, S., Sathiyaselvam, P. and Amutha, P. (2008). Need for restoration of major waterbird habitats along the coromandel coast for the conservation of coastal biodiversity. *Proceedings of the Conference on restoration of coastal Habitats (August 20-21 2008 Feral Pondichery)*.
070. Balachandran, S., Sathiyaselvam, P. and Panda, S. (2009). Bird atlas of Chilika. 1st ed. Mumbai; Bhubaneshwar: Bombay Natural History Society; Chilika Development Authority. Pp. 13 pp., i-xx, 1-326
071. Balasubramanian, P. (1990). Feeding association between Jackal *Canis aureus* (Linnaeus) and two species of egrets at Point Calimere Wildlife Sanctuary, Tamil Nadu. *Journal of Bombay Natural History Society*. 87: 138-139.
072. Baral, H.S. (1995). Black-necked stork endangered. *Newsletter for Birdwatchers*. 35(4): 74-75.
073. Barman, P.D. (2009). Conservation initiative of Greater Adjutant stork. *Newsletter for Conservation Leadership Programme*. (22):
074. Barman, P.D. (2011). Dadara, a sanctuary of Endangered Greater Adjutant stork. *Newsletter of Conservation leadership Programme*. (29).
075. Barman, R., Saikia, P., Singh, H.J., Talukdar, B.K. and Bhattacharjee, P.C. (1995). The population trends of waterbirds at Deepar beel Wild life sanctuary Assam. *Pavo*. 33: 25-40.
076. Barooah, D. (1991). Greater Adjutant storks nesting in Upper Assam. *Newsletter for Birdwatchers*. 31(1-2): 11.
077. Barua, M. (2002). Occurrence of the Indian skimmer *Rhynchops albigollis* Swainson in Assam. *Journal of Bombay Natural History Society*. 99(3): 526.
078. Barua, M., Chettri, G. and Bordoloi, P. (2004). Sighting of White-bellied Heron *Ardea insignis* Hume in Pobitor Wildlife Sanctuary. *Journal of Bombay Natural History Society*. 101(2): 311.
079. Basshah, M.A. (1963). Breeding colony of Painted storks. *Peacock*. 3: 15-17.
080. Bates, R.S.P. (1925). Birds nesting with a camera in India. *Journal of Bombay Natural History Society*. 30: 306-313.
081. Beckett, J. (1943). Late stay of Snipe and weight of Pintail. *Journal of Bombay Natural History Society*. 44: 126.
082. Bell, T.R. (1910). Woodcock (*Scolopax rusticola*) in Kanara. *Journal of Bombay Natural History Society*. 20: 219.
083. Betham, R.M. (1912). Wood snipe (*Gallinago nemoricola*) occurring near Bangalore. *Journal of Bombay Natural History Society*. 21: 677.
084. Betts, F.N. (1936). Wanted information about the heronries in South India. *Journal of Bombay Natural History Society*. 39: 183.
085. Betts, F.N. (1937). Bird life on a southern Indian tank. *Journal of Bombay Natural History Society*. 39: 594-602.
086. Betts, F.N. (1955). Occurrence of the Black-necked crane in Indian Limits. *Journal of Bombay Natural History Society*. 52: 605-606.
087. Bhaduri, A.S. (1978). Dabchicks in a village jheel. *Hornbill*.
088. Bhat, H. (2004). Kokkrebellur - the heaven for Spot-billed Pelicans. *Mistnet*. 5(3-4): 14-15.
089. Bhat, H.R., Jacob, P.G. and Jamgaonkar, A.V. (1991). Observations on a breeding colony of Painted Stork *Mycteria leucocephala* (Pennant) in Anantapur District, Andhra Pradesh. *Journal of Bombay Natural History Society*. 88: 443-445.
090. Bhat, H.R. and Jamgaonkar, A.V. (1987). Recent sightings of Barheaded Goose *Anser indicus* (Latham 1790) in Kolar District. *Pavo*. 25: 17-19.
091. Bhatt, G. and Pushpalatha, B. (2003). Rare sighting of Great White Pelican in Udupi district of Karnataka state. *Newsletter for Birdwatchers*. 43(6): 92.
092. Bhattacharjee, A. (2012). First record of Baillon's Crane (*Porzana pusilla*) from Tumariya Reservoir in the Corbett landscape of District Nainital, Uttarakhand. *Zoo's Print*, 27 (5): 26.
093. Bhattacharjee, A. (2012). First record of Bean Goose (*Anser fabalis*) from Uttarakhand, India. From the field. *BirdingAsia*, 17, 124.
094. Bhattacharjee, A. and Bargali, H.S. (2012). Status and trend of Waterbirds in wetlands around Corbett. *The Corbett Foundation, India. Technical Report submitted to Uttarakhand State Forest Department*. Pp. 66.
095. Bhupathy, S. (1991). Population and resource utilization of waterfowl in Keoladeo National park. *Ph.D. thesis, University of Rajasthan, Jaipur*.
096. Biddulph, C.H. (1954). The status of the pheasant-tailed Jacana (*Hydrophasianus Chirurgus*) in South India. *Journal of Bombay Natural History Society*. 52: 606-607.
097. Bolster, R.C. (1923). Notes on the breeding season of the Painted stork (*Pseudotantalus leucocephalus*). *Journal of Bombay Natural History Society*. 29: 561.
098. Borad, C.K., Mukherjee, A. and Parasharya, B.M. (2001). Damage potential of Indian Sarus crane in paddy crop agroecosystem in Kheda district Gujarat, India. *Agriculture, Ecosystem and Environment*. 86: 211-215.

099. Borad, C.K., Mukherjee, A. and Parasharya, B.M. (2001). Nest site selection by the Indian sarus crane in the paddy crop agroecosystem. *Biological Conservation*. 98: 89-96.
100. Borah, J. (2011). Foraging-niche partitioning among the sympatric species of kingfishers in Bhitarkanika mangroves, Orissa. *M.Sc dissertation, Saurashtra University, Rajkot, India*.
101. Borah, J., Ghosh, M., Harihar, A., Pandav, B. and Gopi, G.V. (2012) Food-niche partitioning among sympatric kingfishers in Bhitarkanika Mangroves, Odisha. *Journal of the Bombay Natural History Society*. 109(1-2): 71-77.
102. Borse, M. (2013). Long-tailed Duck from Pangong Tso, Ladakh. *Indian Birds*. 8(5): 140.
103. Bose, A., Sen, S.N. and Das, R. (2008). Critically endangered white-bellied heron *Ardea insignis* rescued from Koila Moila Assam. *Mistnet*. 9(1): 4-5.
104. Bourdillon, F.W. (1878). Letter about *Gorsachius melanolophus* in Travancore. *Stray Feathers*. 7: 524-525.
105. Breeden, S. and Breeden, B. (1982). The drought of 1979-1980 at the Keoladeo Ghana Sanctuary, Bharatpur, Rajasthan. *Journal of Bombay Natural History Society*. 79(1): 1-37.
106. Brock, A.J. (1950). Status of the Red-crested Pochard (*Netta rufina* Pallas) in south India. *Journal of Bombay Natural History Society*. 49: 121.
107. Brown, G. (1927). The arrival of snipe in Mysore. *Journal of Bombay Natural History Society*. 32: 375-376.
108. Bucknell, J.A. (1926). Occurrence of the sheldrake (*Todorna todorna*) in Bihar. *Journal of Bombay Natural History Society*. 31: 224.
109. Burley, H. (1954). Occurrence of the Blacknecked crane (*Grus nigricollis*) in Indian limits. *Journal of Bombay Natural History Society*. 52(2-3): 605-606.
110. Burnett, J.H. (1958). Photographing a colony of egrets (*Bubulcus ibis* and *Egretta garzetta*) in Assam. *Journal of Bombay Natural History Society*. 55(3): 565-566.
111. Butchart, S.H.M. (1988). The Polyandrous breeding systems of Bronze-winged Jacanas. *Blackbuck*. 14(2): 28-44.
112. Butchart, S.H.M. (1998). Sexual conflicts and polyandry in Bronze-winged Jacana. *Ph.D. Thesis, University of Cambridge, UK*.
113. Butchart, S.H.M. (2000). Population structure and breeding system of the sex role reversed, Polyandrous Bronzewinged Jacana *Metopidius indicus*. *Ibis*. 142(1): 93-102.
114. Butchart, S.H.M., Seddon, N. and Ekstrom, J.M.M. (1999). Yelling for sex : harem males compete for female access in Bronzewinged Jacanas. *Animal Behaviour*. 57: 637-646.
115. Campbell, W.H. (1902). Nesting of the coot (*Fulica atra*). *Journal of Bombay Natural History Society*. 14: 392-393.
116. Campbell, W.H. (1902). Nesting of the grey pelican in the Cuddapah district of Madras Presidency. *Journal of Bombay Natural History Society*. 14: 401.
117. Chandan, P., Gautam, P. and Chatterjee, A. (2006). Nesting sites and breeding success of Black-Necked crane *Grus nigricollis* in Ladakh, India. *IN: Boere, G.C., Galbraith, A. and Stroud, D.A. Waterbirds around the world. The Stationery office, Edinburgh UK*. P. 311-314.
118. Chandra-Bose, D.A. (1969). The Paddy bird, *Ardeola grayii* (Sykes) floating on water. *Pavo*. 7: 74-75.
119. Chatterjee, S. (1995). Occurrence of Albino lesser Whistling teal (*Dendrocygna javanica*) (Horsfield). *Journal of Bombay Natural History Society*. 92(3): 417-418.
120. Chatterjee, S., Mookerjee, K., Bhattacharya, B. and Banerjee, A. (1995). Occurrence of Falcated teal *Anas falcata* Georgi in West Bengal. *Journal of Bombay Natural History Society*. 92(2): 262.
121. Chaudhari, A.B. and Chakrabarti. K. (1973). Wildlife biology of Sunderbans forests : a study of the birds of Sunderbans with special reference to the breeding of Openbill stork, little cormorants and large egret. *Science Culture*. 39: 8-16.
122. Chhaya, Y.H. (1980). Breeding colony of waterbirds near seelaj. *Newsletter for Birdwatchers*. 20(4): 12-13.
123. Chinoy, N.J. (1974). Ascorbic acid levels in the Indian Roller bird and Pond Heron tissues - Cytophotoelectrometric study. *PAVO*. 9(1-2): 36-39.
124. Choudhary, D.N. (2005). Breeding behaviour and nesting of Indian moorhen and Night heron in the Laluchack pond, Bhagalpur, Bihar. *Newsletter for Birdwatchers*. 45(4): 54-55.
125. Choudhary, D.N. Ghosh, T.K. (2004). Sighting of Greater Adjutant storks in the wetlands of North Bihar. *Newsletter for Birdwatchers*. 44(4): 62-63.
126. Choudhary, S.K. (1998). Large whistling teal. *Newsletter for Birdwatchers*. 38(2): 33.
127. Choudhary, S.K. Dey, S. Mitra, A. (2004). Sighting of the Greater Adjutant stork *Leptoptilos dubius* in Vikramshila Gangetic Dolphin Sanctuary, Bihar, India. *Journal of Bombay Natural History Society*. 101(2): 313-314.
128. Choudhury, A. (1990). Status of Barheaded goose and cranes in Assam. *Journal of Ecological Society*. 3: 31-36.
129. Choudhury, A. (1992). Addition to the birds of Assam - Blacknecked crane *Grebe Podiceps nigricollis* Brehm. *Journal of Bombay Natural History Society*. 89(2): 245-246.
130. Choudhury, A. (1993). On a possible sight records of the Little Gull (*Larus minutus*) Pallas in Arunachal Pradesh. *Journal of Bombay Natural History Society*. 90(2): 290.

131. Choudhury, A. (1996). Status and conservation of cranes in Northeast India. *Salim Ali Centenary Seminar on Conservation of Avifauna of Wetlands and Grasslands. Abstracts: Bombay Natural History Society*. P. 5.
132. Choudhury, A. (1997). The status of the birds of Dibru-Saikhowa Sanctuary, Assam, India. *OBC Bulletin*. 25: 27-29.
133. Choudhury, A.U. (1988). Some rare ornithological records from Sibsagar Assam. *Cheetal*. 29(2): 3-9.
134. Choudhury, A.U. (1990). Checklist of the Birds of Assam. *Sofia Press and Publishers, Guwahati*.
135. Choudhury, A.U. (1991). Bird observations from Sibsagar district, Assam, India. *Forktail*. 6: 35-42.
136. Choudhury, A.U. (1992). Sighting of the Great White bellied heron in Jamjing RF, Assam. *Newsletter for Birdwatchers*. 32(7-8): 17.
137. Choudhury, A.U. (1993). A nesting site of the White-winged wood duck in Assam. *IWRB TWRG Newsletter*. 3: 8.
138. Choudhury, A.U. (1993). Nesting colonies of Greater adjutant storks in Nagaon and Sibsagar districts of Assam. *Newsletter for Birdwatchers*. 33(3): 47-48.
139. Choudhury, A.U. (1994). A report on bird survey in Dibru-Saikhowa Wildlife Sanctuary, Assam, India. *Oriental Bird Club, UK*. 71p.
140. Choudhury, A.U. (1994). Discovery of a new crane migration route and the first mid winter waterfowl census in Arunachal Pradesh. *Newsletter for Birdwatchers*. 34(6): 135-137.
141. Choudhury, A.U. (1996). Field observations of the White-winged wood duck 1. *Newsletter for Birdwatchers*. 36(5): 85-86.
142. Choudhury, A.U. (1996). Field observations of the White-winged wood duck 2. *Newsletter for Birdwatchers*. 37(1): 16.
143. Choudhury, A.U. (1996). Greater adjutant storks *Leptoptilos dubius* in Meghalaya. *Newsletter for Birdwatchers*. 36(2): 37-38.
144. Choudhury, A.U. (1996). Recent records of the White-bellied heron from Assam and Arunachal Pradesh. *Paper presented at the Salim Ali Centenary Seminar organised by Bombay Natural History Society, Bombay*
145. Choudhury, A.U. (1996). White-winged wood duck *Cairina scutulata* Muller in India. *Paper presented at the Salim Ali Centenary Seminar organised by Bombay Natural History Society, Bombay*
146. Choudhury, A.U. (1996). Winter waterfowl count in Namdapha National Park. *OBC Bulletin*. 23: 29-30.
147. Choudhury, A.U. (1998). Status and conservation of the white-winged duck in Eastern Assam. *OBC Bulletin*. 28: 14-17.
148. Choudhury, A.U. (2000). The Birds of Assam. *Gibbon books and WWF - India NE Regional Office, Guwahati, India*. 240p.
149. Choudhury, A.U. (2000). The Black necked crane *Grus nigricollis* in Arunachal Pradesh. *Twilight*. 2(2-3): 31-32.
150. Choudhury, A.U. (2002). Conservation of white-winged wood duck *Cairina scutulata* in India. *IN: Rahmani, A.R. and Ugra, G. Birds of wetlands and grasslands: proc. Salim Ali Centenary Seminar on Conservation of avifauna of wetlands and grasslands. Bombay Natural History Society, Bombay*. P. 52-64.
151. Choudhury, A.U. (2002). Major inland wetlands of North-Eastern India. *A Report submitted to SACON Coimbatore*. 49p.
152. Choudhury, A.U. (2006). Unbelievable: the White-winged duck *Cairina scutulata* in Manas National park. *Mistnet*. 7(3): 13-14.
153. Choudhury, A.U. (2007). Birds of Dibru-Saikhowa National park. *Gibbon books and the Rhino foundation, Guwahati*.
154. Choudhury, A.U. (2008). Counting large gatherings of globally threatened greater adjutant *Leptoptilos dubius*. *Indian Birds*. 4(4): 133-135.
155. Choudhury, A.U. (2009). Significant recent ornithological records from Manipur, north-east India, with an annotated checklist. *Forktail*. 25: 71-89.
156. Choudhury, A.U. (2010). Recent ornithological records from Tripura, North-Eastern India, with an annotated checklist. *Indian Birds*. 6 (3): 66-74.
157. Choudhury, B.C. (1990). Sightings of Demoiselle Cranes *Anthropoides virgo* in Anantapur and Kurnool districts, Andhra Pradesh. *Mayura*. 7-8: 52-53.
158. Choudhury, B.C., Kaur, J and. Sundar, K.S.G. (1999). Sarus crane count - 1999. *Wildlife Institute of India, Dehradun*.
159. Conoy, C. (2003). Grey-headed Lapwing *Vanellus cinereus* seen around Machilipatnam, Krishna District, Andhra Pradesh, India. *Journal of Bombay Natural History Society*. 100(1): 122-123.
160. D'Abreu, E.A. (1937). Notes on the sandpipers in the Patna district, Behar recording the occurrence of Avocet Sandpiper, the Curlew Stint and the Broadbilled Stint from inland localities. *Journal of Bombay Natural History Society*. 39: 419-410.
161. D'Abreu, E.A. (1938). The occurrence of the Turnstone, the Red necked Phalarope, the Falcate Teal and the Sheldrake at Patna. *Journal of Bombay Natural History Society*. 40: 332.
162. Dalglish, G. (1907). Nesting of the coot *Fulica atra* in India. *Journal of Bombay Natural History Society*. 17(4): 1013.
163. Daniel, J.C. (1987). Black-necked crane of Ladakh Part 1-2. *Bombay: BNHS*.
164. Daniel, J.C. (1988). Wetlands and waterfowls newsletter - vol. 1. *Bombay Natural History Society, Bombay*.
165. Daniel, J.C. (2004). Point Calimere, as Endangered Ramsar Wader Refuge. *Hornbill*. 26-29.
166. Daniel, J.C. and Somane, S.S. (1975). Bird migration studies in India - the migrant waders of the family Charadriidae. *Journal of Mar. Biol. Ass. India*. 17(1): 199-205.
167. Das, R. (2010). Rapid survey in known and probable sites to confirm the distribution of White-bellied heron. *Report submitted to ATREE Bangalore*. 49p.

168. Das, R.K. (1995). White-winged duck in Namery sanctuary, Assam. *IWRB TWRG Newsletter*. 8: 17-18.
169. Datta, T. (1990). Space partitioning in relation to nesting among six bird species in the heronry at Kulik Bird Sanctuary, West Bengal. *Environmental Ecology*. 8: 86-91.
170. Datta, T. (1992). Behavioural ecology of feeding and reproduction in openbill stork *Anastomus oscitans* (boddaert) at the Raiganj Wildlife Sanctuary, Raiganj, West Dinajpur, India. *Ph.D. thesis University of North Bengal*. P.240-246.
171. Datta, T. and Pal, B.C. (1993). The effect of human interference on the nesting of Openbill stork *Anastomus oscitans* at Rajganj Wildlife Sanctuary, India. *Biological Conservation*. 64: 149-154.
172. Davidar, P. (1980). Occurrence of the Woodcock (*Scolopax rusticola*) at low altitudes. *Journal of Bombay Natural History Society*. 77: 511.
173. De St. Croix, O.H. (1938). Breeding of Pintail snipe in Belgaum district. *Journal of Bombay Natural History Society*. 40: 570-571.
174. Desai, J.H. (1971). Feeding ecology and nesting of painted stork Ibis *Leucocephalus* at the Delhi Zoo. *International Zoo Yearbook*. 11: 208-215.
175. Desai, J.H., Menon, G.K. and Shah, R.V. (1977). Studies on the Reproductive pattern of the Painted stork, Ibis *Leucocephalus* Pennant. *Pavo*. 15: 1-32.
176. Desai, J.H., Shah, R.V. and Menon, G.K. (1974). Diet and food requirements of Painted Storks at the breeding colony in the Delhi Zoological Park. *Pavo*. P. 13-23.
177. Desai, M. (1987). Birds of the J.P.Nagar Tank. *Newsletter for Birdwatchers*. 27(9-10): 10.
178. Desai, R.N. (1996). Rare visits of some ducks, Painted stork and Glossy Ibis to the tanks of Dharwad (Karnataka : India). *Newsletter for Birdwatchers*. 36: 78-79.
179. Desai, R.N. (2001). Rare visits of some wetlands birds to some tanks of Dharwad (Karnataka state, India). *Newsletter for Birdwatchers*. 41(5): 64.
180. Devadhar, J.G. and Devadhar, M. (1997). Flamingo flocks near Haveri. *Newsletter for Birdwatchers*. 37: 30.
181. Dewar, D. (1906). Bombay Duck. *London: John Lane: The Bodley Head*.
182. Dhadwal, D.S. (2014). Avifauna of Pong Lake (HP, India). *Published by the author*. Pp. i-vi, 1-210
183. Dhakate, P.M., Patil, T.A. and Bhatari, R. (2008). Wetlands birds of Corbett Tiger Reserve landscape. *IN: Sengupta, M. and Dalwani, R. (Eds.) Proceedings of Taal 2007: The 12th World Lake Conference*.
184. Dhadwal, D.S. (2013). Whooper Swan *Cygnus cygnus* in Pong Dam, Himachal Pradesh, India. *Indian Birds*. 8 (4): 95.
185. Donovan, C. (1898). Possible occurrence of the Great Snipe (*Gallinago major*) near Madras. *Journal of Bombay Natural History Society*. 12: 782-783.
186. Dunn, H.C.M. (1935). Albino Fan-tail snipe (*Capela g. gallinago* Linn.). *Journal of Bombay Natural History Society*. 38: 193.
187. Dutton, H.R. (1930). Occurrence of the Baikal teal (*Nettion formosum*) in the Durbhanga district, N. Bihar. *Journal of Bombay Natural History Society*. 34: 578.
188. Faizi, S. (1984). A population study of the avifauna of Adayar estuary Madras. *M.Sc. dissertation, University of Madras*.
189. Feilden, H.W. (1868). Letter about three specimens of a flamingo. *Ibis*. (2)4: 495-496.
190. Fooks, H.A. (1966). Whistling teal (*Dendrocygna javanica* Horsfield) and other memories of Alipore zoo Calcutta. *Journal of Bombay Natural History Society*. 63(1): 200-202.
191. Francis, C.M. (2002). Nesting Dabchicks. *Sanctuary Asia*. 22(2): 58-60.
192. Friend, G.V.R. (1927). Arrival of snipe in Mysore. *Journal of Bombay Natural History Society*. 31: 1033.
193. Friend, G.V.R. (1947). Occurrence of Malay Bittern in Mysore. *Journal of Bombay Natural History Society*. 46: 727.
194. Gandhi, S.S. and Singh, S.K. (1995). Avifauna of Asan Barrage. *Cheetal*. 34: 29-34.
195. Ganesh, T. (2010). Conservation of waterbirds for equitable use by birds and humans around a tiger reserve in Southern Western Ghats, India. *Final report submitted to EGP. IUCN, Netherland*. P.55.
196. Ganesh, T. and Kanniah, P. (1987). Different way of feeding by Little Egrets *Egretta garzetta* and a pon heron *Ardeola grayii*. *Mayura*. 6(1-4): 27-28.
197. Ganguli-Lachungpa, U. (1990). Brahminy duck *Tadorna ferruginea* (Pallas) breeding in Sikkim. *Journal of Bombay Natural History Society*. 87(2): 290.
198. Ganguli-Lachungpa, U. (1991). Occurrence of Blacknecked grebe *Podiceps nigricollis* Brehm: Little grebe *P. ruficollis* (Pallas) and Goosander *Mergus merganser* Linn in West Sikkim. *Journal of Bombay Natural History Society*. 88(2): 280.
199. Ganguli-Lachungpa, U. (1998). Attempted breeding of the Blacknecked crane *Grus nigricollis* Przevalski in North Sikkim. *Journal of Bombay Natural History Society*. 98(2): 341.
200. Ganguli-Lachungpa, U. (2003). Common coot *Fulica atra* from Kyongnosla in East Sikkim. *Journal of Bombay Natural History Society*. 100(1): 121.
201. Gauntlett, F.M. (1971). Durgapur barrage as a waterbird habitat. *Journal of Bombay Natural History Society*. 68(3): 619-632.

202. Gauntlett, F.M. (1985). The birds of Durgapur and the Damodar valley. *Journal of Bombay Natural History Society*. 82(2): 501-539.
203. Gaye, W. (1891). Snipe shooting in the neighborhood of Secunderabad. *Journal of Bombay Natural History Society*. 6: 418-419.
204. Gee, E.P. (1958). The present status of the Whitewinged wood duck (*Cairina scutulata*) (S. Muller). *Journal of Bombay Natural History Society*. 55(3): 569-575.
205. Gee, E.P. (1960). The breeding of Grey or Spotbilled Pelican (*Pelecanus philippensis philippensis* Gmelin). *Journal of Bombay Natural History Society*. 57: 245-251.
206. George, N.J. (1985). On the parental care of Yellow-wattled Lapwing *Vanellus malabaricus*. *Journal of Bombay Natural History Society*. 82: 655-664.
207. George, P.V. (1964). Possibilities of ringing waders and ducks in Bihar. *Newsletter for Birdwatchers*. 4(3): 11.
208. George, P.V. (1965). Occurrence of the Longtoed stint *Calidris subminutus* in North Bihar. *Journal of Bombay Natural History Society*. 62: 302.
209. George, P.V. (1967). On the occurrence of the Great Whitebellied Heron *Ardea insignis* Hume in Bihar. *Journal of Bombay Natural History Society*. 64: 366-367.
210. Ghani, R. (1966). Drought conditions and waterbirds in the Mysore state. *Newsletter for Birdwatchers*. 6(3): 9.
211. Ghosh, A. (1989). Shifting of nesting site by local migratory marsh birds in Sunderban. *Cheetal*. 30(1-2): 38-42.
212. Giles, G.W. (1909). Common Snipe in Travancore in April. *Journal of Bombay Natural History Society*. 19: 749-750.
213. Girijashankar, D.V., Girish. and Shadakshari, M. (1993). Factors affecting waterbirds in Chikmagalur. IN: *Verghese, A., Sridhar, S., Chakravarty, A.K. (ed.) Bird conservation, strategies for the 90s beyond, Ornithological Society of India, Bangalore*. pp. 76.
214. Goenka, D. and Pandit, H. (1986). Intimidation among waterbirds in Bharatpur. *Journal of Bombay Natural History Society*. 83: 219-220.
215. Gole, P. (1981). Black-necked cranes in Ladakh. IN: *Lewis, J.C. and Masotomi, H. (eds). Crane Research around the world: Proceedings of the International Crane Symposium at Sapporo Japan in 1980 and papers from the World working Group on Cranes, International Council for Bird Preservation, Baraboo, USA: International Crane Foundation*. P.197-203.
216. Gole, P. (1983). Cranes wintering in Saurashtra. *Journal of Bombay Natural History Society*. 81: 699-700.
217. Gole, P. (1983). Future of Black-necked cranes in Indian Subcontinent. IN: *Archibald, G.W. and Pasquier, R.F. (eds.) Proceedings of the International Crane Workshop Bharatpur, India. International Crane Foundation, Baraboo, Wisconsin, USA*. P. 51-54.
218. Gole, P. (1983). Observing the Sarus. *Proceedings of the International Crane Workshop, Bharatpur*. P.107-114.
219. Gole, P. (1989). The Status and ecological requirements of Sarus Crane Phase I. *Ministry of Environment and Forests, Government of India*.
220. Gole, P. (1996). A guide to the cranes of India. *Bombay: Bombay Natural History Society* 35p.
221. Goodall, A. (1893). Escape of black swans. *Journal of Bombay Natural History Society*. 8: 327.
222. Gopi, G.V. (2007). Bhitarkanika: a breeding haven. *Sanctuary Asia*. 27(2): 48-51.
223. Gopi, G.V. (2008). Bagagahana – the hidden paradise of Bhitarkanika. *Hornbill*. Vol. 3, 29-31.
224. Gopi, G.V. (2010). Nesting ecology of colonial waterbirds at Bhitarkanika mangroves, Orissa. *Ph.D. thesis submitted to Saurashtra University, Rajkot*. 120p.
225. Gopi, G.V., Pandav, B. and Jena, A.K. (2006). White bellied sea eagle (*Haliaeetus leucogaster*) preying on salt water crocodile (*Crocodylus porosus*). *Indian Birds*. 2(6): 171
226. Gopi, G.V. and Pandav, B. (2007). Conservation of avifauna of Bhitarkanika mangroves, India. *Zoo's Print*. 22(10): 2839-2847.
227. Gopi, G.V. and Pandav, B. (2007). Observations on breeding biology of three stork species in Bhitarkanika mangroves, India. *Indian Birds*. 3(2): 45-50.
228. Gopi, G.V., A.K.Jena & Pandav, B. (2006). Bhitarkanika Wildlife Sanctuary (Orissa), a key congregation area for India Skimmer (*Rynchops albicollis*). *Birding Asia*(5) 78. Gopi,
229. G.V. and Pandav, B. (2012). Ecology of a near threatened colonial waterbird Black-headed Ibis *Threskiornis melanocephalus* at Bhitarkanika mangroves, Odisha. *Journal of Bombay Natural History Society*. 109(1-2): 101-110
230. Goswami, S.K. and Patar, P.J. (2007). Fall in the number of Greater Adjutant nests in Nagaon Assam, India.
231. Green, A.J. (1992). The status and conservation of the White-winged wood duck *Cairina scutulata*. *IWRB Spec. Publ. 17 Slimbridge, UK*. 232.
232. Grimmett, R., Inksipp, C. and Inksipp, T. (2011); Helm Field Guides Birds Of Indian Subcontinent. Second Edition. *Oxford University Press*. Pp. 528
233. Grimwood, I.M. Brocklehurst. (1984). Unusual Feeding behaviour in the Paddy bird or Indian pond heron *Ardeola grayii*. *Journal of Bombay Natural History Society*. 81(3): 696-697.
234. Grubh, R.B. and Shekhar, P.B. (1968). Black-necked stork (*Xenorhynchus asiaticus*) and the riage of Mirshikars. *Newsletter for Birdwatchers*. 8(3): 1-2.
235. Gupta RC and Kaushik T.K. (2012) Traditional rural wetlands in Haryana state of India are currently confronting multicornered threats leading to extinction sooner than later. *J Trop Life Sci*. 2(2):32-36

236. Gupta, RC and Kaushik, T.K. (2013) Discussing implications of fast depleting rural ponds on the globally threatened wetland winter migratory bird in Haryana: a case study of Nigdu village pond in Karnal district. *J Trop Life Sci.* 3(2): 113-119
237. Gururaja, K.V. (1993). Wetlands of Shimoga city. IN: *Verghese, A., Sridhar, S., Chakravarty, A.K. (ed.) Bird conservation, strategies for the 90s beyond, Ornithological Society of India, Bangalore.* pp. 98.
238. Guruswami, V. (1985). The Dabchick's family life. *Blackbuck.* 1(2): 12-19.
239. Guruswami, V. (1986). Some notes on feeding, displays and nesting of the Indian Moorhen. *Blackbuck.* 2(4): 16-21.
240. Guruswami, V. (1988). Breeding pattern of Night Heron. *Blackbuck.* 4(2): 22-25.
241. Guruswami, V. (1994). Wetland birds : year round breeding in the Simpson Estate, Sembiam. *Blackbuck.* 10(3-4): 75-77.
242. Guruswami, V. (1998). The Simpson Estate Wetland. *Blackbuck.* 14(3-4): 65-72.
243. Guruswami, V. (2001). Iris coloration in the Large Egret *Casmerodius albus* and Median Egret *Mesophoyx intermedia* (Family Ardeidae). *Journal of Bombay Natural History Society.* 98(3): 442-443.
244. Guttikar, S.N. (1978). Lost pelicanry. *Journal of Bombay Natural History Society.* 75: 482.
245. Harman, A.C. (1943). Duck shooting in North Bihar. *Journal of Bengal Natural History Society.* 17: 96-101.
246. Hash, C.T. Ajay, V. Moss, S.E. (1994). Mallards and other mysteries - an update on the birds of ICRISAT Asia Center. *Mayura.* (11): 12-15.
247. Higgins, J.C. (1913). Baer's Pochard *Nyroca baeri* and other rare ducks in Manipur state. *Journal of Bombay Natural History Society.* 22: 399.
248. Hingston, R.W.G. (1921). A list of the birds of Dharamsala. *Journal of Bombay Natural History Society.* 27: 555-572.
249. Home, W.M.L. (1923). Woodcock in the Nilgiris. *Journal of Bombay Natural History Society.* 29: 841.
250. Homji, M. (1985). Pichavaram mangrove under menace. *Journal of Environmental Science.* 1: 1-11.
251. Hopper, C.D. (1958). Occurrence of the Baikal teal *Nettion formosum* (Georgi) in Assam. *Journal of Bombay Natural History Society.* 55(2): 359-360.
252. Hudson, C. (1893). Breeding season of the spotted-billed Duck. *Journal of Bombay Natural History Society.* 8: 556.
253. Hussain, S.A. and Balachandran, S. (1993). Recovery of Russian-ringed Grey Plover *Pluvialis squatarola* at Point Calimere. *Journal of Bombay Natural History Society.* 90: 508.
254. Hussain, S.A., Mohapatra, K.K. and Ali, S. (1984). Avifauna profile of Chilika lake : a case for conservation. *Technical report no. 4 Bombay Natural History Society.*
255. Inglis, C.M. (1898). Breeding of the Whiskered Tern *Hydrochelidon hybrida* in the Darbhanga district, Tirhoot. *Journal of Bombay Natural History Society.* 12: 414.
256. Inglis, C.M. (1899). Note on the white eyed duck *Myroca ferruginea* and the tufted duck *N. fuligula*. *Journal of Bombay Natural History Society.* 12(4): 775.
257. Inglis, C.M. (1899). The Whiskered tern *Hydrochelidon hybrida*. *Journal of Bombay Natural History Society.* 12(4) 724. 258. Inglis, C.M. (1900). Further note on the occurrence of the Bronze capped teal *Euneta falcata* in Tirhut. *Journal of Bombay Natural History Society.* 13(2): 378.
259. Inglis, C.M. (1900). Occurrence of the Bronze-capped teal in Tirhut. *Journal of Bombay Natural History Society.* 13: 186.
260. Inglis, C.M. (1900). Occurrence of the water rail (*Rallus aquaticus*) in Tirhut. *Journal of Bombay Natural History Society.* 13: 379.
261. Inglis, C.M. (1902). Occurrence of the Sheldrake *T. cornuta* and the Goosander *M. Caster* in the Darbhanga district. *Journal of Bombay Natural History Society.* 14: 393.
262. Inglis, C.M. (1902). Occurrence of the Sooty Tern (*Sterna fuliginosa*) in the Darbhanga district, Tirhut. *Journal of Bombay Natural History Society.* 14: 627-628.
263. Inglis, C.M. (1903). Late stay of the Sheldrake *Tadorna cornuta* in the Tirhut and peculiar form of albinism in the common heron *Ardea cinerea*. *Journal of Bombay Natural History Society.* 15: 350.
264. Inglis, C.M. (1907). Early arrival of duck. *Journal of Bombay Natural History Society.* 17: 825.
265. Inglis, C.M. (1908). The flamingo (*Phoenicopterus roseus*) in the Darbhanga District, Tirhut. *Journal of Bombay Natural History Society.* 18: 683.
266. Inglis, C.M. (1916). Early arrival of sheldrake (*T. cornuta* Linn) in the Darbhanga district, Tirhut. *Journal of Bombay Natural History Society.* 24: 367.
267. Inglis, C.M. (1916). Notes on the few ducks in the Darbhanga district, Bihar. *Journal of Bombay Natural History Society.* 24: 600.
268. Inglis, C.M. (1916). The late stay of the Sheldrake (*T. cornuta*) in the Darbhanga district, Bihar. *Journal of Bombay Natural History Society.* 24: 825.
269. Inglis, C.M. (1918). Arrival of duck and teal in the Darbhanga district, Bihar. *Journal of Bombay Natural History Society.* 25: 499.
270. Inglis, C.M. (1919). Further occurrence of the rose coloured starling (*Pastor roseus*) and the Flamingo (*Phoenicopterus roseus*) in the Darbhanga district. *Journal of Bombay Natural History Society.* 26: 853.
271. Inglis, C.M. (1920). Abnormal coloured egg of the pheasant-tailed Jacana (*Hydrophasianus chirurgus*). *Journal of Bombay Natural History Society.* 27(2): 403.
272. Inglis, C.M. (1923). Plumage of adult Mallard (*Anas platyhynchos*) and notes on Woodcock and Woodsnipe in the Nilgiris. *Journal of Bombay Natural History Society.* 29: 564.

273. Inglis, C.M. (1928). Occurrence of the Sheldrake (*Tadorna tadorna*) in the Darbhanga district, Bihar. *Journal of Bombay Natural History Society*. 32: 799-800.
274. Inglis, C.M. (1930). First Indian record of the Eastern Grey Duck (*Anas poecilorhyncha zonorhyncha*) and the occurrence of the Eastern White eye (*Nyroca rufa baeri* Radde) in Bihar. *Journal of Bombay Natural History Society*. 34: 810.
275. Inglis, C.M. (1932). The distribution of the Eastern Grey duck *Anas poecilorhyncha zonorhyncha*. *Journal of Bombay Natural History Society*. 35(3): 687-106. Inglis, C.M. (1940). Records of some rare or uncommon geese, ducks and other waterbirds in North Bihar. *Journal of Bengal Natural History Society*. 15: 56-60.
277. Inglis, C.M. (1942). Records of some rare or uncommon geese, ducks and other waterbirds in North Bihar. *Journal of Bengal Natural History Society*. 17: 9-12, 56-58.
278. Inglis, C.M. (1943). Records of some rare or uncommon geese, ducks and other waterbirds in North Bihar. *Journal of Bombay Natural History Society*. 18: 7-10.
279. Inglis, C.M. (1945). Further occurrence of the Baikal teal *Nettion formosum* in North Bihar. *Journal of Bengal Natural History Society*. 20(1): 35.
280. Inglis, C.M. (1946). Records of rare and common geese, ducks and other waterbirds and waders in North Bihar. *Journal of Bengal Natural History Society*. 20: 76-84.
281. Inglis, C.M. (1952). Records of *Anas poecilorhyncha zonorhyncha* in India. *Ibis*. 94: 370.
282. Ishtiaq, F. (1998). Comparative ecology and behaviour of storks in Keoladeo National Park, Rajasthan, India. *Ph.D. Thesis, Aligarh Muslim University, India*.
283. Ishtiaq, F., Rahmani, A.R., Javed, S. and Coulter, M.C. (2004). Nest-site characteristics of Black-necked stork (*Ephippiorhynchus asiaticus*) and White-necked stork (*Ciconia episcopus*) in Keoladeo National Park, Bharatpur, India. *Journal of Bombay Natural History Society*. 101(1): 90-95.
284. Islam, M.Z. (2006). Conservation of waterbirds and wintering areas through Important Bird Areas in India. IN: Boere, G.C., Galbraith, C.A. and Stroud, D.A. (eds.) *Waterbirds around the world*. The Stationery office, Edinburgh UK. 687p.
285. Islam, M.Z. and Rahmani, A.R. (2004). Important Bird Areas in India: Priority sites for conservation. Indian Bird Conservation network. *Bombay Natural History Society and Birdlife International*. P. 157-158.
286. Islam, M.A. and Rahmani, A.R. (2008). Potential and existing Ramsar sites in India. *Oxford University Press*. Pp. 584
287. Jackson, M.C.A. (1954). Occurrence of the Banded Crane in Travancore. *Journal of Bombay Natural History Society*. 52: 211.
288. Jackson, P.F.R. (1974). Goliath Heron in the Sunderbans West Bengal. *Journal of Bombay Natural History Society*. 71(3): 608-609.
289. Jamgaonkar, A.V. and Jacob, P.G. Rajagopal, S.N. Bhatt, H.R. (1994). Records of new breeding colonies of Painted storks *Mycteria leucocephala* in Karnataka. *Pavo*. 32: 59-62.
290. Javed, S., Higuchi, H., Nagendran, M. and Takekawa, J.Y. (2003). Satellite tracking and wildlife studies in India: advantages, options and challenges. *Current Science*. 85(10): 1439-1443.
291. Javed, S., Takekawa, J.Y., Douglas, D.C., Rahmani, A.R., Kanai, Y., Nagendran, M., Choudhury, B.C. and Sharma, S. (2000). Tracking the spring migration of a Bar-headed goose (*Anser indicus*) across the Himalaya with satellite telemetry. *Global Environment Research*. 4(2); 195-206.
292. Jayson, E.A. (2000). Occurrence of Black Stork *Ciconia nigra* (Linnaeus) in Kole wetlands of Thrissur, Kerala. *Newsletter for Birdwatchers*. 40(3): 39.
293. Jerath, N. (1993). Harike wetland. An avian paradise. *Punjab State Council for Science and Technology*.
294. Johnson, J.M. (1971). The heronry at Koonthakulam, Tirunelveli district, Tamil Nadu. *Newsletter for Birdwatchers*. 11(8): 1-4.
295. Johnson, J.M. (1974). The heronry at Koonthakulam, Tirunelveli district, Tamil Nadu. *Indian Forester*. 100(1): 31-34.
296. Johnson, J.M. (1984). A large flock of migrating white storks. *Journal of Bombay Natural History Society*. 81: 466-467.
297. Johnson, J.M. (2001). On Little Grebes *Tachybaptus ruficollis* breeding near K. Karunanidhi Nagar, Tiruchirapalli, Tamil Nadu. *Journal of Bombay Natural History Society*. 98(3): 441-442.
298. Johnson, J.M. (2001). White Storks *Ciconia ciconia* on migration. *Journal of Bombay Natural History Society*. 98(2): 275-276.
299. Johnson, M. (1992). Feeding and breeding biology of Openbilled stork in Andhra Pradesh. *Ph. D. Thesis Submitted to Osmania University, Hyderabad*.
300. Joshi, R., Dobhal, C.M., Pushal, R., Negi, M.S. and Dixit, A. (2010). Can we ensure the long term arrival of winter migratory avian species in lesser Himalayan Zone Northern India. *World Applied Science Journal*. 10: 196-206.
301. Kahl, M.P. (1971). Observations on the breeding of storks in India and Ceylon. *Journal of Bombay Natural History Society*. 67(3): 453-461. 3012.
302. Kalra, M., Kumar, S., Rahmani, A.R., Khan, J.A., Belal, S.M. and Khan, A.M. (2011). Satellite tracking of Bar-headed goose *Anser indicus* wintering in Uttar Pradesh, India. *Journal of Bombay Natural History Society*. 108(2): 79-84.
303. Kannan, R. (1986). The whitewinged Black Tern (*Chlidonias leucopterus*) in the Coromandel Coast. *Newsletter for Birdwatchers*. 26(1-2): 11-12.
304. Kannan, V. Manakadan, R. (2005). The status and distribution of Spot billed Pelican *Pelecanus philippensis* in Southern India. *Forktail*. 21: 9-14.
305. Kannan, V. and Manakadan, R. (2007). Nocturnal foraging by Painted Storks *Mycteria leucocephala* at Pulicat Lake, India. *Indian Birds*. 3:1
306. Kannan, V., Manakadan, V., Rao, P., Mohapatra, K.K., Sivakumar, K. and Santharam, V. (2008). The waterbirds of Pulicat lake Andhra Pradesh, Tamilnadu India including those of the adjoining wetlands and heronries. *Journal of Bombay Natural History Society*. 105(2): 162-180.

307. Kannan, V. and Pandiyan, J. (2012). Shorebirds (Charadriidae) of Pulicat lake, India with special reference to conservation. *World Journal of Zoology*. 7(3): 178-191.
308. Kanniah, P. and Ganesh, T. (1990). Occurrence of the Black stork *Ciconia nigra* near Hyderabad. *Mayura*. 7-8: 46-48.
309. Kasambe, R. and Singh, R. K. B., 2014. Mandarin Duck *Aix galericulata* at Loktak Lake, Manipur. *Indian Birds*. 9(4): 101.
310. Kaur, J. (2008). Impact of land use changes on the habitat, behaviour and breeding biology of the sarus crane (*Grus antigone antigone*) in the Semi-arid tract of Rajasthan, India. *Ph.D. thesis, Forest Research Institute University, Dehradun*.
321. Kaur, J. and Choudhury, B.C. (2002). The arid zone sarus crane. *Wildlife Institute of India, Newsletter*. 8/9: 13-14.
312. Kaur, J. and Choudhury, B.C. (2003). Recognition of community involvement in Sarus crane conservation in Kota, Rajasthan. *Mistnet*. 3: 6.
313. Kaur, J. and Choudhury, B.C. (2003). Stealing of sarus crane eggs. *Current Science*. 85: 1515-1516.
314. Kaur, J. and Nair, A. (2008). Community involvement in conservation of small crane breeding habitat in three districts of semi-arid tract of Rajasthan, India. *Report to the Rufford Small Grants Foundation*.
315. Kaur, J., Nair, A. and Choudhury, B.C. (2005). People's participation in the protection of Sarus crane (*Grus antigone antigone*) breeding sites in the Semi Arid tract of Kota, Rajasthan. *Report to Oriental Bird Club*.
316. Kaur, J., Nair, A. and Choudhury, B.C. (2008). Conservation of the vulnerable Sarus crane *Grus antigone antigone* in Kota, Rajasthan : a case study of community involvement *Oryx*. 42: 452-455.
317. Kaur, J., Sundar, K.S.G. and Choudhury, B.C. (2002). Sarus crane count 2001. *Wildlife Institute of India, Dehradun*.
318. Kaushik, T.K. and Gupta, R.C. (2013). Understanding and analysing the coordinates of diversity of wetland birds of Asan Barrage near Paonta Sahib, Northern India. *Our Nature*. 11: 192-200.
319. Kazmierczak, C. and Allen, D. (1997). An short ornithological survey of Dibru-Saikhowa Wildlife Sanctuary. *Newsletter for Birdwatchers*. 37(5): 84-85.
320. Kazmierczak, K.J., Balachandran, S. and Rosalind, L. (1993). Occurrence of Caspian Plover *Charadrius asiaticus* Pallas at Point Calimere, Tamil Nadu. *Journal of Bombay Natural History Society*. 89: 373.
321. Khacher, L. (1981). Conservation needs of black-necked cranes of Bhutan, Arunachal Pradesh and Ladakh. *IN: Lewis, L.C. and Masatomi, H.(eds) Crane Research around the World: Boraboo: International Crane Foundation*. P. 204-211.
322. Khadiolkar, M. (2013). Red-necked Grebe from Leh, Ladakh. *Indian Birds*. 8(6): 165
323. King, E.O. (1920). Common pochard (*N. ferrina*) at Bangalore. *Journal of Bombay Natural History Society*. 27: 172.
324. Kinloch, A.P. (1919). The Cotton Teal in Malabar. *Journal of Bombay Natural History Society*. 26: 674.
325. Kirby, J.S., Stattersfield, A.J., Butchart, S.H.M., Evans, M.I., Grimmett, R.F.A., Jones, V.R., O'Sullivan, J., Tucker, G.M. and Newton, I. (2008). Key conservation issues for migratory land and waterbird species on the World's major flyways. *Bird Conservation International*. 18: S49-S73.
326. Kirkpatrick, K.M. (1952). Occurrence of the Pheasant-tailed Jacana *Hydrophasianus chirurgus* (Scop.) in Nellore district, Madras. *Journal of Bombay Natural History Society*. 50: 947-948.
327. Kirkpatrick, K.M. (1953). Feeding habits of the Indian Pond Heron (*Ardeola grayee*). *Journal of Bombay Natural History Society*. 51: 507.
328. Krishna Raju, K.S.R., Prabhu, B.L. and Gopala, R. (1984). On the occurrence of Great crested grebe *Podiceps cristatus cristatus* (Linn.) in coastal Andhra Pradesh. *Journal of Bombay Natural History Society*. 81: 691.
329. Krishna, M.B. (1978). Pond herons. *Newsletter for Birdwatchers*. 18: 10-12.
330. Krishnan, M. (1978). The availability of nesting materials and nesting sites as vital factors in the gregarious breeding of Indian waterbirds. *Journal of Bombay Natural History Society*. 75: 1143-1152.
331. Krishnan, M. (1987). Occurrence of the Bar-headed Goose in Southern India. *Journal of Bombay Natural History Society*. 84: 204.
332. Krishnan, M. (1990). List of birds seen at Tada (Pulicat) Lake Sanctuary and Nelapattu Sanctuary, Andhra Pradesh on 28 November and 20-21 December 1983. *Mayura*. 7-8: 39-41.
333. Krishnan, M. (1993). The Aredu pelicanry - a factual rejoinder. *Blackbuck*. 9(2): 44-46.
334. Kulkarni, M.S. (1997). Territorial behavior of little Ringed plover (*Charadrius dubius*). *Newsletter for Birdwatchers*. 37: 29.
335. Kulshreshta, M. and Vyas, R. (1989). Status of sarus crane (*Grus antigone*) along canals and lakes of Kota. *Paper presented at the Asian Crane Congress in Rajkot, Gujarat*.
336. Kumar, A. (1998). Breeding of the Coot *Fulica atra*. *Newsletter for Birdwatchers*. 38(3): 56.
337. Kumar, A. (2011). Pong dam wetlands and Zoological Survey of India. *Current Science*. 85(10): 1398.
338. Kumar, A. and Bhatt, D. (2000). Status of migratory avifauna of subtropical wetland in Ganga valley, Haridwar, India. *Annals of Forestry*. 8: 17-24.
339. Kumar, A., Kankane, P.L. and Baqri, Q.H. (2006). Geo-Spatial atlas for the wetland birds of Thar desert, Rajasthan. *Kolkata: Zoological Survey of India*.
340. Kumar, A., Sati, J.P., Tak, P.C. and Alfred, J.R.B. (2001). Waterbirds of Northern India *Kolkata: Zoological Survey of India*.
341. Kumar, A., Sati, J.P., and Tak, P.C. (2003). Checklist of Indian Waterbirds, *Buceros* 8(1): 1-29.

342. Kumar, A., Sati, J.P., Tak, P.C. and Alfred, J.R.B. (2005). Handbook on Indian wetland birds and their conservation. *Zoological Survey of India, New Delhi*.
343. Kumar, J. I. N., Soni, H. and Kumar, R. N. (2007). Patterns of seasonal abundance and diversity in the waterbird community of Nal Lake Bird Sanctuary, Gujarat, India. *Bird Populations* 8: 1–20
344. Kumar, P. (1981). Survey of the Birds of Andhra Pradesh Part IV. *Mayura*. 2(1): 12-16.
345. Kumar, P. and Gupta, S.K. (2009). Diversity and abundance of wetland birds around Kurukshetra, India. *Our Nature*. 7: 212-217.
346. Kumar, R.S. (2003). Ring recovery from Great Cormorants (*Phalacrocorax carbo*) in India. *Journal of Bombay Natural History Society*. 100(3): 621-624.
347. Kumar, S. (1990). Blacktailed Godwit *Limosa limosa* and large Indian Pratincole *Glareola pratincola*- two new records from Kerala. *Journal of Bombay Natural History Society*. 87: 296.
348. Kumar, S.A. (1980). Solar eclipse - notes on behavioural observations of Waterbirds. *Mayura*. 1(2): 3.
349. Kumar, S.A. (1996). Birding in Brahmananda Reddy National Park and Neighbouring wetlands. *Newsletter for Birdwatchers*. 36: 21-24.
350. Kumar, S.A. (2001). Sighting of Grey Pelican (*Pelecanus philippensis*) near Coimbatore. *Newsletter for Birdwatchers*. 41(4): 54.
351. Kumar, S.C. (2004). Greater Spotted Eagle *Aquila clanga* Pallas and Northern Shoveller *Anas Clypeata* Linn. - Two rare records from Kerala. *Journal of Bombay Natural History Society*. 101(1): 154.
352. Kumar, V.K.S. (1980). Koodakulam Heronry. *Hornbill*. (2): 16-20.
353. Kumar, V.V. (1990). On sightings of Demoiselle Crane *Anthropoides Virgo* in Medak District, Andhra Pradesh. *Mayura*. 7-8: 50-52.
354. Kumar, V.V. and Choudhury, B.C. (1994). A report on waterfowl study in Manjira Wildlife Sanctuary, Andhra Pradesh, India and its implication in long-term management of the sanctuary. *Pavo*. (32): 47-57.
355. Kumar, V.V. and Choudhury, B.C. (1995). Studies on the waterfowl of Manjira Wildlife Sanctuary, Medak District, Andhra Pradesh. *Mayura*. 12: 20-35.
356. Kumar, V.V. Choudhury, B.C. (2004). Impact of habitat changes on the wintering Demoiselle Cranes *Anthropoides virgo* in Manjira River, Medak District, Andhra Pradesh. *Proc. International Crane Congress, Rajkot, December*.
357. Kumar, W. (1994). Breeding seasons of some wetland birds of Manjira. *Mayura*. 9: 19.
358. Kurup, D.K.N. (1992). Review of the status of the Sandwich Tern *Sterna sandvicensis* in Kerala. *Journal of Bombay Natural History Society*. 89: 122-124.
359. Kushlan, J.A. (1993). Waterbirds as bioindicators of wetlands change: are they a valuable tool. IN: Moser, M. Prentice, R.C. and Van Vesseem, J. (eds) *Waterfowl and wetland conservation in the 1990 - a global perspective. Proc. Symp. St. Petersburg Beach, Florida, USA, IWRB Special publication no. 26 International Waterfowl and Wetlands Research Bureau, Slimbridge, UK*. P. 48-55.
360. Laird, J.S. (1878). Letter about *Scolopax rusticola* from Belgaum. *Stray feathers*. 7: 470.
361. Lal Mohan, R.S. (1986). Recovery of a ringed sandwich Tern *Sterna Sandvicensis* from Rameswaram Island, Tamil Nadu. *Journal of Bombay Natural History Society*. 83: 664.
362. Lamba, B.S. (1963). Nidification of some common Indian birds, no. 6 the Indian Pond Heron or paddybird (*Ardeola grayii* [sykes]). *Pavo*. 1(1): 35-43.
363. Lamba, B.S. (1963). Nidification of some common Indian birds, no. 7- the spot billed or grey pelican. *Pavo*. 1: 110-119.
364. Lambton, G.C. (1911). Woodcock shooting in the Nilgiris. *Journal of Bombay Natural History Society*. 20: 854-855.
365. LaPersonne, V.S. (1934). A note on the appendages and barbs on the wings of the Pheasant-tailed Jacana (*Hydrophasianus chirurgus*) *Journal of Bombay Natural History Society*. 37: 733.
366. Law, S.C. (1925). Occurrence of *Pelicanus roseus* in the Vizagapatnam district. *Journal of Bombay Natural History Society*. 30: 483-484.
367. Lokaranjan, R. (1971). Nesting colony of pelicans in Andhra Pradesh. *Newsletter for Birdwatchers*. 11(3): 11.
368. Loke, W.T. (1945). Notes on the behaviour of nesting paddy birds (*Ardeola grayii*) in Kashmir. *Journal of Bombay Natural History Society*. 45(4): 608-109.
369. Ludlow, F. (1920). Notes on the nidification of certain birds in Ladakh. *Journal of Bombay Natural history Society*. 27: 141-146.
370. Lumsden, H.G. (1946). Distribution of the Red-crested Pochard in southern India. *Journal of Bombay Natural History Society*. 46: 400.
371. Lumsden, H.G. (1946). The Red-crested Pochard (*Netta rufina*) in Southern India. *Journal of Bombay Natural History Society*. 46: 548-549.
372. Mackenzie, M. (1969). A midwinter waterfowl count at Kaziranga. *Cheetal*. P. 16-20.
373. Mackenzie, M. and Kear, J. (1976). The White-winged wood duck. *Wildfowl*. 27: 5-17.
374. Madhyastha, N.A. and Bhat, K.S.H. (1988). Crested Tern spotted near Udupi. *Newsletter for Birdwatchers*. 28(9-10): 9.
375. Madsen, S.T. (1988). Black stork in Karnataka. *Newsletter for Birdwatchers*. 28(3-4): 4.
376. Madsen, S.T. (1988). Some birds in the marine and estuarine systems of Uttara Kannada, Karnataka. *Newsletter for Birdwatchers*. 28(3-4): 10-12.
377. Mahabal, A. (1990). Heronries in Raigad district, Maharashtra - a preliminary survey. *Journal of Bombay Natural History Society*. 87: 137-138.

378. Maheswaran, G. (1996). Pond herons and otters. *Newsletter for Birdwatchers*. 36(3): 56.
379. Maheswaran, G. (1998). Ecology and behaviour of the Black-necked stork *Ephippiorhynchus asiaticus* in Dudwa National Park, Uttar Pradesh, India. *Ph.D. thesis, Aligarh Muslim University, India*.
380. Maheswaran, G. (2007). Records of White Bellied Heron *Ardea insignis* in Namdapha Tiger Reserve, Arunachal Pradesh, India. *BirdingAsia*. 7: 48-49.
381. Maheswaran, G. and Rahmani, A.R. (2001). Effects of water level changes and wading bird abundance on the foraging behaviour of Blacknecked storks *Ephippiorhynchus asiaticus* in Dudwa National Park, India. *Journal of Biosciences*. 26(3): 373-382.
382. Maheswaran, G. and Rahmani, A.R. (2002). Foraging behaviour and feeding success of the black necked stork (*Ephippiorhynchus asiaticus*) in Dudwa National Park, Uttar Pradesh, India. *Journal of Zoology*. 258: 189-195.
383. Maheswaran, G. and Rahmani, A.R. (2005). Breeding behaviour of the Black-necked stork *Ephippiorhynchus asiaticus* in Dudwa National Park, India. *Journal of Bombay Natural History Society*. 102(3): 305-312.
384. Malhotra, A.K. (1991). A success story of white or rosy pelicans (*Pelecanus onocrotalus*). *Zoo's Print*. 6(7): 14.
385. Manakadan, R. (1987). The Black Stork *Ciconia nigra* (Linnaeus) in Kurnool District (Andhra Pradesh). *Journal of Bombay Natural History Society*. 84: 675-676.
386. Manakadan, R. (1991). A flock of one-legged Greenshanks *Tringa nebularia*. *Journal of Bombay Natural History Society*. 88: 452.
387. Manakadan, R. (1991). Greenshank *Tringa nebularia* (Gunner) feeding on large fish. *Journal of Bombay Natural History Society*. 88: 451-452.
388. Manakadan, R. (1992). Ecology of waterbirds of Point Calimere Sanctuary with Special reference to impact of salt works. *Ph.D. thesis. University of Mumbai, Mumbai*.
389. Manakadan, R. (1993). The white stork *Ciconia ciconia* - a new record for the Point Calimere Wildlife Sanctuary. *Journal of Bombay Natural History Society*. 90(2): 285.
390. Manakadan, R. (1994). Impact of salt works on waterbirds and their habitats in the Great Vedaranyam Swamp. *IN: Daniel, J.C. and Y.N. Rao (Eds.) Ecology of Point Calimere Sanctuary (an endangered ecosystem). Final report 1988-91. Bombay Natural History Society*. P. 95-131.
391. Manakadan, R. (1995). Impact of salt works on the status, population of the Greater Flamingo *Phoenicopterus ruber roseus* (sic) and the Lesser Flamingo *Phoeniconaias minor* in the Great Vedaranyam Swamp. *Journal of Bombay Natural History Society*. 92: 264-371.
392. Manakadan, R. (1995). Probable occurrence of Whitefronted Goose *Anser albifrons* (Scopoli) in Andhra Pradesh. *Journal of Bombay Natural History Society*. 92: 118-119.
393. Manakadan, R. and Kannan, V. (2003). A study of the spot-billed Pelican *Pelecanus philippensis* Gmelin in southern India with special reference to its conservation. *Final Report (2000-2003), Bombay Natural History Society*.
394. Manakadan, R. and Sivakumar, S. (2004). Sighting of Water Rail *Rallus aquaticus* Linnaeus, 1758, in Sriharikota Island, Nellore district, Andhra Pradesh, India. *Newsletter for Ornithologists*. 1(1-2): 15-16.
395. Manjrekar, N. and Mehta, P. (1999). Pond heron in Pin valley National Park, Spiti Himachal Pradesh. *Journal of Bombay Natural History Society*. 96(2): 313-314.
396. Manral, U., Raha, A., Solanki, S.A., Hussain, D., Mohan, D., Talukdar, G. and Gopi, G.V. (2012). Hydrological characteristics and flood plain vegetation of human impacted wetlands: a case study from Okhla bird sactuary, National Capital Region, India. *Asian Journal of Conservation*. 1: 110-119.
397. Manral, U., Raha, A., Solanki, R., Hussain, S.A., Babu, M.M., Mohan, D., Gopi, G.V., Sivakumar, K. and Talukdar, G. (2013). Plant species of Okhla Bird Sanctuary: a wetland of upper gangetic plains, India. *Checklist: journal of species list and distribution*, 9, Mitsch, M.J. and J.G. Gossenslink 2000. *Wetlands 3rd ed. John wiley and sons, New York*. P. 263-274.
398. Mansion, P. (1967). The whistling teal (*Dendrocygna javanica* (Horsefield) in the Calcutta environs. *Journal of Bombay Natural History Society*. 64(3): 558-559.
399. Martin, T.F. (1996). Shovellers galore at the Hebbal Tank. *Newsletter for Birdwatchers*. 36: 67-68.
400. Martin, T.F. (1998). The whistling teals in our domain. *Newsletter for Birdwatchers*. 38(4): 66-67.
401. Mathew, D.N., Narendra, T.C. and Zacharias, V.J. (1978). A comparative study of the feeding habits of certain species of Indian birds affecting agriculture. *Journal of Bombay Natural History Society*. 75: 1178-1197.
402. Mathew, D.N. and Shukkur, E.A.A. (1974). Notes on a Sooty tern (*Sterna fuscata nubilosa* Sparrman) collected near Calicut. *Journal of Bombay Natural History Society*. 71: 144-145.
403. Mathew, R. (1984). Extraordinary behaviour of pond herons *Ardeola grayii*. *Mayura*. 5(1): 25.
404. Meganathan, T and Urfi, A.J. (2009). Inter-Colony Variations in Nesting Ecology of Painted Stork (*Mycteria leucocephala*) in the Delhi Zoo (North India). *Waterbirds*, 32:2: 352 - 356.
405. Melluish, S. (1966). The Kentish Plover, *Charadrius alexandrinus* Linnaeus, breeding in Southern Madras. *Newsletter for Birdwatchers*. 6(2): 1-2.
406. Menon, M. (2004). Ecology of purple moorhen (*Porphyrio porphyrio*) in Azhnhillam wetland, Kerala. *Newsletter for Birdwatchers*. 44(2): 22-24.
407. Meredith, H.R. (1920). Egret and lizard. *Journal of Bombay Natural History Society*. 27(1): 172.
408. Mishra, A. and Mandal, J.N. (2009). Discovery of a breeding ground of the Greater Adjutant *Leptoptilos dubius* and their conservation in the floodplains of Bihar, India. *Journal of Bombay Natural History Society*. 106(2): 190-197.

409. Mohan, D. and Sondhi, S. (2014). An Updated Checklist of the Birds of Uttarakhand. *Uttarakhand Forest Department, Dehradun*.
410. Mohanty, M.K. and Bhunya, S.P. (1990). Karyological studies in four species of Ardeid birds (Ardeidae, Ciconiiformes). *Genetica*. 81: 211-214.
411. Mohapatra, K.K. and Rao, P. (1992). Some wader records from coastal Andhra Pradesh. *Journal of Bombay Natural History Society*. 89: 250-251.
412. Mohapatra, K.K. and Rao, P. (1994). Winter migrants seen at Pulicat Bird Sanctuary and Sriharikota Island during 1989-90 and 1990-91 seasons. *Mayura*. (11): 9-11.
413. Monahan, G.J. (1909). Occurrence of the Baikal or clucking teal in north Behar. *Journal of Bombay Natural History Society*. 19: 526.
414. Mondal, H.S. and Maheswaran, G. (2014). First nesting record of White-bellied Heron *Ardea insignis* in Namdapha Tiger Reserve, Arunachal Pradesh, India. *Birding Asia* (2014): 13-17
415. Morris, R.C. (1939). On the occurrence of the Banded crane (*Rallus e. amauroptera*) and the Malabar Woodpecker (*Micropicus j. hodgsoni*) in the Biligirirangan hills, south India. *Journal of Bombay Natural History Society*. 40: 763.
416. Mosse, A.H. (1910). Nidification of the sarus crane. *Journal of Bombay Natural History Society*. 20: 218.
417. Muir, G.B.F. (1916). Paddy birds *Ardeola grayii* fishing. *Journal of Bombay Natural History Society*. 24(2): 366-367.
418. Mukherjee, A. (1961). A report on the investigation of the status of the White-winged wood duck in Assam. *Rec. Indian. Mus.* 59: 471-478.
419. Mukherjee, A.K. (1959). Pakhral Sajnakhali - an introduction to a bird sanctuary in Sunderbans. *Journal of Bombay Natural History Society*. 30: 161-165.
420. Mukherjee, A.K. (1971). Food habits of waterbirds of the Sunderbans, 24 Parganas district West Bengal, India II Herons and Bittern. *Journal of Bombay Natural History Society*. 68(1): 37-64.
421. Mukherjee, A.K. (1971). Food habits of waterbirds of the Sunderban 24 Parganas district, West Bengal, India. *Journal of Bombay Natural History Society*. 68(1): 690-716.
422. Mukherjee, A.K. (1974). Food habits of waterbirds of the Sunderban 24 Parganas district, West Bengal, India - IV. *Journal of Bombay Natural History Society*. 71(2): 188-200.
423. Mukherjee, A.K. (1974). Food habits of waterbirds of the Sunderban 24 Parganas district, West Bengal, India - VI. *Journal of Bombay Natural History Society*. 73(2): 482-486.
424. Mukherjee, A.K. (1974). Food habits of waterbirds of the Sunderban 24 Parganas district, West Bengal, India - II. *Journal of Bombay Natural History Society*. 68(1): 37-64.
425. Mukherjee, A.K. (1975). Food habits of waterbirds of the Sunderban 24 Parganas district, West Bengal, India. *Journal of Bombay Natural History Society*. 22(2): 442-447.
426. Mukherjee, A.K. (1975). Food habits of waterbirds of the Sunderban 24 Parganas district, West Bengal, India. *Journal of Bombay Natural History Society*. 66(2): 345-360.
427. Mukherjee, A. Wilske, B. (2006). Importance of wetlands for conservation of birdlife in the dry lands of Western India. *IN: Waterbirds around the World*. P.303-304.
428. Mundkur, T. (1990). Indian River Tern *Sterna aurantia*, a coastal species or a case of mistaken identity. *Journal of Bombay Natural History Society*. 87: 298.
429. Mundkur, T. and Sridhar, S. (1993). Preliminary observations on factors governing the selection of wintering sites by Barheaded Goose in Karnataka. *IN: Verghese, A., Sridhar, S., Chakravarty, A.K. (ed.). Bird conservation, strategies for the 90s beyond. Ornithological Society of India, Bangalore*. P. 251.
430. Munns, F.A.C. (1927). Further record of occurrence of Sheldrake (*Tadorna tadorna*) in Behar. *Journal of Bombay Natural History Society*. 32: 222.
431. Munns, F.A.C. (1944). Duck shooting at Rarhia, Champaran district, N. Bihar. *Journal of Bombay Natural History Society*. 18: 19.
432. Murphy, P. (1927). Occurrence of the Sheldrake in Behar. *Journal of Bombay Natural History Society*. 32: 221.
433. Murphy, P. (1933). Occurrence of the Baikal or clucking Teal (*Nettion formosum*) at Katihar, Bengal. *Journal of Bombay Natural History Society*. 36: 1008-1009.
434. Nagarajan, R. and Thiayagesan, K. (1996). Waterbirds and substrate quality of the Pichavaram wetlands, South India. *IBIS*. 138: 710-721.
435. Nagulu, V. (1983). The feeding and breeding biology of Grey Pelican at Nelapattu bird sanctuary in Andhra Pradesh, India. *Ph.D. Thesis, Osmania University*.
436. Nagulu, V. (1995). The grey Pelican at Nelapattu. *Mayura*. 12: 92-96.
437. Nagulu, V. and Ramana Rao, J.V. (1990). The grey Pelican at Nelapattu. *In: Conservation in developin countries: problem and prospects (EDs. J.C. Daniel and J.S. Serrao), Bomaby Natural History Society*. pp. 633.
438. Nagulu, V. Rao, J.V.R. (1983). Survey of South Indian Pelicanries. *Journal of Bombay Natural History Society*. 80(1): 141-143.
439. Naik, R.M. and Parasharya, B.M. (1949). Impact of the food availability nesting-habitat destruction and cultural variations of human settlements on the nesting distribution of a coastal bird, *Egretta gularis* in Western India. *Journal of Bombay Natural History Society*. 48: 656-666.
440. Nair, A. (2006). Udupuria the storks paradise. *Hornbill*. July-Sept. 2006.
441. Nair, A.K. and Kaur, J. (2010). Pesticides kill Ruddy shelducks in Kota. *Mistnet*. 11(1).

442. Nair, K.N. (1965). Little Egret (*Egretta garzetta*) breeding in Kerala. *Newsletter for Birdwatchers*. 5(5): 10.
443. Nair, K.N. (1969). Pheasant-tailed Jacana in Kerala. *Newsletter for Birdwatchers*. 9(9): 11.
444. Nair, M.V. (1993). Rosy Pelican at Aakkulam. *Newsletter for Birdwatchers*. 33: 7-8.
445. Nameer, P.O. (1992). Great Stone Plover *Esacus magnirostris* (Vieillot) in Kerala. *Journal of Bombay Natural History Society*. 89: 118.
446. Nameer, P.O. (1993). Birds of Kole wetlands Part I and 2. *Trichur: FRI and Kerala Forest Department*.
447. Nameer, P.O. (1993). Conserving the Kole wetlands - a potential Ramsar site from southern India. *IN: Verghese, A., Sridhar, S., Chakravarty, A.K. (ed.). Bird conservation, strategies for the 90s beyond. Ornithological Society of India, Bangalore.* pp. 105.
448. Nanda, B.C. (1996). A crane and a malkoha. *Newsletter for Birdwatchers*. 36: 95.
449. Nanda, B.C. (1997). Wagtails and snipe in coorg. *Newsletter for Birdwatchers*. 37: 48-49.
450. Narang, M.L. (1990). Migratory waterbirds of Dhalipur lake near Dehradun (U.P.) *Indian Journal of Forestry*. 131: 63-64.
451. Narayanakurup, D. (1989). Sight records of Ibis and storks in Kerala. *Journal of Bombay Natural History Society*. 86: 239.
452. Narayanan, S.P., Sreekumar, B., Vijayan, L. and Thomas, A.P. (2011). Status of the nests of near threatened Oriental Darter *Anhinga melanogaster* at Kumarakom Heronry. *National Acad. Sci. Lett.*
453. Narayanaswami, V. (1971). Vedanthangal. *Newsletter for Birdwatchers*. 11(12): 10-11.
454. Natarajan, V. (1992). Wintering waterbirds at Point Calimere, Tamilnadu. *Journal of Bombay Natural History Society*. 89(2): 316-320.
455. Natarajan, V. and Balasubramanian, P. (1990). Additional notes on the occurrence of Black Tern *Chlidonias niger* (Linn.) in India. *Journal of Bombay Natural History Society*. 87: 451-452.
456. Navarro, A. (1962). Pale Harrier (*Circus macrourus* Gmelin) taking a pond heron (*Ardeola grayii*) (Sykes) *Journal of Bombay Natural History Society*. 59(2): 653.
457. Nayak, A.K. (2003). Preliminary field guide to the birds of Bhitarkanika. *Mangrove Forest Division (Wildlife), Rajnagar*.
458. Nayak, A.K. (2006). Status of migratory shorebirds at Bhitarkanika and Chilika wetlands on the east coast of India. *IN: Boere, G.C., Galbraith, C.A. and Stroud, D.A. (eds.) Waterbirds around the world. The Stationery office, Edinburgh UK.* P. 305-307.
459. Neavoll, G.F. (1968). Occurrence of the reef Heron (*Egretta Gularis* (Bosc.)) in Hyderabad district. *Journal of Bombay Natural History Society*. 65: 215-216.
460. Neelakantan, K.K. (1949). A south Indian pelicanry. *Journal of Bombay Natural History Society*. 48: 656-666.
461. Neelakantan, K.K. (1953). Occurrence of the pheasant-tailed Jacana (*Hydrophasianus chirurgus*) in Madras State. *Journal of Bombay Natural History Society*. 51: 741-742.
462. Neelakantan, K.K. (1953). Strange habit of terns breeding on Godavari Sand-flats. *Journal of Bombay Natural History Society*. 51: 740-741.
463. Neelakantan, K.K. (1965). Breeding of the little egret in Kerala. *Newsletter for Birdwatchers*. 5(9): 9.
464. Neelakantan, K.K. (1965). Little egret (*Egretta garzetta*) Breeding in Kerala. *Newsletter for Birdwatchers*. 5(6): 8, 5(7): 8.
465. Neelakantan, K.K. (1969). Pheasant-tailed Jacana in Kerala. *Newsletter for Birdwatchers*. 9(11): 8.
466. Neelakantan, K.K. (1970). The occurrence of the Sanderling (*Calidris albus*) in Kerala. *Journal of Bombay Natural History Society*. 67: 570.
467. Neelakantan, K.K. (1971). The pelicanry at Kolamuru. *Newsletter for Birdwatchers*. 11(4): 1-3.
468. Neelakantan, K.K. (1975). The Indian Moorhen (*Gallinula Chloropus*) breeding in Kerala. *Journal of Bombay Natural History Society*. 72: 537-538.
469. Neelakantan, K.K. (1980). A pelicans pathetic plight. *Tigerpaper*. 7(2): 21-24.
470. Neelakantan, K.K. (1981). The Brownwinged Tern (*Sterna anaethetus*): An addition to the Birds of Kerala. *Journal of Bombay Natural History Society*. 78: 167-168.
471. Neelakantan, K.K. (1982). The Pintail (*Anas acuta* Linn) - an addition to the list of birds occurring in Kerala. *Journal of Bombay Natural History Society*. 79: 667-668.
472. Neelakantan, K.K. (1986). Pond heron afloat. *Newsletter for Birdwatchers*. 25(5-6): 11-13.
473. Neelakantan, K.K. (1986). The pond heron keeps pace with progress. *Blackbuck*. 2(2): 31-32.
474. Neelakantan, K.K. (1990). Breeding of the River Tern *Sterna aurantia* in Kerala. *Journal of Bombay Natural History Society*. 87: 144-145.
475. Neelakantan, K.K. (1990). On the voice of the Kora or Watercock *Gallixrex cinerea*. *Journal of Bombay Natural History Society*. 87: 293.
476. Neelakantan, K.K. (1991). Bluebreasted Banded Rail *Rallus striatus* Linn. nesting in Kerala. *Journal of Bombay Natural History Society*. 88: 448-450.
477. Neelakantan, K.K. (1991). Breeding of the Kora or watercock *Gallixrex cinerea* in Kerala. *Journal of Bombay Natural History Society*. 88: 450-451.
478. Neelakantan, K.K. and Elamon, S. (1984). Teals or tourism. *Hornbill*. (3): 20-22.
479. Neginhal, S.G. (1971). Tungabhadra Reservoir Birds. *Newsletter for Birdwatchers*. 11(5): 6-8.
480. Neginhal, S.G. (1972). Storks and ibises seen on a drive from Dharwar to Hirekerur (Mysore State). *Newsletter for Birdwatchers*. 12(9): 4-5.

481. Neginhal, S.G. (1977). Discovery of a Pelicanry in Karnataka. *Journal of Bombay Natural History Society*. 74: 169-170.
482. Neginhal, S.G. (1978). Ecological impact of afforestation at the Ranibennur Blackbuck Sanctuary. *Journal of Bombay Natural History Society*. 75: 1254-1258.
483. Neginhal, S.G. (1982). The birds of Ranganthittu. *Journal of Bombay Natural History Society*. 79(3): 581-593.
484. Neginhal, S.G. (1985). Waders and water birds of Karnataka. *Newsletter for Birdwatchers*. 25(9-10): 2-5.
485. Neginhal, S.G. (1997). Kokrebellur Grey Pelicans - extension of their feeding and breeding grounds. *Newsletter for Birdwatchers*. 37: 82-83.
486. O'Brien, E. (1934). Late stay of snipe. *Journal of Bombay Natural History Society*. 41: 901.
487. Packard, H.N. (1903). Notes on the breeding of certain herons in South India. *Journal of Bombay Natural History Society*. 15: 138-139.
488. Palkhivala, B.A. (1998). Pittas, Pond heron and robin. *Newsletter for Birdwatchers*. 38(4): 68.
489. Panani, D. (1996). Rethinking wetland laws: a case study of Pulicat Bird Sanctuary. *New Delhi: WWF*.
490. Pandav, B. (1996). Birds of Bhitarkanika mangroves, Eastern India. *Forktail*. 12: 7-17.
491. Pandey, D.N. (1991). Nesting of the pond heron *Ardeola grayii* (Sykes) on Eucalyptus trees. *Journal of Bombay Natural History Society*. 88(2): 281.
492. Pandey, S. (1989). The birds of Pong dam lake bird sanctuary. *Tigerpaper*. 16(2): 20-26.
493. Pandey, S. (1993). Changes in waterbird diversity due to the conservation of Pong Dam reservoir, Himachal Pradesh, India. *Biological Conservation*. 66(2): 125-130.
494. Pandiyan, J., Asokan, S., Thiayagesan, K. and Nagarajan, R. (2006). Use of tidal flats in the Cauvery delta region of SE India by shorebirds, gulls and terns. *Wader Study Group Bull.* 109: 105-111.
495. Pandiyan, J. and Asokan, S. (2008). Abundance and distribution of plovers, Pazhaiyar mudflats Nagaipatinam district S. India. *J. Ecotoxicol. Environ. Monit.* 18(2): 142-152.
496. Pandiyan, J. and Asokan, S. (2008). Patterns of association and habitat use by migrating shorebirds on intertidal mudflats of Tirumullaivasal estuary Nagaipatinam district, S. India. *J. Ecotoxicol. Environ. Monit.* 18(3): 259-265.
497. Pandiyan, J. and Nagarajan, R. (2014). Agricultural wetlands as alternative habitats for waterbirds. *Journal of Sci. Trans. Environ. Technov.* 7(3): 154-157.
498. Parasharya, B.M. (1983). An erithristic pond heron. *Pavo*. 21(1-2): 107-108.
499. Parasharya, B.M. (1985). Pairing between pond heron and Intermediate egret. *Pavo*. 23(1-2): 103-104.
500. Parasharya, B.M. and Bhat, H.R. (1987). Unusual feeding strategies of the little egret and pond heron. *Pavo*. 25(1-2): 13-16.
501. Parasharya, B.M. and Naik, R.M. (1990). Ciconiiform birds breeding in Bhavnagar city, Gujarat. *IN: Gujarat: A study of their nesting and plea for conservation. Bombay Natural History Society and Oxford University Press, Bombay*. P. 429-445.
502. Parasharya, K.L.M. and Yadav, D.N. (1989). Status and habitat preference of the Indian Sarus crane in Gujarat, India. *Paper presented at the Asian Crane Congress in Rajkot, Gujarat*.
503. Parons, R.E. (1939). Notes on wild duck and geese in Sadiya Frontier Tract, Assam. *Journal of Bombay Natural History Society*. 41: 422-426.
504. Parr, C.I. (1935). The Bronze capped teal in the Samastipur district, Bengal. *Journal of Bombay Natural History Society*. 38: 195.
505. Parsons, R.E. (1935). A second record of the occurrence of the long-tailed duck (*Clagula hyemalis*) in India. *Journal of Bombay Natural History Society*. 38: 193-194.
506. Parsons, R.E. (1938). Migration routes of geese (Sadiya Frontier Tract Assam). *Journal of Bombay Natural History Society*. 40: 764-765.
507. Patel, P., Patel, N. and Jat, M. (2000). Survey of heronry at Atul chemical industrial complex. *Newsletter for Birdwatchers*. 40(2): 15-17.
508. Perennou, C. (1987). Two important wetlands near Pondicherry. *Blackbuck*. 3(3-4): 3-11.
509. Perennou, C and Mundkur, T. (1991). Special feature: Distribution of the demoiselle crane in India. *Newsletter for Birdwatchers*. 31: 9-10.
510. Perennou, C. and Santharam, V. (1990). An ornithological survey of some wetlands in South-East India. *Journal of Bombay Natural History Society*. 87(3): 354-363.
511. Perhouse, S. (1994). Nidification of the Sarus crane. *Journal of Bombay Natural History Society*. 91(2): 211-223.
512. Pfister, O. (2004). Birds and mammals of Ladakh. 1st ed. *New Delhi: Oxford University Press*. Pp. i-xxvii, 1-361.
513. Phythian-Adams, E.G. (1934). Woodsnipe (*Capella nemoricola* Hodgs.) in Malabar. *Journal of Bombay Natural History Society*. 37: 220-221.
514. Phythian-Adams, E.G. (1937). Occurrence of the Bittern (*Botaurus s. stellaris*) in South Mysore. *Journal of Bombay Natural History Society*. 39: 870.
515. Phythian-Adams, E.G. (1939). Occurrence of the Swinhoe's snipe (*Capella megala [Swinhoe]*) in Mysore. *Journal of Bombay Natural History Society*. 41: 178.
516. Phythian-Adams, E.G. (1943). Occurrence of Comb Duck (*Sarcidiornis melanotus Penn.*) in Mysore. *Journal of Bombay Natural History Society*. 44: 130.
517. Phythian-Adams, E.G. (1943). Red-crested Pochard (*Netta rufina Pallas*) in Madras Presidency. *Journal of Bombay Natural History Society*. 44: 130.

518. Phythian-Adams, E.G. (1948). Snipe on the Nilgiris. *Journal of Bombay Natural History Society*. 47: 744-745.
519. Pieter. (1987). Kalivelli Tank and Yedayanthittu estuary - a little known wetland habitat in Tamil Nadu. *Journal of Bombay Natural History Society*. 84: 210-214.
520. Pillai, N.G. (1966). Occurrence of the Night Heron *Nycticorax nycticorax* (Linn.) at Ernakulam, Kerala. *Newsletter for Birdwatchers*. 6(4): 7-8.
521. Pillay, B.S. (1962). Wigeon, *Anas penelope* Linnaeus and Red-headed Pochard, *Aythya Ferina* (Linnaeus), at Coimbatore, South India. *Journal of Bombay Natural History Society*. 59: 286.
522. Pillay, B.S. (1966). Night herons breeding at Ernakulam, Kerala. *Newsletter for Birdwatchers*. 6(6): 9.
523. Pillay, B.S. (1975). Occurrence of the Brahminy Duck (*Tadorna ferruginea*) in Coimbatore district. *Journal of Bombay Natural History Society*. 59: 286.
524. Pittie, A. (1981). Nests of Lapwings. *Newsletter for Birdwatchers*. 21(1): 6.
525. Pittie, A. (1982). Birds seen on a trek down the Musi. *Mayura*. 3(1-2): 5-6.
526. Pittie, A. (1983). Aggressive behaviour of the Indian Moorhen *Gallinula Chloropus*. *Mayura*. 38(4): 12-13.
527. Pittie, A. (1994). Occurrence of the hobby and observations on little Grebe in Hyderabad, Andhra Pradesh. *Newsletter for birdwatchers*. 34(5): 117.
528. Pittie, A., Mathew, R. and Kapadia, S. (1994). Iris color in breeding Median Egrets *Egretta intermedia*. *Mayura*. 9: 20-21.
529. Pittie, A., Quader, S. and Pittie, P. (2005). Distribution of white-winged tern *Chlidonias leucopterus* in India and a new record from Andhra Pradesh. *Indian Birds*. 1: 4.
530. Pittie, A. and Taher, S. (2004). Mid-winter waterbird census in Andhra Pradesh: 1987-1996. *BSAP, Hyderabad, India* 142p.
531. Porter, R.F., Christensen, F. and Schiermacker-Hansen, P. (2004). Indian pond heron (*Ardeola grayii*). In: *Birds of the Middle East*, TAD Poyser. P. 16.
532. Pradhan, M.S. (2002). Annechoukur Tank in Nagarhole National Park: A success story of conserving avian and mammalian diversity near man-made habitat. *Zoo's Print*. 17(15): 15-16.
533. Prakash, A., Rames, S. and Mohankumar, M. (2001). Re-occurrence of Demoiselle crane (*Grus vigro*) in Mysore District. *Newsletter for Birdwatchers*. 42(1): 13.
534. Prasad, A. (1997). Black storks in Kerala. *Newsletter for birdwatchers*. 37: 65.
535. Prasad, J.N. and Hemanth, J. (1992). Pond heron *Ardeola grayii* (Sykes) feeding on bees. *Journal of Bombay Natural History Society*. 89(2): 246.
536. Prasad, J.N., Karthikeyan, S. and Subramanya, S. (1991). Gullbilled Tern in inland Karnataka. *Newsletter for Birdwatchers*. 31(7-8): 12.
537. Prasad, S.N., Jaggi, A.K., Tiwari, A.K., Kaushik, P., Vijayan, L., Murlidharan, S. and Vijayan, V.S. (2004). Inland wetlands of India - conservation atlas. *SACON, Coimbatore, India*.
538. Prashant, J.J., Nagulu, V. and Vasudeva Rao, V. (1996). Postnatal development of little Egret. *Pavo*. 34: 30-41.
539. Prashant, J.J., Vasudeva Rao, V. and Nagulu, V. (1994). Nesting, egg size, incubation and factors affecting clutch size in little egret, egretta garzetta at Nellore, Andhra Pradesh. *Pavo*. 32: 67-72.
540. Prater, S.H. (1925). Occurrence of the Scaup Duck *Fuligula Marilla* in Northern India. *Journal of Bombay Natural History Society*. 30: 703.
541. Praveen, J. (1997). Storks of Walayar. *Newsletter for Birdwatchers*. 37: 9
542. Praveen, J., Jayapal, R., and Pittie, A. (2014). Notes on Indian rarities—2: Waterfowl, diving waterbirds, and gulls and terns. *Indian Birds*. 9(5&6): 113-136.
543. Prins, H.H.T. and Wieren, S.E. (2004). Number, population structure and habitat use of Bar-headed goose *Anser indicus* in Ladakh, India during the brood rearing period. *Acta Zoologica Sinica*. 50(5): 738-744.
544. Rafeek, K. (1995). Sighting of Spotted Redshank and Black Redstart at Pallipuram, Trivandrum District, Kerala. *Newsletter for Birdwatchers*. 35: 75-76.
545. Raghunatha, V. (1993). An Ecological study of waterbirds at Gudwi Bird Sanctuary. *Final report of the study sponsored by the Conservation corps volunteer programme, WWF - India New Delhi*.
546. Raghunatha, V., Subramanya, S., Shyamlal, L., Lokesh, R. and Vasudeva, R. (1992). A preliminary survey of Gudwi Bird Sanctuary. *My Forest*. 28: 265-274.
547. Rahimullah, M. (1946). Occurrence of Barheaded Goose near Hyderabad city. *Journal of Bombay Natural History Society*. 46: 548.
548. Rahmani, A.R. (1989). Status of the Black-necked stork *Ephippiorhynchus asiaticus* in the Indian subcontinent. *Forktail*. 5: 99-100.
549. Rahmani AR (1999). The 'lovely ladies' of Kheechan. *Sanctuary Asia*. 19(1): 26 - 27.
550. Rahmani, A. R. (2012). Threatened birds of India: their conservation requirements. *Mumbai: Indian Bird Conservation Network; Bombay Natural History Society; Royal Society for the Protection of Birds; BirdLife International; Oxford University Press*. Pp. i-xvi, 1-864.
551. Rahmani, A.R., Narayan, G. and Rosalind, L. (1990). Status of Greater Adjutant stork (*Leptoptilos dubius*) in the Indian Subcontinent. *Colonial Waterbirds*. 13: 138-142.
552. Raj, G. (2014). Sighting of Long-tailed Duck *Clangula hyemalis* in Gharana Wetland, Jammu & Kashmir, India. *Journal of the Bombay Natural History Society*. 110 (2):155

553. Raj, M. Deka, J. and Bhattacharjee, P.C. (1989). Observations on the behaviour of sub-adult Black-necked storks at Dipor Beel Assam. *Newsletter for Birdwatchers*. 29(9): 7-8.
554. Rajagopalan, P.K. (1962). Letter about Spotbilled Pelican in Andhra Pradesh. *Newsletter for Birdwatchers*. 2(3): 13.
555. Rajan, M.K., Sankarperumal, G. and Mohandoss, A. (1993). A preliminary survey of egrets and Pond Herons in the water resources of Sivakasi, Tamil Nadu. IN: *Vergheese, A., Sridhar, S., Chakravarty, A.K. (ed.). Bird Conservation, strategies for the 90s beyond. Ornithological Society of India, Bangalore*. pp. 130.
556. Rajasekhar, B. (1992). Birding at the Adayar estuary. *Newsletter for Birdwatchers*. 32(7-8): 9.
557. Rajeevan, P.C. and Purandare, R. (2004). Grey heron *Ardea cineria* breeding in Kerala. *Newsletter for Ornithologists*. 1(6): 87.
558. Ramakrishna, C. (1986). Edurubata - A home for Painted Storks. *Blackbuck*. 2(2): 25-26.
559. Rangaswami, S. (1986). Flamingos in Badami Taluk - Karnataka. *Newsletter for Birdwatchers*. 26(7-8): 20.
560. Rangaswami, S. and Ramesh, R. (1987). Painted storks of Kokre-Bellur. *Newsletter for Birdwatchers*. 27(3-4): 8-12.
561. Rao, E.V. (1965). The grey Pelican. *Cheetal*. 7(1): 52-54.
562. Rao, J.M. (1984). Andhra Pradesh joins crane group. *Mayura*. 4(3): 15.
563. Rao, K.M. (1993). Openbill Storks *Anastomus oscitans* of Tsundur, Andhra Pradesh. *Mayura*. (10): 37.
564. Rao, K.M. (1994). A case for the protection of the Bapatla wetlands. *Mayura*. (11): 28-32.
565. Rao, K.M. and Ramana, K. (2000). Birdlife in Uppalapadu village tank, Guntur. *Newsletter for Birdwatchers*. 40(6): 84.
566. Rao, P. and Mohapatra, K.K. (1993). The wetland avifauna of Pulicat Bird Sanctuary, South India. IN: *Vergheese, A., Sridhar, S., Chakravarty, A.K. (ed.) Bird conservation, strategies for the 90s beyond, Ornithological Society of India, Bangalore*. pp.11.
567. Rao, P. and Mohapatra, K.K. (1994). Occurrence of certain bird species in and around Pulicat Bird Sanctuary. *Mayura*. (11): 6-8.
568. Rao, P. Murlidharan, S. (1989). Unusual feeding behaviour in the Adjutant stork *Leptoptilos dubius* (Gmelin). *Journal of Bombay Natural History Society*. 86(1): 97.
569. Rao, R.J. (1986). Kolleru lake (Andhra Pradesh): its diversity and avifauna. *Cheetal*. 27: 47-48.
570. Rao, V.V., Anjaneyulu, M., Nagulu, V. Srinivasulu, C. and Satyanarayan, D.S. (1996). Waterfowl status at Coringa Wildlife Sanctuary, Andhra Pradesh. *Pavo*. (34): 71-86.
571. Rao, V.V., Nagulu, V. and Srinivasulu, C. (2000). Additional site records of Black Stork *Ciconia nigra* (Linn.) in Andhra Pradesh. *Journal of Bombay Natural History Society*. 97(1): 143.
572. Rao, V.V., Reddy, C.M., Srinivasulu, C. and Nagulu, V. (1997). Habitat preference patterns of ducks at selected water bodies of Nalgonda district, Andhra Pradesh. *Pavo*. 35(1-2): 25-38.
573. Rao, V.V., Srinivasulu, V.N. and Reddy, C.M. (1997). Population fluctuation, species variation and habitat utilization of egrets and herons at selected waterbodies of Nalgonda District, Andhra Pradesh. *Pavo*. 35(1-2): 101-110.
574. Rasmussen, P. C. and Anderton, J. C. (2012). Birds of South Asia: the Ripley guide. 2nd ed. *Washington, D.C. and Barcelona: Smithsonian Institution and Lynx Edicions*. 2 vols. Pp. 1-378; 1-683
575. Ravindran, P.K. (1995). The Kole wetlands - An avian paradise in Kerala. *Newsletter for Birdwatchers*. 35: 2-5.
576. Ravindran, P.K. (1998). Sighting of the Comb Duck in Kerala. *Newsletter for Birdwatchers*. 38(4): 71.
577. Ravindran, P.K. (2001). Occurrence of the White-winged Black Tern *Chlidonias leucopterus* in Kerala. *Journal of Bombay Natural History Society*. 98(1): 112-113.
578. Ravindran, P.K. (2001). Sighting of the Whitetailed lapwing *Vanellus leucurus* (Lichtenstein) in Thrissur district, Kerala. *Journal of Bombay Natural History Society*. 98(2): 280.
579. Ravindran, P.K. (2005). Nesting of Common Moorhen *Gallinula chloropus* in Kerala. *Indian Birds*. 1(1): 17.
580. Ravindran, P.K. and Nameer, P.O. (2001). Grey-headed lapwing *Vanellus cinereus* (Blyth) (Faimly Charadriidae) in Kerala. *Journal of Bombay Natural History Society*. 98(3): 450-451.
581. Ray, J.G. (1991). The watercock *Gallinula cinerea* in Kuttanadu, Kerala. *Journal of Bombay Natural History Society*. 88:283.
582. Raza, R.H. (1993). Pond heron foraging on earthworms. *Newsletter for Birdwatchers*. 33(3): 52-53.
583. Relton, A. (1996). Is red legged pond heron a female. *Newsletter for Birdwatchers*. 36(3): 59.
584. Reuben, D.E. (1945). On the occurrence of the clucking teal (*Nettion formosum*) in the monghyr district. *Journal of Bombay Natural History Society*. 45: 609-610.
585. Rhenius, C.E. (1906). Occurrence of the Bittern in south India (*Botaurus stellaris*). *Journal of Bombay Natural History Society*. 17: 247.
586. Rhenius, C.E. (1956). Pelicans breeding in India. *Journal of Bombay Natural History Society*. 53: 703-704.
587. Ripley, S.D. (1962). Unusal plumage of the little cormorant *Phalacrocorax niger* (Vieillot). *Journal of Bombay Natural History Society*. 59(1): 285-286.
588. Ripley, S. D., 1982. A synopsis of the birds of India and Pakistan together with those of Nepal, Sikkim, Bhutan, Bangladesh and Sri Lanka. 2nd ed. *Bombay; Oxford: Bombay Natural History Society; Oxford University Press*. Pp. i-xxvi, 1-653

589. Ripley, S. D. (1961). A synopsis of the birds of India and Pakistan together with those of Nepal, Sikkim, Bhutan and Ceylon. 1st ed. *Bombay: Bombay Natural History Society*. Pp. i-xxxvi, 1-703.
590. Ritschard, M., Logtmeijer, P. and Taschler, A. (2008). A recent observation of white-headed duck *Oxyura leucocephala* at Gajaldoba barrage West Bengal, India. *Journal of Bombay Natural History Society*. 105(1); 97-98.
591. Ritschard, M., Logtmeijer, P. and Taschler, A. (2008). Two observations of Malayan Night Heron *Gorsachius melanophus* from West Bengal, India. *Journal of Bombay Natural History Society*. 105(1): 97-98.
592. Roshnath, R., Ashok kumar, M., Unni, R., Jose, S. and Jose, A. (2013). Status of birds in the heronries of Kannur district, Kerala. *Malabar Trogon*. 11(1-3): 14-19.
593. Saha, S.S. (1980). Blacknecked crane in Bhutan and Arunachal Pradesh - a survey report for January-February 1978. *Journal of Bombay Natural History Society*. 77(2): 326-328.
594. Saikia, P. (1998). Ecobiology of the Adjutant storks in the Brahmaputra valley, Assam. *Newsletter of the Rhino Foundation for Nat. In NE India*. 2(1): 18-19.
595. Saikia, P. and Bhattacharjee, P.C. (1989). A preliminary survey of adjutant storks in Assam. *Asian Waterbirds News*. 2(2):14-15.
596. Saikia, P. and Bhattacharjee, P.C. (1993). Status, diversity and decline of waterbirds in Brahmaputra valley, Assam, India. IN: *Verghese, A., Sridhar, S., Chakravarty, A.K. (eds.) Bird conservation, strategies for the nineties and beyond. Ornithological Society of India, Bangalore*. P. 20-27.
597. Sakthivel, R. (1992). Habitat utilization and time activity budget of egrets of herons at Point Calimere Sanctuary. *M.Sc. Dissertation, Bharathidasan University, Tiruchirapalli*.
598. Samathi, T. (2008). Factors influencing the waterbird populations with special emphasis on the Greater flamingo (*Phoenicopterus ruber roseus* Pallas 1811) in Eastern part of the Great Vedaranyam Swamp Point Calimere Wildlife Sanctuary, Southern India. *Ph.D. thesis A.V.C. college Bharathidasan University, Thiruchirapalli India*. 219p.
599. Sampath, K. (1990). Food of the Spotted Sandpiper *Tringa glareola* Linn. *Journal of Bombay Natural History Society*. 87(2): 297.
600. Sampath, K. (1991). Food habits of shorebirds from the Great Vedaranyam Salt Swamp of Tamil Nadu, India. *Stilt*. 19: 50-52.
601. Sampath, K. (1993). Ecological evaluation of irrigation tanks in the Tiruvannamalai Sambuvarayar district of Tamil Nadu, India. IN: *Verghese, A., Sridhar, S., Chakravarty, A.K., (ed.) Bird conservation, strategies for the 90s beyond. Ornithological society of India, Bangalore*. pp. 142.
602. Sampath, K. Krishnamurthy, K. (1989). Shorebirds of the salt ponds at Great Vedaranyam Salt Swamp. *Stilt*. 15: 20-23.
603. Sampath, K. Krishnamurthy, K. (1990). Shorebirds (Charadriiformes) of the Pichavaram mangroves, Tamilnadu, India. *Wader Study Group Bulletin*. 58: 24-27.
604. Sampath, K. and Krishnamurthy, K. (1993). Birds of the Pichavaram mangroves and the adjoining coastal environs. *Journal of Ecological Society*. 6: 23-38.
605. Sangha, H. (1999). Records of significance from Pulicat, Andhra Pradesh. *Newsletter for Birdwatchers*. 39(2): 36.
606. Sanjeeva Raj, P.J. (1956). Occurrence of the Spottedbilled Pelican, *Pelecanus philippensis* Gmelin in the Vedanthangal Heronry. *Journal of Bombay Natural History Society*. 53: 703-704.
607. Sanjeeva Raj, P.J. (1958). Occurrence of the Common Flamingo (*Phoenicopterus ruber* Linn.) at Nandyal, Andhra State. *Journal of Bombay Natural History Society*. 55: 171-172.
608. Santharam, V. (1983). Birding in Kalyani Dam area (Chittoor District, Andhra Pradesh). *Mayura*. 4(1): 12.
609. Santharam, V. (1985). Pelican at Vedanthangal. *Newsletter for Birdwatchers*. 25(7-8): 7-8.
610. Santharam, V. (1985). The Adyar estuary. *Blackbuck*. 1(2): 29-33.
611. Santharam, V. (1989). More on the local movements of cattle egrets Pond herons; Bluebreasted Banded rail in Madras; some additions to the Pondicherry bird list. *Newsletter for Birdwatchers*. 29(1-2): 8-9.
612. Santharam, V. (1989). On the occurrence and status of Rigid plover *Charadrius hiaticula* (Lowe) in Madras city (Southern India). *Journal of Bombay Natural History Society*. 86: 101-102.
613. Santharam, V. (1992). Adyar estuary. *Newsletter for Birdwatchers*. 32(11-12): 15-16.
614. Santharam, V. (1995). Some Observations on the ground nesting birds at the Adyar Estuary, Madras. *Newsletter for Birdwatchers*. 35: 24-25.
615. Santharam, V. (1997). The Bar-headed Goose in Tamil Nadu. *Journal of Ecological Society*. 72: 845-846.
616. Santharam, V. (2000). More on Vedanthangal Birds. *Newsletter for Birdwatchers*. 40(5): 57-59.
617. Santharam, V. (2003). Indian Pond-Herons *Ardeola grayii* feeding on Dragonflies. *Journal of Bombay Natural History Society*. 100(1): 108.
618. Santharam, V. (2003). The Grey-headed Lapwing in Tamil Nadu - a rejoinder. *Journal of Bombay Natural History Society*. 100(1): 123.
619. Santharam, V. (2004). A sight record of the Black Stork *Ciconia nigra* from the Kandukur Tank, Chittoor district, Andhra Pradesh. *Newsletter for Ornithologists*. 1(3): 44.
620. Santharam, V. (2004). More on Vedanthangal. *Newsletter for Birdwatchers*. 44(1): 6-7.
621. Santharam, V. Meon, R.K.G. (1991). Some observations on the waterbird populations of the Vedanthangal bird Sanctuary. *Newsletter for Birdwatchers*. 31(11-12): 68.

622. Santharam, V. Rangaswami, S. (1999). Discovery of new heronries. *Newsletter for Birdwatchers*. 39(1): 3-4.
623. Sashikumar, C. (1995). Workshop on the field identification of shorebirds, Gulls and Terns. *Newsletter for Birdwatchers*. 35: 89-91.
624. Sashikumar, C. Jayakumar, C. Jaffer, M. (1991). Glossy Ibis *Plegadis falcinellus* (Linn.) and Painted Stork *Mycteria leucocephala* (Pennant): two more additions to the bird list of Kerala. *Journal of Bombay Natural History Society*. 88: 110.
625. Sashikumar, C. and Jayarajan, O. (2007). Census of the heronries of the North Kerala 2007. *Malabar Trogon*. 5(1); 2-8.
626. Sashikumar, C. and Jayarajan, O. (2008). Census of heronries of the North Kerala 2007 : alongwith Palakkad and Thrissur districts. *Malabar Trogon*. 6(1): 14-19.
627. Sashikumar, C., Praveen J., Palot, M. J., and Nameer, P. O. (2011). Birds of Kerala: status and distribution. 1st ed. *Kottayam, Kerala: DC Books*. Pp. 1-835.
628. Sashikumar, C., Vishnudas, C.K., Raju, S., Vinayan, P.A. and Shebin, V.A. (2011). Heronries of North Kerala - 2011. *Malabar Trogon*. 9(3):
629. Sathasivam, K. (1992). Painted stork *Mycteria leucocephala* (Pennant) in Kerala. *Journal of Bombay Natural History Society*. 89: 246.
630. Sathasivam, K. (1996). Whitenecked storks. *Newsletter for Birdwatchers*. 36: 36. 131. Sathasivam, K. (1997). Notes from Madurai - Pelicans, Bee-eaters and Peafowl. *Newsletter for Birdwatchers*. 7: 86. 132. Satyamurti, S.T. (1970). A record of the Tiger Bittern, *Gorsachius melanolophus* (Raffles) from Karaikudi, Ramanathapuram district, Tamil Nadu. *Journal of Bombay Natural History Society*. 67: 107-108.
633. Saxena, R. (1989). The cranes of Madhav National Park. *Paper presented at the Asian Crane Congress in Rajkot, Gujarat*.
634. Saxena, V.S. (1980). Kokkare Bellur pelicanry. *Cheetal*. 21(4): 20-24.
635. Searight, E.E.G.L. (1932). Comparative frequency of Fantail, Pintail and Jack Snipe near Bangalore. *Journal of Bombay Natural History Society*. 35: 900.
636. Sen Gupta, P.K. (1962). Occurrence of waders in Patna - 1948-51. *Newsletter for Birdwatchers*. 2(11): 1-4.
637. Seshagiri Rao, B.V. (1988). Kolleru lake in India - under threat of ecological degradation. *Asian Wetland news*. 1: 15-16.
638. Shah M and Banerjee AK (1986), Pre-migratory flocking of the Demoiselle Crane, *Anthropoides virgo* (Linnaeus). *Journal of the Bombay Natural History Society*, 83: 204 - 206.
639. Sharma, A. (2008). Record of large congregation of large whistling duck *Dendrocygna bicolor* in the Purbasthali-ganges islets Burdwan district, West Bengal. *Journal of Bombay Natural History Society*. 105(1): 97.
640. Sharma, A. (2008). Sighting of Indian skimmer *Rhynchops albigollis* (Swainson) in the Purbasthali ganges islets Burdwan district West Bengal. *Journal of Bombay Natural History Society*. 105(1): 92-93.
641. Sharma, A. and Zockler, C. (2008). First record of Caspian gulls (*Larus cachinnans*) in the Indian Sunderbans delta. *Journal of Bombay Natural History Society*. 105(1): 93-94.
642. Sharma, P.K. and Raghavaiah, P.S. (2000). Breeding of painted storks at Vedurupattu Nellore district, Andhra Pradesh : co-existence of man and wildlife. *Indian Forester*. 126(10): 1147-1149.
643. Sharma, R.K. (2001). Avian diversity and vegetational association in four distinct habitat types in Haridwar. *Ph.D. thesis, Department of Zoology and Environmental Science, Gurukul Kangri University Haridwar*.
644. Sharma, S.K. (1991). A huge flock of Demoiselle Crane seen in desert of Rajasthan. *Newsletter for Birdwatchers*. 31(5-6): 13.
645. Sinclair, W.F. (1899). A creek of the Konkan. *Journal of Bombay Natural History Society*. 4: 21-26.
646. Singh, D.N. (2000). Status of black-necked cranes in Arunachal Pradesh. *Indian Forester*. 126(10):
647. Singh, K.P. (1962). Pinkheaded duck. *Newsletter for Birdwatchers*. 2(11): 13.
648. Singh, K.S. (1998). Serial display of Rufous turtle dove *Streptopelia orientalis agricola* Tickell near Nambol Bazar, Manipur. *Journal of Bombay Natural History Society*. 95(1): 114.
649. Singh, L.P. (1966). The pinkheaded duck (*Rhododessa caryophyllacea* (Latham) again. *Journal of Bombay Natural History Society*. 63: 440.
650. Singh N. (1963), Demoiselle Cranes as indicators of weather. *Newsletter for Birdwatchers*. 3(1): 6.
651. Singh, P. (1995). Recent bird records from Arunachal Pradesh, India. *Forktail*. 10: 65-104.
652. Singha, H. (1998). Ecology, biology and ethology of Greater Adjutant stork *Leptoptilos dubius* in Assam India. *Ph.D. thesis, Aligarh Muslim University, Aligarh*.
653. Singha, H., Karim, R. and Rahmani, A.R. (1999). *Menopon gallinae* infesting Greater Adjutant stork *Leptoptilos dubius* at Nagaon Assam. *Journal of Bombay Natural History Society*. 96(1): 137-138. 154. Singha, H., Rahmani, A.R., Coulter, M.C. and Javed, S. (2002). Nesting ecology of Greater Adjutant stork in Assam, India. *Waterbirds*. 25(2): 214-220.
655. Singha, H. Rahmani, A.R. Coulter, M.C. Javed, S. (2003). Breeding behaviour of the Greater Adjutant stork *Leptoptilos dubius* in Assam, India. *Journal of Bombay Natural History Society*. 100(1): 9-26.
656. Singha, H., Rahmani, A.R., Coulter, M.C. and Javed, S. (2003). Surveys of Greater Adjutant *Leptoptilos dubius* in the Brahmaputra valley, Assam, India during 1995-1996. *Forktail*. 19: 146-148.
657. Siromoney, G. (1963). Some uncommon bird visitors observed in and around Tambaram. *Newsletter for Birdwatchers*. 3(8): 9-10.
658. Siromoney, G. (1971). Birds of Tambaram area and water-birds of Vedanthangal Scientific report no. 2 Madras. *Report No. 2, Madras - Deptt. of Stats, Madras Christian College, Tambaram*.

659. Siromoney, G. Shaw, F.O. (1966). Regular and uncommon visitors to Tambaram. *Newsletter for Birdwatchers*. 6(8): 1-3.
660. Sivakumar, K., Gitanjali, K., Johnson, J.A., Thulsirao, K., Pramod, K., Tarunkathula, P.K., Sathiyaselvam, P., Satyasivanadh, Y. and Usha, P. Research strategies for conservation of coastal and Marine Biodiversity in the East Godavari River Estuarine Ecosystem (EGREE), Andhra Pradesh, India.
661. Sivakumar, S. (2004). Gull-billed tern *Gelochelidon nilotica* (Gmelin, 1789) feeding on insect road kills. *Newsletter for Ornithologists*. 1(1-2): 18-19.
662. Sivaperuman, C. and Jayson, E.A. (2000). Birds of Kole wetlands, Thrissur, Kerala. *Zoo's Print*. 15(10): 344-349.
663. Sivaperuman, C. and Jayson, E.A. (2002). Black shouldered Kite *Elanus caeruleus vociferus* (Latham) preying on Wood Sandpiper *Tringa glareola* Linnaeus. *Journal of Bombay Natural History Society*. 99(3): 518.
664. Sivaperuman, C. and Jayson, E.A. (2002). Occurrence of Northern Shoveller *Anas Clypeata* Linn in Kole Wetlands of Thrissur, Kerala. *Journal of Bombay Natural History Society*. 99(3): 517-518.
665. Sivaprasad, P.S. (1986). Observation on breeding of Coots in Coimbatore. *Blackbuck*. 2(2): 17-19.
666. Sivasubramanian, C. (1988). Aerial feeding by Median egret (*Egretta intermedia*), Little egret (*Egretta garzetta*) and Pond Heron (*Ardeola grayii*). *Journal of Bombay Natural History Society*. 85(3): 611.
667. Smetacek, V. (1974). On the increasing occurrence of typically plains birds in the Kumaon hills. *Journal of Bombay Natural History Society*. 71(2): 299-302.
668. Sodhi, N.S. (1986). Feeding ecology of Indian pond Heron and its comparison with that of little egret. *Pavo*. 24(1-2): 97-112.
669. Sodhi, N.S. (1992). Food-niche relationships of five sympatric North Indian Herons. *Forktail*. 7: 125-130.
670. Sodhi, N.S. and Khera, S. (1984). Some aspects of maintenance behaviour of *Ardeola grayii* (Sykes) *Pavo*. 22(1-2): 1-5.
671. Soni V.C., Kumar V.V. and Lathigara, R. (1999). Mycotoxicosis - a threat to wintering cranes in Saurashtra, Gujarat. *Journal of the Bombay Natural History Society*. 96(1): 141.
672. Sreenath, S. (1997). Bird identification workshop - Vedanthangal. *Blackbuck*. 13(2): 44-45.
673. Sridhar, S. (1990). A record flock of White storks sighted in Karnataka. *Newsletter for Birdwatchers*. 30(3-4): 10.
674. Sridhar, S. (1999). Some suggestions for long-time sustenance of the nascent breeding colony of painted storks near Sira. *Newsletter for Birdwatchers*. 39(2): 20-21.
675. Sridhar, S. and Karanth, P. (1991). Dilemma near the nest of a pair of Red-wattled lapwings. *Newsletter for Birdwatchers*. 31(7-8): 7-9.
676. Sridhar, S. and Srinivasa, T.S. (1992). Asian mid-winter waterfowl census, the Karnataka scene. *Newsletter for Birdwatchers*. 32(11-12).
677. Sridhar, S. and Srinivasa, T.S. (1993). Endangered waterfowl of India, Wetland and waterfowl conservation in South and West Asia. *IWRB Publication*. 25: 96.
678. Srinivas, K.V. and Subramanya, S. (2000). Stealing of Redwattled lapwing *Vanellus indicus* (Boddaert) and yellow-wattled Lapwing *Vanellus malabaricus* (Boddaert) eggs by cowherds. *Journal of Bombay Natural History Society*. 97(1): 143-144.
679. Srinivasulu, B., Srinivasulu, C., Nagulu, V., Rao, V.V. and Koteswarulu, C. (1996). Avifauna of selected waterbodies in northern suburb of Secunderabad, Andhra Pradesh. *Pavo*. (34): 87-94.
680. Srinivasulu, C., Srinivasulu, B., Nagulu, V. and Rao, V.V. (1997). Additional Coot (*Fulica atra* Linn). breeding site records from Andhra Pradesh, India. *Journal of Bombay Natural History Society*. 94: 566-568.
681. Srinivasulu, C. and Srinivasulu, B. (2000). Sex ratio of wintering waterfowl at selected water bodies in northern suburb of Secunderabad, Andhra Pradesh. *Zoo's Print*. 15(2): 199-201.
682. Srivastav, S.K. (2005). Rare winged visitor (Black storks) sighted at Point Calimere. *Journal of Bombay Natural History Society*. 131(2): 264.
683. Stairmand, D.A. (1971). Vedanthangal. *Newsletter for Birdwatchers*. 11(7): 6-9.
684. Stevens, H. (1915). Notes on the birds of Upper Assam - Part 3. *Journal of Bombay Natural History Society*. 23: 234-268, 547-570, 721-736.
685. Stoney, R.F. (1912). Swinhoe's Snipe (*Gallinago megala*) near Madras. *Journal of Bombay Natural History Society*. 21: 1083. 186. Stoney, R.F. (1942). The occurrence of the Comb Duck (*Sarcidiornis melanota*) (sic) in Mysore state. *Journal of Bombay Natural History Society*. 42: 525.
687. Subramanian, K.S., Johns, M.C. and Theogarajan, D. (2000). Nest morphometry of Pheasant Tailed Jacaqa (*Hydrophasianus chirurgus*). *Zoo's Print*. 15(7): 300.
688. Subramanya, S. (1987). Occurrence of the Grey-headed lapwing, *Vanellus cinereus* in Bangalore. *Journal of Bombay Natural History Society*. 84: 205-206.
689. Subramanya, S. (1987). Waterfowl census in Bangalore. *Newsletter for Birdwatchers*. 27(3-4): 7-8.
690. Subramanya, S. (1989). Waterfowl census in Bangalore, 1989. *Newsletter for Birdwatchers*. 29(3-4): 2-3.
691. Subramanya, S. (1996). Distribution, status and conservation of Indian heronries. *Journal of Bombay Natural History Society*. 93(3): 459-486.
692. Subramanya, S. (2001). Heronries of Andhra Pradesh. *Mayura*. 13:
693. Subramanya, S. (2005). Heronries of Kerala. *Malabar Trogon*. 3(1): 2-15.
694. Subramanya, S. (2005). Heronries of Tamilnadu. *Indian Birds*. 1(6): 126-140.

195. Subramanya, S., Karthikeyan, S. and Prasad, J.N. (1991). Ranganthittu: flood havoc and aftermath. *Newsletter for Birdwatchers*. 31(9-10): 5-7.
696. Subramanya, S. and Manu, K. (1996). Saving the spotbilled pelican - a successful experiment. *Hornbill*. (2): 2-6.
697. Subramanya, S. and Naveen, O. (2004). Puttanhalli Tank, Bangalore (India) and surrounds. *Newsletter for Ornithologists*. 1(6): 85-87.
698. Sugathan, R. (1982). Some interesting aspects of avifauna of the Point Calimere Sanctuary, Thanjavur district, Tamilnadu. *Journal of Bombay Natural History Society*. 79(3): 567-575.
699. Sugathan, R. (1985). Observations on Spoonbilled Sandpiper (*Eurynorhynchus pygmaeus*) in its wintering ground at Point Calimere, Thanjavur District, Tamil Nadu. *Journal of Bombay Natural History Society*. 82: 407-408.
700. Sugathan, R., Jacob, K.C. and Varghese, P.A. (2001). Sooty Tern record from Thattakkadu in the Western Ghats. *Newsletter for Birdwatchers*. 41(4): 55-56.
701. Sugathan, R. and Rajan, S.A. (1988). Notes on feeding behaviour of *Amaurornis phoenicurus* at Point Calimere. *Journal of Bombay Natural History Society*. 85: 191.
702. Sumathi, T., Nagarajan, R. and Thiyagesan, K. (2007). Seasonal changes in population of waterbirds with special reference to flamingos in Point Calimere Wildlife and Bird Sanctuary, Tamilnadu, Southern India. *Mayura*. 3: 1-11.
703. Sundar, K.S.G. (2000). The Greyheaded lapwing, *Vanellus cinereus* (Blyth) in Kaliveli tank, Tamil Nadu. *Journal of Bombay Natural History Society*. 97(2): 277-278.
704. Sundar, K.S.G. (2001). Where the sarus duet. *Sanctuary Asia*.
705. Sundar, K.S.G. (2002). Conservation of the sarus crane in India: a life history perspective. *Science today*. 5: 34-37.
706. Sundar, K.S.G. (2002). Seeing life sarus style. *The ICF Bugle*. 28(4): 4-5.
707. Sundar, K.S.G. (2003). Notes on the breeding biology of the Black-necked stork (*Ephippiorhynchus asiaticus*) in Etawah and Minpuri district, Uttar Pradesh, India. *Forktail*. 19: 15-20.
708. Sundar, K.S.G. (2003). The Indian Sarus crane *Grus antigone*: a literature review. *Journal of the Ecological Society*. 16: 16-41.
709. Sundar, K.S.G. (2004). Abundance and seasonality of Indian pond Herons *Ardeola grayii* with red legs in Uttar Pradesh, India. *Forktail*. 20: 131.
710. Sundar, K.S.G. (2004). Group size and habitat use by Black-necked storks *Ephippiorhynchus asiaticus* in an agriculture dominated landscape in Uttar Pradesh, India. *Bird Conservation International*. 14: 323-334.
711. Sundar, K.S.G. (2004). Mortality of herpetofauna, birds and mammals due to vehicular traffic in Etawah district, Uttar Pradesh, India. *Journal of Bombay Natural History Society*. 101: 392-398.
712. Sundar, K.S.G. (2005). Distribution and extent of Pond herons *Ardeola grayii* with red legs in India. *Indian Birds*. 1: 5.
713. Sundar, K.S.G. (2005). Effectiveness of road transects and wetlands visits for surveying black-necked storks *Ephippiorhynchus asiaticus* and Sarus crane *Grus antigone* in India. *Forktail*. 21: 27-32.
714. Sundar, K.S.G. (2005). Observation of mate change and other aspects of pair bond in the Sarus crane *Grus antigone*. *Journal of Bombay Natural History Society*. 102: 109-112.
715. Sundar, K.S.G. (2006). Flock size, density and habitat selection of four large waterbirds species in an agricultural landscape in Uttar Pradesh, India: Implications for management. *Waterbirds*. 29: 365-374.
716. Sundar, K.S.G. (2006). Instances of successful raising of three chicks by Sarus crane *Grus antigone* pairs. *Forktail*. 22: 124-125.
717. Sundar, K.S.G. (2008). Rains in Northern India bring floods and Sarus crane nesting habitat. *ICF Bugle*. 34(3): 7.
718. Sundar, K.S.G. (2008). Uttar Pradesh: An unlikely Shangri-la. *The ICF Bugle*. 34(2): 6.
719. Sundar, K.S.G. (2009). Are rice paddies suboptimal breeding habitat for sarus cranes in Uttar Pradesh, India. *The Condor*. 111: 611-623.
720. Sundar, K.S.G. (2010). Cranes, cultivators and conservation. IN: Madhusudan, M.D. and Rangarajan, M. (eds) *Nature beyond borders*. Seminar 613. P. 34-37.
721. Sundar, K.S.G. (2010). Sarus crane breeding success and cultivation in Uttar Pradesh, India. *Current Conservation*. 3(4): 21-22.
722. Sundar, K.S.G. (2010). Sarusscape: a rich tapestry. *The ICF Bugle*. 35(1): 1-2.
723. Sundar, K.S.G. (2011). Agricultural intensification, rainfall patterns and large waterbird breeding success in the extensively cultivated landscape of Uttar Pradesh, India. *Biological conservation*. 144: 3055-3063.
724. Sundar, K.S.G. (2011). Changing conservation climates: Sarus cranes, rainfall and new laws in India. *The ICF Bugle*. 37(4): 1-2.
725. Sundar, K.S.G. (2011). Farmland foods: black necked stork *Ephippiorhynchus asiaticus* prey items in an agricultural landscape. *Forktail*. 27: 98-100.
726. Sundar, K.S.G. (2011). Ghosts of ancestors past: wetland conservation in India. *The ICF Bugle*. 37(2): 6.
727. Sundar, K.S.G., Chauhan, A.S., Kittur, S. and Babu, S. (2014). Wetland Loss and Waterbird use of Wetlands in Palwal District, Haryana, India: The Role of Agriculture, Urbanization and Conversion to Fish Ponds. *Wetlands*. DOI 10.1007/s13157-014-0600-8.
728. Sundar, K.S.G., Choudhury, B.C. and Kaur, J. (2000). Sarus crane count 2001. *Wildlife Institute of India, Dehradun*.
729. Sundar, K.S.G. and Choudhury, B.C. (2001). A note on sarus crane *Grus antigone* mortality due to collision with high tension power lines. *Journal of Bombay Natural History Society*. 98: 108-110.

730. Sundar, K.S.G. and Choudhury, B.C. (2005). Mortality of Sarus crane *Grus antigone* due to electricity wires in Uttar Pradesh India. *Environmental Conservation*. 32: 260-269.
731. Sundar, K.S.G. and Choudhury, B.C. (2006). Conservation of the Sarus crane *Grus antigone* in Uttar Pradesh, India. *Journal of Bombay Natural History Society*. 103(2-3): 182-190.
732. Sundar, K.S.G., Clancy, G.P. and Shah, N. (2006). Factors affecting formation of flocks of unusual size and composition in Black necked storks *Ephippiorhynchus asiaticus* in Australia and India. *Emu*. 106: 253-258.
733. Sundar, K.S.G., Kaur, J. and Choudhury, B.C. (1999). Distribution, general ecology and conservation status of the Indian Sarus crane (*Grus antigone antigone*) in India: results of all India survey 1998-99. *Wildlife Institute of India, Dehradun*. 122p.
734. Sundar, K.S.G., Kaur, J. and Choudhury, B.C. (2000). Distribution, demography and conservation status of the Indian Sarus crane (*Grus antigone antigone*) in India. *Journal of Bombay Natural History Society*. 97(3): 319-339.
735. Sundar, K.S.G. and Kaur, J. (2001). Distribution and nesting sites of the blacknecked stork *Ephippiorhynchus asiaticus*. *Journal of Bombay Natural History Society*. 98(2): 276-277.
736. Sundar, K.S.G. and Kittur, S. (2011). Methodological temporal and spatial factors affecting modelled occupancy of resident birds in the perennially cultivated landscape of Uttar Pradesh, India. *Landscape Ecology*. 27: 59-71.
737. Sundar, K.S.G. and Kittur, S. (2013). Can wetlands maintained for human use also help conserve biodiversity. Landscape scale patterns of bird use of wetlands in agricultural landscapes in North India. *Biological Conservation*. 168: 49-56.
738. Sundar, K.S.G. and Subramanya, S. (2010). Bird use of rice fields in the Indian subcontinent. *Waterbirds*. 33: 44-70.
739. Sundara Raj, P.S. (1934). Observation on the nest of the Dabchick (*Podiceps ruficollis* Vroeg.). *Journal of Bombay Natural History Society*. 37: 492-493.
740. Sundar, K.S.G. (2005). Predation of fledgling Painted Stork *Mycteria leucocephala* by a Spotted Eagle *Aquila* spp. in Sultanpur National Park, Haryana. *Indian Birds*, 1:6
741. Susanth Kumar, C. (1993). First breeding record of Coot at Aakulam Lake, Kerala. *Newsletter for Birdwatchers*. 33: 55.
742. Symons, H.S. (1908). Sarus crane (*Grus antigone*) in Salsette. *Journal of Bombay Natural History Society*. 19: 216.
743. Taher, H. (1993). Sex ratio of the Pintail *Anas acuta*. *Mayura*. (10): 38.
744. Taher, S.A. and Taher, G.M. (1996). Wetlands of Andhra Pradesh, India - status and pressures. *Mayura*. 13: 28-43.
745. Tak, P.C. and Sati, J.P. (2003). Aves. IN: *Fauna of Asan wetland, Wetland Ecosystem series. Zoological Survey of India*. 5: 31-38.
746. Tak, P.C., Sati, J.P. and Kumar, A. (1998). Waterfowl potential of Asan reservoir (Dehradun valley, India). *Zoologie*. 5: 111-132.
747. Takekawa, J.Y., Heath, S.R., Douglas, D.C., Perry, W.M., Javed, S., Newman, S.H., Suwal, R.N., Rahmani, A.R., Choudhury, B.C., Proccer, D.J., Yan, B., Hon, Y., Batbayar, N., Natsagdorj, T., Bishop, C.M., Butler, P.J., Frappell, P.B., Milsom, W.K., Scott, G.R., Hawkes, L.A. and Wikelski, M. (2009). Geographical variation in Bar-headed goose *Anser indicus*: connectivity of wintering areas and breeding grounds across a broad front. *Wildfowl*. 59: 100-123.
748. Talukdar, B., Barman, R., Bhattacharjee, P.C. and Sarma, N. (1995). Storks of Dibru-Saikhowa Wildlife Sanctuary, Assam. *OBC Bulletin*. 22: 49-50.
749. Tatu, K. (1998). Sighting of Great Crested Grebe and Red-necked Grebe at Pariej Lake (Kheda district, Gujarat), and Black Drongo feeding on fried food. *Newsletter for Birdwatchers*. 38(2): 25.
750. Tatu, K. (2010). First confirmed record of Black Tern *Chlidonias niger* in Gujarat, India. *Indian Birds*. 6(6): 165-166.
751. Tatu, K. (2013). Black Tern versus Whiskered Tern with 'Black Tern Patches' in Gujarat, India. *Jalaplavit*. 4(3): 98-120.
752. Tatu, K. S. (1992). Rosy Pelican, White Stork and Black Tern at Thol Wildlife Sanctuary, N.Gujarat. *Newsletter for Birdwatchers*. 32 (5-6): 17-18
753. Taylor, J.N. (1954). Occurrence of Bronzecapped or falcated teal (*Eunetta falcata*) near Calcutta. *Journal of Bombay Natural History Society*. 52(2-3): 607.
754. Thejaswi, S. (2004). Black tern *Chlidonias niger* (Linn.) in Mysore, Karnataka : First record from inland Southern India. *Journal of Bombay Natural History Society*. 101(3): 454-455.
755. Thejaswi, S., Shivaprakash. and Shivanandappa, T. (2000). Migratory birds at Lingambudhi lake in Mysore. *Newsletter for Birdwatchers*. 40(1): 7-9.
756. Thyagarajan, S. (1995). Stray observations on a family of Dabchicks. *Blackbuck*. 11(1): 22-23.
757. Tiller, C., Evans, M., Heardman, C. and Houghton, S. (1989). Diet of the Smooth Indian Otter (*Lutra perspicillata*) and of fish eating birds; a field survey. *Journal of Bombay Natural History Society*. 86(1): 65-70.
758. Tiwary, N.K., Sharma, B.B. and Urfi, A.J. (2014). Two new nesting colonies of Painted stork *Mycteria leucocephala* from Northern India. *Indian Birds*. 9: 85-88.
759. Trivedi, P. (2007). Sarus watch as a specific tool for creating awareness and conservation support: an Indian experience. *International Crane Newsletter*. 1.
760. Urfi, A.J. (1989). Breeding and habitat selection patterns of Painted Storks *Mycteria leucocephala* in Delhi Zoological Park Heronries. *Waderstudy Group Bulletin*. 57: 26.
761. Urfi, A.J. (1992). The significance of Delhi zoo for waterbird conservation. *International Zoo News*. 39: 13-16.

762. Urfi, A.J. (1993). Breeding patterns of painted storks (*Mycteria leucocephala pennant*) at Delhi Zoo, India. *Colonial waterbirds*. 16: 95-97.
763. Urfi, A.J. (1993). Heronries in the Delhi region of India. *OBC Bulletin*. 17: 19-21.
764. Urfi, A.J. (1997). The significance of Delhi Zoo for wild waterbirds with special reference to the Painted stork *Mycteria leucocephala*. *Forktail*. 12: 87-97.
765. Urfi, A.J. (1998). Interpreting a village pond heronry. *NewsEE(CEE)*. 4/3: 5.
766. Urfi, A.J. (2003). The birds of Okhla Barrage Bird Sanctuary, Delhi, India. *Forktail*. 19: 39-50.
767. Urfi, A.J. (2006). Biodiversity conservation in an urban landscape: a case study of some important bird areas on the river Yamuna in Delhi (India) IN: *McNeeley, J.A., McCarthy, T.M., Smith, L., Olsvig-Whittaker and Wikramanyake, E.D. (Eds). Society for Conservation biology Asia section and Resources Himalaya, Kathmandu, Nepal*. 455p.
768. Urfi, A.J. (2010). Using heronry birds to monitor urbanization impacts: a case study of Painted stork *Mycteria leucocephala* nesting to the Delhi Zoo. *Ambio*. 39: 190-193.
769. Urfi, A.J. (2011). Climate change and its impact on Indian birds: monsoon phenology and monitoring heronry birds. *Current Science*. 101: 1140-1142.
770. Urfi, A.J. (2011). The Painted stork: ecology and conservation. *Springer, New York*. 184p.
771. Urfi, A.J., Meghanathan, T. and Kalam, A. (2007). Nesting ecology of the painted stork (*Mycteria leucocephala*) at Sultanpur National Park, India. *Forktail*. 23: 150-153.
772. Urfi, A.J., Sen, J.M., Kalam, A. and Meghanathan, T. (2005). Counting birds in India: a review of methodologies and trends. *Current Science*. 89: 1997-2003.
773. Uthaman, P.K. (1990). Breeding of Egrets in Kerala. *Journal of Bombay Natural History Society*. 87(1): 390.
774. Uthaman, P.K. (1990). Spotbill Duck *Anas poecilorhyncha* J.R.Forster in Kerala. *Journal of Bombay Natural History Society*. 87: 290-291.
175. Uttangi, J.C. (1942). Chinese ring on a Barheaded Goose. *Newsletter for Birdwatchers*. 43: 525.
176. Uttangi, J.C. (1986). Flamingos in Badami Taluk. *Newsletter for Birdwatchers*. 26(11-12):23-24.
177. Uttangi, J.C. (1988). Winter habitat and feeding activities of the Demoiselle Crane in Areas of North Karnataka. *Newsletter for Birdwatchers*. 28(7-8): 9-10.
778. Uttangi, J.C. (1991). Barheaded and Greylag Geese. *Newsletter for Birdwatchers*. 31(1-2): 12.
779. Uttangi, J.C. (1992). Bird species recorded at Dharwad District irrigation Tanks, February-March 1992. *OBC Bulletin*. 16: 10.
780. Uttangi, J.C. (1993). Waterbird species recorded at Dharwad district irrigation tanks. *Newsletter for Birdwatchers*. 33(2): 28-29.
781. Uttangi, J.C. (1994). Birds of Mahadayi River Valley, Western Ghats. *Journal of Ecological Society*. 7: 19-23.
782. Uttangi, J.C. (1994). Occurrence of the Pacific Golden Plover, *Pluvialis fulva* in Irrigation tanks of Dharwad District, Karnataka (India). *Journal of Ecological Society*. 7: 31.
783. Uttangi, J.C. (1996). Reporting on the 1996 Asian Waterfowl census conducted in areas of Dharwad district on 21st January 1996. *Newsletter for Birdwatchers*. 36: 29-31.
784. Uttangi, J.C. (1997). Wintering status and site loyalty of Barheaded Goose, *Anser indicus*, in areas of Dharwad District, Karnataka, India. *Journal of Ecological Society*. 10: 22-24.
785. Vagholikar, N. (2004). Undermining India's ecologically sensitive areas. IN: *Islam, Zafar-Ul Rahmani, Asad R. (ed.) Mumbai: Indian Bird Conservation Network: Bombay Natural History Society and Birdlife International*. P. 71-75.
786. Vaishnav, H. A. (1985). Crane survey in Gujarat. *Hornbill*. 1985(4): 38-40
787. Venkataraman, C., Nagarajan, R. and Thiyagesan, K. (2012). Resource partitioning in nesting among waterbirds at Vedanthangal Sanctuary. IN: *Recent advances in Biodiversity of India. (eds. Raghunathan, C., Sivaperuman, C. and Venkataraman, K.)Kolkatta: Zoological Survey of India*. P. 403-408.
788. Venkatesan, S.K. (1988). Notes on the breeding season of some water birds. *Blackbuck*. 4(4): 29-30.
789. Venkateshwara, H. (1998). Occurrence of white stork in Dakshina Kannada District. *Newsletter for Birdwatchers*. 38(4): 72.
790. Verghese, A. (1993). Aggregation pattern in foraging Cattle Egret, *Bubulcus ibis*. IN: *Verghese, A., Sridhar, S., Chakravarty, A.K. (ed.) Bird conservation, strategies for the 90s beyond. Ornithological Society of India, Bangalore*. pp.157.
791. Verma, A. (2003). Feeding association of marsh harrier (*Circus aeruginosus*) with black-necked stork (*Ephippiorhynchus asiaticus*) in Keoladeo National Park (Bharatpur, India). *Aquila*. 109-110: 47-50.
792. Vijayan, V.S. (1986). On conserving the bird fauna of Indian Wetlands. *Proc. Ind. Acad. Sci (Animal science/Plant Science) supplement*. P.99-101.
793. Vyas, R. (1999). Breeding success and chick mortality in Sarus crane. *Newsletter for Birdwatchers*. 39(1): 7.
794. Vyas, R. (1999). Status survey of Sarus crane in Rajasthan. *Hadothi Naturalist Society, Kota*. 10p.
795. Wesley, H.D. (1990). Association between a pond heron and a sheep. *Newsletter for Birdwatchers*. 30(3-4): 12.
796. Wesley, H.D. (1990). Pond heron snapping up dragonflies. *Newsletter for Birdwatchers*. 30(1-2): 10.
797. Wesley, H.D. (1993). Genetics of red tarsi and feet in the pond heron. *Newsletter for Birdwatchers*. 33(4): 73.

798. Wesley, H.D. (1996). More red-legged pond herons. *Newsletter for Birdwatchers*. 36(1): 5-6.
799. Whistler, H. (1938). Supposed breeding of Pintail snipe (*Capella stenura* [Bonaparte]) in Belgaum district. *Journal of Bombay Natural History Society*. 41: 178.
800. Whiting, S.D. Guinea, M.L. (1999). Nocturnal foraging by the Black-necked stork *Ephippiorhynchus asiaticus* on Sea turtle hatchlings. *Emu*. 99.
801. Wilkinson, M.E. (1961). Pelicanry at Kundakulam, Tirunelveli district. *Journal of Bombay Natural History Society*. 58: 514-515.
802. Wolstencroft, A.J., Hussain, S.A. and Varshney, C.K. (1989). Pichavaram mangroves. *IN: A Directory of Asian Wetlands IUCN Publication, Malaysia*. pp.483-484.
803. Worth, C.B. (1953). Ecological notes on a colony of small swallow-plovers in Mysore State. *Journal of Bombay Natural History Society*. 51: 608-622.
804. Yasmin, S. (1977). Storks seeking army protection in Bihar. *Newsletter for Birdwatchers*. 37: 15.
805. Yasmin, S. (1996). A henry in the heart of a city. *Newsletter for Birdwatchers*. 36: 78.
806. Yellap Reddy, A.N., Srinivasan, A.N., Chakrapani, B.K. and Naveen, O. (1993). Observation and recommendation concerning some serious ecological problems of wetland bird habitats in the Bangalore region, Peninsular India, Ornithological Society of India, Bangalore. *IN: Vergheese, A., Sridhar, S., Chakravarty, A.K. (ed.) Bird conservation, strategies for the 90s beyond, Ornithological Society of India, Bangalore*. pp. 139.